

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
19 February 2004 (19.02.2004)

PCT

(10) International Publication Number  
**WO 2004/015139 A1**

- (51) International Patent Classification<sup>7</sup>: **C12Q 1/68**
- (21) International Application Number:  
PCT/EP2003/008602
- (22) International Filing Date: 1 August 2003 (01.08.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
102 36 406.0 2 August 2002 (02.08.2002) DE
- (71) Applicant (*for all designated States except US*): **EPIGENOMICS AG** [DE/DE]; Kastanienallee 24, 10435 Berlin (DE).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **ADORJAN, Peter** [HU/DE]; Dunckerstrasse 4, 10437 Berlin (DE). **PIEPENBROCK, Christian** [DE/DE]; Schwartzkoffstrasse 7 B, 10115 Berlin (DE). **RUJAN, Tamas** [HU/DE]; Hiddenseer Strasse 13, 10437 Berlin (DE). **SCHMITT, Armin** [DE/DE]; Hortensienstrasse 29, 12203 Berlin (DE).
- (74) Agent: **SCHUBERT, Klemens**; Neue Promenade 5, 10178 Berlin-Mitte (DE).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
- with international search report
  - before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: METHOD FOR AMPLIFICATION OF NUCLEIC ACIDS OF LOW COMPLEXITY

(57) Abstract: The invention describes a method for amplifying nucleic acids, such as DNA with means of an enzymatic amplification step, such as a polymerase chain reaction, specified for template nucleic acids of low complexity, e.g. pre-treated DNA, like but not limited to DNA pre-treated with bisulfite is disclosed. The invention is based on the use of specific oligo-nucleotide primer molecules to solely amplify specific pieces of DNA. It is disclosed how to optimize the primer design for a PCR if the template DNA is of low complexity.

WO 2004/015139 A1

**Method for amplification of nucleic  
acids of low complexity**

5     The present invention relates to a method for the amplification of nucleic acids.

Description

10    This invention relates to the fields of genetic engineering, molecular biology and computer science, and more specifically to the field of nucleic acid analysis based on specific nucleic acid amplification.

15    The matter of the present invention is a method for amplifying nucleic acids, such as DNA by means of an enzymatic amplification step, such as a polymerase chain reaction, specified for template nucleic acids of low complexity, e.g. pre-treated DNA, like but not limited to  
20    DNA pre-treated with bisulfite. The invention is based on the use of specific oligo-nucleotide primer molecules to solely amplify specific pieces of DNA. It is disclosed how to optimize the primer design for a PCR if the template DNA is of unusually low complexity. Also, for the  
25    optimal primer design it was considered that the treated template DNA is single stranded.

30    The amplification of nucleic acids relies mainly on a method called polymerase chain reaction (PCR). The PCR is based on the activity of the enzyme DNA polymerase, which is elongating primer molecules, which bind to the template DNA by adding dNTPs and hereby copying the template sequence (Saiki RK, Gelfand DH, Stoeffel S, Scharf SJ, Higuchi R, Horn T, Mullis KB and Erlich HA (1988).

35    Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. Science 239 : 487-491). The

primer molecules are designed to specifically hybridize to those regions of the template DNA that define both ends of the amplificate. The forward primer binds to the 5' end of the sense strand of the amplificate, whereas  
5 the reverse primer binds to the 5' end of the reverse strand, hereby defining the starting points of the polymerase reaction and eventually determining the length of the amplificate.

10 Before the polymerase starts the template DNA gets denatured, this is usually done by a short cycle of heating the reaction mixture up to about 95°C, then cooling it down to the annealing temperature determined by the melting temperature of the primer molecules used and finally  
15 allowing the polymerase to elongate the annealed primers at its ideal working temperature for some minutes. This cycle is repeated several times each starting with the denaturation step. The primer molecules hybridize to the single stranded DNA. The forward primer is the starting  
20 molecule for a copy of the sense strand and the reverse primer is the starting molecule for a copy of the anti-sense strand.

These first copies will be of unspecific length, limited  
25 only by the polymerase's activity. However in the following cycle, the forward primer will also bind to the first copy of the anti-sense strand, the polymerase will take that copy as a template and will elongate the primer only as far as there is template DNA. Hereby the length of the  
30 second copy gets limited to the length defined by the first nucleotide of the second primer. In the following cycles more and more pieces of template DNA compete for the primer molecules and eventually the DNA amplificate of defined length will be the main product.

35

However, in the case of a bisulfite treated DNA the template DNA is single stranded. The bisulfite or similar treatment alters the original sequences on both strands such that these are not complementary to each other after the treatment. As a result no complementary strand to the target sequence exists. A first primer molecule binds to the one end of the single stranded target sequence. The polymerase elongates said primer and copies said target sequence. The second primer molecule cannot bind to the complementary, so called anti-sense strand, as it would in a standard PCR. Therefore the second primer molecule is designed to bind to the first copied sequence instead. More specifically it will bind to that part of the copied nucleic acid which is the complement to the other end of said target sequence.

The results of a PCR are highly depending on the choice of the ideal primer. The choice of a primer molecule must respect constraints permitting a correct amplification by PCR, fulfilling hybridization temperature conditions and auto- or hetero-hybridization prevention.

In other words, as any PCR requires two primer molecules to amplify a specific piece of DNA in one reaction the melting temperatures of both primers need to be very similar in order to allow proper binding of both at the same hybridization temperature. That is why most primer design programs require the user to define a preferred melting temperature or a permitted range of melting temperatures. This requirement becomes the limiting factor when designing primers for a so called multiplex PCR, as all primer pairs in use need to have the same or at least very similar melting temperatures. Additionally primers have to be very specific, in order to only amplify those pieces of DNA that are the target.



By providing the means for designing extremely accurate primer pairs for DNA hybridization procedures this invention relates to the so called PCR primer design. More specifically the body of this invention relates to the specific requirements of primers and therefore of primer design when using template DNA that consists of essentially only three different nucleotides and is single stranded. This is the case when using bisulfite treated DNA as a template, as it contains no cytosine other than the methylated cytosines in a CG dinucleotide and a rest of insufficiently treated and therefore untransformed non-methylated cytosines. The invention relates specifically to the primer design when using bisulfite treated DNA as template.

It would be obvious to an individual skilled in the art that the use of the primers as specified in this invention are not limited to nucleic acid amplification. Said primers can be used for several purposes, such as amplification, but also for nucleic acid sequencing or as blocking oligonucleotides during analysis of bisulfite treated DNA. Therefore the use of said primers is not limited to nucleic acid amplification but extends to all standard molecular biological methods.

Pairs of these primers are used to specifically amplify DNA from a small amount of sample DNA that consists of bisulfite treated DNA originating from a limited source of DNA like a bodily fluid or tissue sample.

DNA can occur methylated or non-methylated at certain positions and this information is relevant for the status of a genes transcription. The methyl group is attached to the cytosine bases in CpG positions. The identification of 5-methylcytosine in a DNA sequence as opposed to unmethylated cytosine is of greatest importance for example

- when studying the role of DNA methylation in tumorigenesis. But, because the 5-Methylcytosine behaves just as a cytosine for what concerns its hybridization preference (a property relied upon for sequence analysis) its positions can not be identified by a normal sequencing reaction. Furthermore in a PCR amplification this relevant epigenetic information, methylated cytosine or unmethylated cytosine, will be lost completely.
- 10 This problem is usually solved by treating the genomic DNA with a chemical leading to a conversion of the cytosine bases, which consequently allows to differentiate the bases afterwards.
- 15 A tool most useful for analyzing DNA methylation is the bisulfite conversion of DNA that converts cytosine bases into bases showing a hybridization behavior as thymine bases. Hereby the DNAs complexity is reduced by a fourth.
- 20 Bisulfite conversion is the most frequently used method for analyzing DNA for 5-methylcytosine. It is based upon the specific reaction of bisulfite with cytosine which, upon subsequent alkaline hydrolysis, is converted to uracil, whereas 5-methylcytosine remains unmodified under these conditions (Shapiro et al. (1970) Nature 227: 1047). However, in its base pairing behavior, uracil corresponds to thymine, that is, it hybridizes to adenine; whereas 5-methylcytosine doesn't change its chemical properties under this treatment and therefore still has the base pairing behavior of a cytosine, that is hybridizing with guanine. Consequently, the original DNA is converted in such a manner that methyl-cytosine, which originally could not be distinguished from cytosine by its hybridization behavior, can now be detected as the only remaining cytosine using "normal" molecular biological techniques, for example, by amplification and hy-
- 30
- 35

bridization or sequencing. All of these techniques are based on base pairing which can now be fully exploited. Comparing the sequences of the DNA prior to and after bisulfite treatment allows an easy identification of those bases that have been methylated.

In the scope of this invention when it says "a nucleotide (...) was converted by the treatment..." this conversion is meant to be able to differentiate between methylated and un-methylated cytosine bases within said sample, as for example the conversion of un-methylated cytosine bases to bases which hybridize to adenine by the treatment with bisulfite.

An alternative method is to use restriction enzymes that are capable of differentiating between methylated and un-methylated DNA, but this is restricted in its uses due to the selectivity of the restriction enzyme towards a specific sequence.

An overview of the further known methods of detecting 5-methylcytosine may be gathered from the following review article: Rein T, DePamphilis ML, Zorbas H, Nucleic Acids Res. 1998, 26, 2255.

In terms of sensitivity, the prior art is defined by a method, which encloses the DNA to be analyzed in an agarose matrix, thus preventing the diffusion and renaturation of the DNA (bisulfite reacts with single-stranded DNA only), and which replaces all precipitation and purification steps with fast dialysis (Olek A, Oswald J, Walter J (1996) A modified and improved method for bisulfite based cytosine methylation analysis. Nucleic Acids Res. 24: 5064-6). Using this method, it is possible to analyze individual cells, which illustrates the potential of the method.

To date, barring few exceptions (e.g., Zeschnigk M, Lich C, Buiting K, Doerfler W, Horsthemke B (1997) A single-tube PCR test for the diagnosis of Angelman and Prader-Willi syndrome based on allelic methylation differences at the SNRPN locus. Eur J Hum Genet. 5: 94-8) the bisulfite technique is only used in research. Always, however, short, specific fragments of a known gene are amplified subsequent to a bisulfite treatment and either completely sequenced (Olek A, Walter J (1997) The pre-implantation ontogeny of the H19 methylation imprint. Nat Genet. 3: 275-6) or individual cytosine positions are detected by a primer extension reaction (Gonzalzo ML and Jones PA (1997) Rapid quantitation of methylation differences at specific sites using methylation-sensitive single nucleotide primer extension (Ms-SNuPE). Nucleic Acids Res. 25: 2529-31; WO 95/00669) or by enzymatic digestion (Xiong Z, Laird PW (1997) COBRA: a sensitive and quantitative DNA methylation assay. Nucleic Acids Res. 25: 2532-4).

Another technique to detect hypermethylation is the so called methylation specific PCR (MSP) (Herman JG, Graff JR, Myohanen S, Nelkin BD and Baylin SB (1996), Methylation-specific PCR: a novel PCR assay for methylation status of CpG islands. Proc Natl Acad Sci USA. 93: 9821-6). The technique is based on the use of primers that differentiate between a methylated and a non-methylated sequence if applied after bisulfite treatment of said DNA sequence. The primer either contains a guanine at the position corresponding to the cytosine in which case it will after bisulfite treatment only bind if the position was methylated. Or the primer contains an adenine at the corresponding cytosine position and therefore only binds to said DNA sequence after bisulfite treatment if the cytosine was unmethylated and has hence been altered by the bisulfite treatment so that it hybridizes to adenine.

With the use of these primers amplicons can be produced specifically depending on the methylation status of a certain cytosine and will as such indicate its methylation state. The present invention, however, does preferably not include CpGs in the primer sequence.

Another new technique is the detection of methylation via Taqman PCR, also known as MethyLLight (WO 00/70090). With this technique it became feasible to determine the methylation state of single or of several positions directly during PCR, without having to analyze the PCR products in an additional step.

In addition, detection by hybridization has also been described (WO 99/28498).

Further publications dealing with the use of the bisulfite technique for methylation detection in individual genes are:

Grigg G, Clark S (1994) Sequencing 5-methylcytosine residues in genomic DNA. Bioassays 16: 431-6; Zeschnigk M, Schmitz B, Dittrich B, Buiting K, Horsthemke B, Doerfler W (1997) Imprinted segments in the human genome: different DNA methylation patterns in the Prader-Willi/Angelman syndrome region as determined by the genomic sequencing method. Hum Mol Genet. 6: 387-95; Feil R, Charlton J, Bird AP, Walter J, Reik W (1994) Methylation analysis on individual chromosomes: improved protocol for bisulphite genomic sequencing. Nucleic Acids Res. 22: 695-6; Martin V, Ribieras S, Song-Wang X, Rio MC, Dante R (1995) Genomic sequencing indicates a correlation between DNA hypomethylation in the 5' region of the pS2 gene and its expression in human breast cancer cell lines. Gene 157 : 261-4; WO 97/46705; WO 95/15373; WO 97/45560

For all those methods mentioned above, which are based on PCR amplification of bisulfite treated DNA, the biggest challenge is to design primers that are specific.

5

## THE PROBLEM AND ITS SOLUTION

There are a number of programs available on the market that offer to design primer pairs in order to amplify a piece of DNA in a PCR. Usually they require as input the  
10 template DNA sequence, the preferred melting temperature  $T_M$ , the desired length of the amplificate and optionally the preferred length of the primer molecules.

However if a primer is required to bind specifically to  
15 bisulfite treated DNA, the design of the primer molecule is especially difficult and those tools known in the art are not competent to design primers that lead to specific products. The following problems occur when dealing with bisulfite treated DNA instead of standard DNA:

20

First, the sequence complexity of the bisulfite treated genome is reduced dramatically. Complexity in this context is meant to be a measure for the similarity of a given sequence to a random or stochastic sequence; the  
25 more complex a sequence is the more it is similar to a random sequence. A reduced complexity of the genome means there are less degrees of variation. Where there are essentially only three different nucleotides rather than four, the probability of a sequence to occur twice in a  
30 given length of sequence is much higher. For example, a primer molecule of 20 nucleotides in length is likely to be unique in the human genome, if it is not part of a repeat sequence: The human genome is known to consist of about  $3 \times 10^9$  bases. There are  $4^{20} \approx 10^{12}$  different ways  
35 to form sequences of a length of 20 nucleotides, assuming equidistribution of the bases, which makes multiple oc-

- currences of a given 20-mer (oligonucleotide of 20 nucleotides) extremely unlikely. However since there are only  $320 \approx 3 \times 10^9$  different 20-mers possible over a 3-letter alphabet, this multiple occurrence cannot be excluded. In addition a bisulfite treated sequence, enriched in thymine in the sense strand and enriched in adenine in the reverse complementary strand, will contain more repeats and regions of general low complexity.
- Another way to enhance or guarantee uniqueness of primer and/or oligo molecules is to estimate their expected frequency in the genome based upon a Markov model of order  $n$  for the human genome or to check their uniqueness explicitly by counting their exact occurrence. The estimation based upon the Markov model relies upon the determination of the probabilities of all  $4^n$   $n$ -mers (oligo molecules of  $n$  nucleotides) in the human genome or in all amplicates which are used in the hybridization and the conditional probabilities of all four bases given these  $n$ -mers. The primer pairs will be constructed from forward and reverse oligos which lie within an appropriate distance to each other and which have minimal individual expected occurrence elsewhere in the genome.
- A second challenge in primer design for bisulfite treated DNA is that the melting temperature  $T_M$  of a bisulfite DNA primer of a certain length is typically lower than the melting temperature  $T_M$  of a standard primer containing cytosines. This is due to the fact that every cytosine in a bisulfite treated DNA is - after amplification by PCR - replaced by thymine. Cytosine binds its corresponding base guanine via three hydrogen bonds, whereas thymine binds its corresponding base adenine via two hydrogen bonds only, leading to a generally weaker binding, a lower  $T_M$ .

A third problem arises from the fact that bisulfite treated sequences are not only lacking cytosines but are also thymine-rich. Thymine also hybridizes unspecifically with guanine. This makes mismatching (unspecific binding of a primer to a sequence not identical) of a primer designed for bisulfite treated DNA much more likely than mismatching of a standard primer consisting of four different nucleotides.

It is the aim of this invention to overcome these problems, which are specific for primer based amplification of bisulfite treated DNA.

For a so called "multiplex PCR" it becomes especially difficult to design primer pairs. This expression is used to describe an experiment in which several different pieces of DNA are amplified simultaneously, in one reaction vessel and at the same time. Obviously this saves a lot of effort and time and is as such a basic requirement for high throughput assays based on PCR amplification. An overview on the state of the art concerning multiplex PCR is given by Henegariu et al. (Henegariu O, Heerema NA, Dlouhy SR, Vance GH and Vogt PH (1997) Multiplex PCR: Critical Parameters and Step-by-Step Protocol. BioTechniques 23: 504-511), who offer a step-by-step protocol on how to tackle multiplex PCR problems. However, the possibility of a special primer design is not mentioned in this article.

To ensure that the multiplex PCR works and the multiple products are amplified indeed usually a gel electrophoresis of the reaction mixture is performed. The products get separated due to their different sizes. Unfortunately, the ability of agarose gel electrophoresis to distinguish the products is slightly limited. However, it is possible to test for different product sizes with the



means of a fragment analyzer, which is much more accurate and able to distinguish product sizes of one base difference. Hence different product sizes are no longer a requirement to be considered in the primer design for a  
5 multiplex PCR.

In patent WO 01/94634 a method for a multiplex PCR using at least two primer pairs is described that consists of basically a two step amplification procedure wherein one  
10 step is referred to as pre-amplification. After pre-amplification (by means of PCR) with a number of primer pairs the sample gets divided into as many portions as there are primer pairs. At least one (and preferably only one) of the previously used primer pairs is added. This  
15 method doesn't relate in any way to the selection or design of primer molecules described herein.

In an article by Shuber et al. (Shuber AP, Grondin VJ and Klinger KW (1995) A simplified procedure for developing  
20 multiplex PCRs. Genome Res 5 (5) : 488-493 ) regarding multiplex PCR, the authors suggest to use primers, which contain a 3' region complementary to sequence specific recognition sites and a 5' region of a defined length of 20 nucleotides each. The authors claim that they could  
25 establish identical reaction conditions, cycling times and annealing temperatures for any PCR primer pair following those requirements.

In several recent papers successful multiplex PCRs have  
30 been established. For example, Becker et al. have reported the development of a multiplex PCR reaction for the detection of multiple staphylococcal enterotoxin genes, which uses individual primer sets for each toxin gene (Becker K, Roth R and Peters G (1998) Rapid and specific  
35 detection of toxigenic Staphylococcus aureus : use of two multiplex PCR enzyme immunoassays for amplifica-

tion and hybridization of staphylococcal enterotoxin genes, exfoliative toxin genes, and toxic shock syndrome toxin 1 gene. J. Clin. Microbiol. 36: 2548-2553). This has been developed even further by Monday and Bohach, by  
5 increasing the number of primer pairs applied in one reaction up to about 10 in order to have one assay to amplify all of the characterized enterotoxin genes. This still required a unique established primer pair for the detection of every individual gene (Monday SR and Bohach  
10 GA (1999) Use of multiplex PCR to detect classical and newly described pyrogenic toxin genes in staphylococcal isolates. J. Clin. Microbiol. 37: 3411-3414).

In another paper by Sharma et al. a method for a one-  
15 vessel-multiplex PCR is described wherein each of six chosen primer pair consists of one identical universal forward primer, based on a highly conserved region of those genes of interest and one reverse primer, specific for each individual gene. As such the assay leads to a  
20 rapid amplification of a family of genes, which all have a conserved region in common. It is designed to detect presence or absence of certain genes in an unknown mixture. No further information is given about the primer design, apart from saying that they were designed by a  
25 alignment of published DNA sequences. This is certainly not the only requirement though, as one big limitation of the method is the need of getting PCR products of different sizes in order to identify those in the end (Sharma NK, Rees CED and Dodd CER (2000) Development of a single-  
30 reaction multiplex PCR toxin typing assay for Staphylococcus aureus strains. Applied and Environmental Microbiology 66 (4) : 1347-1353).

In the patent application WO 01/36669 a method is described which uses a similar approach for the controllable  
35 amplification of a higher number of sequences in selec-

ting one randomly chosen reverse primer that hybridizes unspecifically and a number of specific forward primers to amplify a group of sequences. As the reverse primer is labeled all products formed will be labeled as well. By  
5 hybridizing said amplicons towards immobilized detection oligos, which are able to differentiate the products, it will be easy to see which products have been amplified and herein the presence or absence of said sequences in the mixture can be determined.

10

The big disadvantage in all these methods is that every primer pair needs to be established individually first to ensure that a PCR product of the expected size was produced and that no additional or nonspecific products are  
15 generated. Once the specificity of the primer pairs had been determined, PCR conditions, buffers, and primer concentrations need to be optimized to establish conditions under which the primer molecules can be combined into one single PCR reaction without affecting the ability of the  
20 primer pairs to generate a gene specific amplicon.

A more recently published approach by Nicodeme and Steyaert describes the conditions required for multiplex PCR and suggests an algorithm to automatically select for  
25 primer pairs (Nicodeme P and Steyaert JM (1997) Selecting optimal oligonucleotide primers for multiplex PCR. Proc. Int. Conf. Intell Syst Mol Biol; 5 : 210-213). In this approach the conditions for pre-selecting primer pairs for a successful one locus amplification (singleplex PCR  
30 conditions) are rather broad. The three basic requirements are the pairing distance between a forward and a reverse primer, the condition of non-palindromicity of a primer, and the condition that the 3' end of a primer must not be reverse complementary to any of the other  
35 primers sequence. This selection is done with the help of a typical primer design program called PRIMER. However,

PRIMER is a two step program, and in this approach the new method to design primers for a multiplex PCR takes the output from step 1 as input, which is a list of possible forward and a list of possible reverse primers for every amplificate.

The only further selection criteria for the multiplex PCR primers are the absence of the reverse complementarity of their 3' end towards the other primer sequences in the experiment. A second critical factor considered here is the GC versus AT ratio. To some extent it is this ratio that determines the melting temperature of a primer pair. The authors suggest to limit the GC/AT ratio to be inside a given range which would enable the simultaneous hybridization of several primer pairs at one reaction temperature. The final requirement is the electrophoresis distance, determined by the tool that is used to differentiate the PCR products in, for example, a gel electrophoresis. This most common method requires the products to be of different sizes. The whole concept of this method also requires to have a pool of possible primer pairs for each amplicon.

The design of suitable primers for a multiplex PCR on bisulfite treated DNA is an even greater challenge. The low complexity of the DNA, being reduced to essentially three different bases rather than four different bases, requires an extra careful selection of primers to avoid mismatching and unwanted amplification.

In the scope of this invention the word "mismatching" corresponds to the situation when the alignment of two sequences which are essentially complementary reveals positions in one of the sequences where the nucleotide base does not align with its corresponding base but a different one. The corresponding or complementary base pairs are adenine and thymine, cytosine and guanine,

are adenine and thymine, cytosine and guanine, uracil and adenine. For example, a cytosine that aligns with a thymine in its otherwise complementary sequence creates a mismatch of one base or nucleotide.

5

Accordingly "base mismatches" refers to the situation of a base mismatching with another as explained above, respectively "one or more base mismatches" refers to one or more bases (in a given sequence) that cannot be aligned with their corresponding bases.

10

Also, when the alignment reveals single nucleotide gaps in one of the aligned sequences this is understood under the term "mismatch" in the scope of this invention.

15

A 'gap' is to be understood as follows: If an alignment reveals that, in order to get the highest number of corresponding base pairs aligned, some bases are lacking a corresponding base in its otherwise complementary sequence, this is called a gap. Such a gap can have a length of one or more nucleotides.

20

To solve the problems mentioned above we invented a method consisting of several steps that is applicable for the amplification of nucleic acids in singleplex as well as in multiplex PCR experiments.

25

#### SUMMARY OF THE INVENTION

30 The method is comprised of the following steps:  
Firstly, the nucleic acid sample containing the region of interest, which is to be amplified, is isolated. Secondly, this nucleic acid sample is treated in a manner that differentiates between methylated and un-methylated  
35 cytosine bases within said sample. Thirdly, a reaction mixture is set up containing a) the treated template nu-

35

cleic acids, carrying the region of interest (also called: target nucleic acid) that is to be amplified, b) specified oligo-nucleotide primers, c) an enzyme capable of amplifying said nucleic acids in a defined manner, d) 5 the necessary nucleotides required for the nucleic acid synthesis and e) a suitable buffer.

Said specified oligo-nucleotide primers are characterized in that

10 their sequences each reach a predefined measure of complexity (as described in detail below) every possible combination of two primer molecules in said reaction mixture has a melting temperature below a specified threshold temperature

15 none of the possible combinations of two primer molecules in said reaction mixture leads to the amplification of an additional unwanted product as determined by virtual testing for amplification.

20 In the last step of the method said amplified target nucleic acid is detected by means commonly used by one skilled in the art.

The invention is composed of a method for the amplification of nucleic acids comprising the following steps of

25 isolating a nucleic acid sample, treating said sample in a manner that differentiates between methylated and unmethylated cytosine bases within said sample, amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of

30 primer molecules, wherein said primer molecules are characterized in that

a) each primer molecule sequence reaches a predefined measure of complexity, b) every combination of any two

35 primer molecules in the set has a melting temperature below a specified threshold temperature and c) every combi-

nation of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample  
5 nucleic acids as template and the last step of detecting said amplified target nucleic acid.

More detailed description of the method:

10 The method is comprised of the following steps:  
In the first step of the method, the nucleic acid sample, which contains the region of interest that is to be amplified, must be isolated from tissue or cellular sources. Such sources may include at least one cell, but  
15 usually several cells, cell lines, histological slides, bodily fluids, or tissue embedded in paraffin.

In a preferred embodiment of this invention the nucleic acid sample is isolated from a bodily fluid, a cell culture, a tissue sample or a combination thereof.  
20

For example a certain kind of organ sample from a patient or an animal can be used to extract genomic DNA by the usually applied methods. Preferably, in this invention  
25 DNA is extracted from a tissue sample or a biological fluid like blood, serum, urine or other fluids. 'Bodily fluid' herein refers to a mixture of macromolecules obtained from an organism. This includes, but is not limited to, blood, blood plasma, blood serum, urine, sputum,  
30 ejaculate, semen, tears, sweat, saliva, lymph fluid, bronchial lavage, pleural effusion, peritoneal fluid, meningeal fluid, amniotic fluid, glandular fluid, fine needle aspirates, nipple aspirate fluid, spinal fluid, conjunctival fluid, vaginal fluid, duodenal juice, pancreatic juice, bile and cerebrospinal fluid. This also  
35 includes experimentally separated fractions of all of the

preceding. 'Bodily fluid' also includes solutions or mixtures containing homogenized solid material, such as feces.

5 The nucleic acids may include DNA or RNA. Isolation may be by means that are standard to one skilled in the art, this includes for example extraction of DNA with the use of detergent lysates, sonification and vortexing with glass beads. An example is the extraction of DNA from a  
10 piece of a plant, like a leave or fruit. Once the nucleic acids, like genomic double stranded DNA, have been extracted they are used in the analysis.

15 In a preferred embodiment of this invention the nucleic acid sample is comprised of plasmid DNA, BACs (bacterial artificial chromosomes), YACs (yeast artificial chromosomes) or genomic DNA.

20 In another especially preferred embodiment of this invention the nucleic acid sample is comprised of human genomic DNA. It is preferred that the nucleic acids are of human origin.

25 In the second step, this nucleic acid sample is treated in a manner that differentiates between methylated and un-methylated cytosine bases within said sample. Cytosine bases which are unmethylated at the 5'-position are converted to uracil, thymine, or another base which is dissimilar to cytosine in terms of hybridization behavior.  
30 This will be understood as 'treatment' hereinafter. The method most commonly used so far is the so called bisulfite treatment.

35 This step is of essential meaning to the process as it translates the methylation pattern of said nucleic acids into a pattern that is something like an imprint of the



methylation status itself. It contains essentially the same information but the pre-treated nucleic acids are no longer sensitive to amplification via PCR. Amplification via PCR does not differentiate between methylated and un-methylated cytosines and therefore leads to the loss of this level of information. The original methylation status however can be deducted whenever the described pre-treatment had been performed prior to the amplification step. Hence any means suitable to differentiate between a methylated and an un-methylated cytosine base are applicable, as long as the modified bases are still capable of being amplified by enzymatic means after treatment.

It is a preferred embodiment of this invention that said sample is treated by means of a solution of a bisulfite, hydrogen sulfite or disulfite. A treatment of genomic DNA as described above is carried out with bisulfite (hydrogen sulfite, disulfite) and subsequent alkaline hydrolysis which results in a conversion of non-methylated cytosine nucleobases to uracil or to another base which is dissimilar to cytosine in terms of base pairing behavior.

In the third step of this method, a reaction mixture is set up containing a) the treated template nucleic acids, comprising the region of interest (also called target nucleic acid) that is to be amplified, b) specified oligonucleotide primers, c) an enzyme capable of amplifying said nucleic acids in a defined manner, for example a polymerase, d) the necessary nucleotides required for the nucleic acid synthesis and e) a suitable buffer. The template nucleic acid contains at least one target nucleic acid, which is amplified in the reaction. One primer molecule of the at least one primer pair in the reaction mixture is capable of binding to the 3' end of one specified target nucleic acid. The first primer binds to the

3' end of the target sequence, this primer is elongated and a complementary sequence to the target sequence is made. The polymerase stops to elongate unspecifically. The next cycle starts by thermally denaturing the now  
5 double stranded template nucleic acid into single stranded template nucleic acids. This is followed by the next phase of annealing when both primer molecules specifically bind to the target nucleic acid and its complementary strand. The second primer is identical to the 5'  
10 end of the target molecule. It doesn't bind to the target sequence itself but to said complementary nucleic acid to the target sequence, as soon as this is denatured from the template.

15 The process is finished by the actual amplification phase at a slightly lower reaction temperature, during which the enzyme, for example the polymerase elongates the primer as a complementary sequence to the target nucleic acid. The polymerase elongates this second primer by using the first copy as template until the end of said copied nucleic acid is reached. That way an identical copy  
20 to the original single stranded target nucleic acid is created. Hence, the length of the amplificate is determined by choosing the two primers.

25 The elongation products, being complementary to each other and hereby building a double stranded version of the target nucleic acid, serve as additional targets for the primer molecules binding in the next cycle of amplification.  
30

Essentially step 3 of the method is comprised of amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set  
35 of primer molecules.

Said primer molecules used in said method are characterized in that they, in addition to fulfilling all the usual requirements towards a PCR primer as will be specified in more detail later, also fulfill the following requirements:

Firstly, the sequence of each primer molecule used in step 3 of this method reaches a predefined measure of complexity.

In a preferred embodiment of this method the primer molecules are reaching a certain value of linguistic complexity. A notion and a measure of linguistic complexity has been introduced by Trifonov in 1990 and has been used for analysis of nucleotide sequences before (Trifonov, EN (1990) Making sense of the human genome. In Structure & Methods. Vol 1 pp 69-77 (eds. Sarma, RH and Sarma MH, Adenine Press, Albany, US). The linguistic complexity technique allows a calculation to be made of the structural complexity of any linear sequence of characters irrespective of whether the text is cognized or presently undeciphered. The sequences are compared exclusively from the point of view of their structural complexity with no reference to the meaning of the texts. In 1997 Trifonov published how the linguistic complexity of nucleosomal sequences is defined (Bolshoy, A; Shapiro, K; Trifonov, E and Ioshikhes I. (1997) Enhancement of the nucleosomal pattern in sequences of lower complexity. NAR 25 (16): 3248-3254). Quote: "The linguistic complexity measure exploits the major distinguishing feature between natural nucleotide sequences and uniformly random ones: the repetitiveness of the natural sequences, i.e. the frequent repetition, not necessarily a tandem one, of some oligonucleotides ("words"), while others are avoided. (...) Complexity can be directly calculated as the extent to which the maximal possible vocabulary (all word sizes

considered) is utilized in a given strength of sequence (...)."

5 In another preferred embodiment of this method said measure of complexity is set by the so called Shannon entropy (Shannon, C E, (1948) A Mathematical Theory of Communication, University of Illinois Press, Urbana). This is the most common measure to assess the information content (in a technical, non-semantic meaning) of linear information  
10 carriers. It attributes the maximal value (which can be chosen to be 1 without restrictions) to sequences where all symbols (characters) occur at equal probability and a value of 0 to sequences consisting of just one repeated symbol (character, letter). A derived and more general  
15 measure is the higher order Shannon entropy which attributes maximal value to sequences where all its subsequences occur at equal probability and a value of 0 or close to 0 to sequences consisting of periodic repetitions of short subsequences. The practical determination  
20 of the (higher order) Shannon entropy however is limited by the finite lengths of sequences which often does not permit a precise estimation of the probability distribution of their constitutive symbols.

25 Further possible measures are for example the Lempel-Ziv complexity (Lempel, LB and Ziv, J (1976) On the complexity of finite sequences. IEEE Trans. Inf. Theory IT-22, 75-81) , the grammar complexity (Ebeling, W; Jimenez-Montano, MA (1980) On Grammars, Complexity and Information Measures of Biologicial Macromolecules. Mathematical Bioscience 52, 53-71), the algorithmic complexity  
30 (Chaitin, 1990) and the conditial entropy.

35 Secondly, said primer molecules are also characterized in that every possible combination of any two primer molecules, in the set, has a melting temperature below a

specified threshold temperature. That way the accumulation of dimers caused by the binding of two primer molecules to each other in said reaction mixture is excluded. The number of primer pairs used in that step can be any  
5 between one and  $n$ , leading to one or  $n$  amplificates respectively ( $n$  being a natural number).

As mentioned in the text the word "dimer" refers to a secondary structure formed by the hybridization of two  
10 primer molecules to each other.

As referred to in the text 'melting temperature' refers to the temperature at which 50% of the nucleic acid molecules are in duplex and 50% are denatured under standard  
15 reaction solution conditions.

Some primer design tools disqualify a primer if, besides the target sequence, a second identical sequence can be found in the template. However, due to the higher probability of a bisulfite primer to mismatch with non-  
20 identical bisulfite treated DNA, it is an embodiment of this invention that only those primers are allowed to be used in said amplification method, for which no sequence homology can be found, to the extent that even those sequences that are different and/or mismatching in several  
25 nucleotides are excluded. However, this would exclude primer molecules unnecessarily. Therefore they are only excluded if two primer molecules match to the template in a distance allowing for the amplification of an unwanted  
30 product. This test is performed by means as, for example, the Electronic PCR. Electronic PCR (e-PCR) is an in silico virtual PCR carried out in order to assess the suitability of primer molecules prior to in vitro PCR. In the scope of this invention this testing will be called  
35 'virtual testing' and it will be referred to as "virtually tested" or "virtually testing".

Thirdly, the primers used in step 3 of this invention are characterized, in that every possible combination of two primer molecules, in said reaction mixture, does not lead to the amplification of an additional unwanted product, when virtually testing for amplification using the treated and the untreated nucleic acid sample as template, even under conditions allowing for at least one base but not more than 20% of the total number of bases per sequence mismatching per primer. In the scope of this invention it is to be understood that those primer molecules are considered to bind to the template for which a template sequence exists that is in at least 80% of its nucleotide sequence identical to the target sequence the primer originally has been designed for. For example, a primer molecule of 50 nucleotides length is considered to still hybridize to a template sequence that differs in less than 11 nucleotides (= is identical in at least 80% of its nucleotide sequence) from the according target sequence. If a match is considered to be possible it has to be tested whether this match would lead to the amplification of an unwanted product. This can be done with the use of a program similar to e-PCR (see below).

Especially preferred is an embodiment of said method wherein the ability of said primer molecules to amplify an unwanted product is tested by means of in silico PCR, taking as template nucleic acid the coding strand of the treated sample, the non-coding strand of the treated sample and both of the strands of the untreated sample. It is especially preferred to perform the virtual testing with a tool like electronic PCR on the pretreated, preferably bisulfite treated, template sequence consisting of the treated sense and the treated anti-sense strand, and on the unconverted template.

Furthermore it is preferred that this treatment is bisulfite treatment and hence the nucleic acid template is the bisulfite converted coding strand of the human genome, the bisulfite converted non-coding strand of the human genome and both of the strands of the untreated human genome. Preferred is an embodiment of said method wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, hereby taking as template nucleic acid the bisulfite converted coding strand of the human genome, the bisulfite converted non-coding strand of the human genome and both of the strands of the untreated human genome.

It is preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 20% of the number of nucleotides of the primer.

It is also preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 10% of the number of nucleotides of the primer.

It is especially preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 5% of the number of nucleotides of the primer.

It is a preferred embodiment of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than seven.

35

It is especially preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than five.

5

It is another preferred embodiment of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than three.

10

It is especially preferred in the scope of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is one.

15

It is also included in the scope of this invention to consider such primer molecules as being sufficiently similar to facilitate their binding to the template sequence, for which a template sequence can be found that differs in the number of nucleotides but is otherwise identical to the target sequence. When the alignment of the primer and the template sequence leads to a gap of up to 20% of the nucleotides of one sequence, preferably of the primer sequence, this shall still be considered to be sufficient for binding and hence potentially leading to the amplification of an unwanted product. Therefore these primers also need to be tested with the means of virtual PCR (for example with a program like e-PCR). Only if this test reveals the virtual amplification of an unwanted product caused by the combination of two primers, the according primer pairs are excluded from the set of selected pairs.

20

25

30

35

It is preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed



for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 20% of the number of nucleotides of the primer molecule.

5

It is also preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 10% of the number of nucleotides of the primer molecule.

10

It is preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 5% of the number of nucleotides of the primer molecule.

15

20

Both of these situations, mismatching due to an alternative nucleotide or no-matching due to a missing nucleotide, are meant to be covered in the expression describing those primer molecules that will eventually be selected : "said primer molecules are characterized in that every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template".

25

30

It is also preferred that the primer molecules that exceed a pre-specified melting temperature when binding to the template have to be virtually tested for amplification of unwanted products using the treated and the untreated

35

ted sample nucleic acids as template according to step 3 c) of the method.

5 The basic problem of finding a primer specific enough to give only one product on the little complex bisulfite DNA, is finally solved by testing each potential primer pair for hybridization across the whole bisulfite converted human genome. This requires translating the whole human genome sequence information virtually into its bisulfite treated version before performing a similarity search against the primer pairs, which is based on a method like the so called e-PCR (Schuler G.D. (1997) Sequence Mapping by electronic PCR. Genome Research 7(5): 541-550). However, as the bisulfite conversion results in two no longer complementary strands this virtual hybridization test needs to be done against both bisulfite converted strands. In addition in most cases the template DNA is contaminated with unconverted genomic DNA. To also exclude unwanted amplification on the unconverted DNA as template, the same hybridization test has to be performed a third time using the whole human genome sequence as a template.

25 Therefore it is a preferred embodiment of this invention that the ability of said primer molecules to amplify an unwanted product is tested by means such as electronic PCR.

30 In the last step of the method said amplified target nucleic acid gets detected by any means standard to one skilled in the art.

35 In a preferred embodiment of this method the set of primer molecules is comprised of at least two primer molecules but not more than 64 primer molecules, given

the number is a multiple of 2; in other words, the set is comprised of 1-32 primer pairs.

5 In another preferred embodiment of this method the set of primer molecules is comprised of between 2 and 32 primer molecules, given the number is a multiple of 2; in other words the set is comprised of 1-16 primer pairs.

10 In a preferred embodiment of this method, said primer molecule comprises at least one nucleotide within the last three nucleotides from the 3' end of the molecule, wherein said nucleotide is complementary to a nucleotide of the target sequence that, as a result of the treatment performed in step 2) of the invention, changed its  
15 hybridization behavior.

It is a preferred embodiment of this method, that said primer molecule comprises at least one nucleotide within the last three nucleotides from its 3' end that is complementary to a nucleotide of the target sequence that  
20 was converted by the treatment performed in step 2 of the method to another base exhibiting an alternative base pairing behavior.

25 In an especially preferred embodiment said nucleotide is a cytosine prior to the treatment that converts unmethylated cytosines. In a preferred embodiment said treatment is bisulfite treatment. Said primer molecule comprises at least one nucleotide within the last three nucleotides  
30 from the 3' end of the molecule, wherein said nucleotide is complementary to a cytosine, that was converted by bisulfite treatment to another base exhibiting the base pairing behavior of thymine.

35 This is to exclude binding of said primer molecules to the remaining untreated or un-sufficiently treated nu-

cleic acids, which might still serve as template nucleic acid in the PCR.

Furthermore it is a preferred embodiment of this invention that said primer molecules do not form loops or hairpins on their own or with each other.

In another preferred embodiment of the method said primer molecules do not form dimers with each other.

In the text the word 'hairpin' is taken to mean a secondary structure formed by a primer molecule when the 3' terminal region of said nucleic acid hybridizes to the 5' terminal region of said nucleic acid forming a double stranded stem structure and wherein only the central region of the primer is single stranded.

As described in the text the word 'loop' refers to a secondary structure formed by a primer molecule when two or more nucleotides of said molecule hybridize thereby forming a secondary structure comprising a double stranded structure one or more base pairs in length and further comprising a single stranded region between said double stranded region.

The binding of a primer molecules 3' end to any part of a second primer molecule in the set needs to be avoided. Otherwise the polymerase would extend the first primer using the second primer as template, which would lead to a new unwanted product, an extended primer, or rather a primer-hybrid, which would serve as the preferred template for the next round of the polymerase chain reaction and thereby prevent a sufficient amplification of the wanted product.

Therefore it is another preferred embodiment of this method that each of said primer molecules is characterized in that the last at least 5 bases at the 3' end of said primer molecule are not complementary to the sequence of any other primer molecule in the set.

It is also preferred that said primer molecules do not bind to nucleic acids which prior to treatment of step 2 contained a 5'-CG-3' site. This would lead to a binding of the primers to bisulfite treated nucleic acids, specifically depending on their cytosines methylation status. A CG corresponding primer would bind to the treated methylated version only, whereas a primer corresponding to TG would bind to the treated unmethylated version of these nucleic acids only. It is therefore preferred that said primer molecules do not contain nucleic acid sequences complementary or identical to nucleic acid sequences which prior to treatment of step 2 contained a 5'-CG-3' site.

In a preferred embodiment of this method said primer molecules are of a specified size range.

It is especially preferred that these primers are comprised of 16-50 nucleotides.

In a preferred embodiment of this method said primer molecules do not comprise sequences that are complementary to regions of the target nucleic acids that contained specified restriction enzyme recognition sites prior to the treatment that altered the unmethylated cytosines base pairing behavior. It is preferred that said primers are complementary to target sequences which prior to the treatment performed in step 2 of the invention did not contain specified restriction enzyme recognition sites.

By selecting for the right primer molecules also the amplificate sequence is determined. That is why it has to be taken into account to only use those primer molecules that lead to amplification of nucleic acids containing a reasonable high number of CpG sites to be analyzed. Due to the treatment of step 2 of this invention these CpG sites, depending on the methylation status of the cytosine, are converted and will therefore either appear as CG dinucleotides or as TG dinucleotides in the amplificate.

It is preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than eight 5'-CG-3' sites also referred to as CG dinucleotides.

It is also preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than six 5'-CG-3' sites also referred to as CG dinucleotides.

It is also preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than four 5'-CG-3' sites also referred to as CG dinucleotides and finally it is especially preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than two 5'-CG-3' sites also referred to as CG dinucleotides.

Said primer molecules lead to amplificates within a specified size range.

It is a preferred embodiment of this sequence that said primer molecules lead to amplicates which are comprised of at least 50 bp but not more than 2000 bp.

- 5 Especially preferred are primer molecules that lead to amplicates which are comprised of at least 80 bp but not more than 1000 bp.

10 Furthermore a method is preferred wherein said primer molecules lead to amplicates of treated nucleic acids which prior to the treatment which altered the unmethylated cytosines base pairing behavior did not contain restriction enzyme recognition sites. Said primer molecules lead to amplicates that are amplified regions of the  
15 treated nucleic acids which prior to the treatment performed in step 2) of the method did not contain specified restriction enzyme recognition sites.

20 A further subject of this invention is a method on how to produce said primer molecules. The main step of producing a primer molecule is determining its sequence. In the following the phrase "primer design" will be used instead of primer production, whenever it is referred to the step of determining said specific primer sequences. Designing  
25 primer molecules is a process which as such is well known to scientists skilled in the art. The programs usually used for this purpose are such as PRIMER3 or OSP (Rozen S and Skaletsky H (2000) PRIMER3 on the WWW for general users and for biologist programmers. Methods Mol Biol 132: 365-386; Hillier L and Green P (1991) OSP: A computer  
30 program for choosing PCR and DNA sequencing primers. PCR Methods and Applications 1: 124-128). Other primer design systems (like described in EP-A 1136932) are often based on those commonly known programs.

35

An embodiment of this invention takes advantage of using a program like PRIMER3 first, to then add a number of steps that finally result in an advanced method of designing primers that are specifically useful for amplifying sequences of low complexity.

In the first step of this method for designing specific primer molecules for nucleic acids of low complexity, primer pairs that amplify single products are selected by applying standard tools of primer design known in the art, like for example the program PRIMER3 (Rozen, S and Skaletsky, H (2000) Methods Mol Biol 132: 365-386).

In the second step of the method said primer pairs are tested whether or not one of its primer molecules when hybridizing to any other primer molecule in the set exceeds a specified threshold melting temperature  $T_M$ . If this is the case the primer pair that comprises of said primer is excluded from the set of potentially combined pairs.

In the third step of the method the number of previously selected primer pairs, is reduced to a smaller number by implementing as new criteria a measure for the primer sequence's complexity. Primer pairs that consist of a primer molecule which does not meet said criteria are excluded.

The basic problem of finding a primer specific enough to give only one product on the little complex bisulfite DNA, is finally solved by testing each potential primer pair for hybridization across the whole bisulfite converted human genome. This requires translating the whole human genome sequence information virtually (as in "in silico") into its treated, for example bisulfite treated, version before performing a similarity search against the



primer pairs, which is based on a method like the so called e-PCR (Schuler G.D. (1997) Sequence Mapping by electronic PCR. Genome Research 7(5): 541-550). However, as the bisulfite conversion results in two different versions of the double helix whose sense and anti-sense strands are no longer mutually complementary, this in silico amplification needs to be performed on both bisulfite converted versions of the genome. In addition in most cases the template DNA is contaminated with unconverted genomic DNA. It cannot be excluded that single cytosines or longer runs of DNA remain unconverted or are only converted incompletely by the bisulfite treatment. To also exclude unwanted amplification of the unconverted DNA as template, the same hybridization test has to be performed a third time using the whole human genome sequence as a template.

As this is quite some effort and requires time (CPU time) this is the fourth and last step of this design method, that is absolved prior to the final testing in a "wet", lab based, experiment.

In addition to improve the specificity of said primer molecules the stringency of the selection criteria is increased: Some standard primer design tools disqualify a primer if in the template sequence, a second identical sequence, besides the target sequence, can be found. That way mispriming at rather stringent hybridization conditions is avoided. This mispriming would not necessarily lead to an additional unwanted product, but would lead to the dilution of the primer molecules available for amplification. This selection has been performed in step one already (for example by PRIMER3). However, due to the higher probability of a bisulfite primer molecule to mismatch with non-identical bisulfite treated DNA, there is still a chance for said primer molecules to misprime even

when up to 20% of the nucleotides of the primer sequence differ. Therefore it is claimed in this invention to only use primer molecules for which not even a weak sequence homology can be found. However, this would exclude primer molecules unnecessarily. Therefore they are only excluded if two primer molecules match to the template and amplify an unwanted product. This test is performed by means as, for example, the Electronic PCR. Electronic PCR (e-PCR) is an in silico virtual PCR carried out in order to assess the suitability of primers prior to in vitro PCR.

In the fourth step of the method on how to design these primers it is therefore tested whether there are any regions of the template nucleic acid, said template being comprised of the sense and the anti-sense strand of the treated and the untreated nucleic acids, that are identical in sequence with the primer molecule to more than 80% and if those primer molecules are able to amplify an unwanted product. If this is the case, the primer pair comprising said primer molecule is excluded from the selection.

The template nucleic acid is comprised of the treated template nucleic acid and the untreated template nucleic acid. The treated nucleic acid in itself is comprised of a two strands which after treatment are not complementary to each other anymore. This virtual testing for example can be performed as described by Gregory Schuler in his article (cited above) about sequence mapping by "Electronic PCR". The primer pairs remaining can be used to specifically amplify regions of nucleic acids of low complexity, which is the aim of this invention. Hence step 4 of the design method is the virtual testing of each possible primer pair combination, under pre-specified conditions at a stringency allowing for one or more base pair mismatches, as to whether no unwanted nucleic acids are

amplified. Said virtual testing is carried out upon both untreated and treated nucleic acids. The wording "possible combinations" refers to all combinations that are possible within a set of primer pairs to be used in one  
5 amplification reaction vessel.

In a preferred embodiment an additional step is added following the virtual testing, which is testing in a lab based single PCR assay all those pairs that remained,  
10 whether the desired amplificate can be obtained or not. If that is the case, the chosen pairs can be used to specifically amplify those regions of nucleic acids of low complexity according to the method as described before.

15 In a specially preferred embodiment the first step of the design method is characterized as selecting a pool of possible primer pairs per amplificate by means of a standard PCR primer design program using said nucleic acids as template that have been masked for repeats and SNPs  
20 considering the following factors:  
length of amplificate, length of primer, melting temperature of the primer molecule, dimer formation parameters, loop formation parameters, exclusion of unidentified or ambiguous nucleotides in the primer sequence, exclusion  
25 of restriction enzyme recognition sites.

In a preferred embodiment of this invention this measure of complexity is a measure of linguistic complexity as defined by Bolshoy et al. (see above). Those primer pairs  
30 are excluded from the previously selected ones, which comprise of one primer that doesn't reach a set level of this linguistic complexity.

In another preferred embodiment of this invention this  
35 measure of complexity is a measure of Shannon entropy (as described before).

In an especially preferred embodiment of this design method, prior to performing step d) the additional step of excluding primer pairs from the remaining primer pairs which consist of a primer molecule that comprises of at least one CpG site, is carried out.

In an especially preferred embodiment of this method according to the design of said primers, prior to performing step d) the additional step of excluding primer pairs from the remaining pairs when one of its primer molecules does not contain at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by bisulfite treatment, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step, of excluding primer pairs from the remaining primer pairs which amplify a nucleic acid that did not prior to treatment with bisulfite contain a minimum of two CpG sites, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding primer pairs from the remaining primer pairs when one of its primer molecules contains more than 5 bases at its 3' end that are complementary to any other primer molecules sequence in the set, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one

primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for a number of mismatching nucleotides of 20% of the number of nucleotides of the primer molecule, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for a number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, of up to 20% of the number of nucleotides of the primer molecule, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for four or less mismatching base pairs, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when

virtually testing according to step 3 c) of the amplification method under conditions allowing for two or less mismatching base pairs, is carried out.

- 5 The following example is intended to illustrate the invention :

#### Example

- 10 Here we present experimental data that shows that multiplex PCRs designed with a tool according to this invention are more successful compared to multiplex PCRs not designed in this manner.

- 15 It is the aim of the experiment to amplify 40 different nucleic acids. The genomic regions of interest are given in the sequence protocol (SEQ ID 41-80). These genomic sequences were translated into their bisulfite converted versions and served as templates for amplification of  
20 specific regions with the primer sequences described as follows.

- Primer molecule pairs used for single PCRs were originally designed with the use of the standard primer design  
25 program PRIMER3 (as mentioned in the description). The criteria used in that step will not be discussed in detail. This selection however provides several possible primer pairs per amplificate. Following the present invention these primer pairs were selected further, according to the following criteria:
- 30

- The restriction enzyme recognition site to be excluded from the genomic nucleic acid (which subsequent to bisulfite conversion becomes the template  
35 for the PCR amplification step) is : GTTTAAAC.

- The minimum length of the primer molecule is 18 nucleotides. The maximum length is 27 nucleotides. Ideally the primer consists of 22 nucleotides.
- 5 • The minimum required measure of linguistic complexity is 0.2.
- The minimum melting temperature of a primer molecule is 54°C and the maximum melting temperature is 57°C.
- 10 The ideal melting temperature however is 55°C.
- The minimum length of an amplificate is 100 bp and the maximum length is 500 bp.
- 15 • The minimum number of CpG sites, that were present in the region of the nucleic acid, prior to bisulfite treatment, that was amplified is 4.
- The number of mismatch bases allowed for when virtually testing the primer pairs according to the invention for amplification of an unwanted product with the help of e-PCR (Electronic PCR) is 2.
- 20

25 The use of this invention, that is the use of either the design method, being the subject of the invention, and/or performing the steps of said method as described above (assuming a set size of 1) leads to the selection of the following 40 optimized primer molecule pairs:

30 TABLE 1:

primer sequence	amplificate identifier	SEQ ID	number indicating primer direction	starting position of primer in the bisulfite converted sequence of the ROI
AATCCTCCAAATTCTAAAAACA	2025	81	0	1816
AGGAAAGGGAGTGAGAAAAT	2025	82	1	2138

primer sequence	amplificate identifier	SEQ ID	number indicating primer direction	starting position of primer in the bisul- fite converted se- quence of the ROI
GGATAGGAGTTGGGATTAAGAT	2044	83	0	2070
AAATCTTTTTCAACACCAAAAT	2044	84	1	2483
AACCCCTTCTTCAAATTACAAA	2045	85	0	1340
TGATTGGGTTTtagggAAATA	2045	86	1	1687
TTGAAAATAAGAAAGGTTGAGG	2106	87	0	1481
CTTCTACCCCAAATCCCTA	2106	88	1	1764
TGTTTGGGATTGGGTAGG	2166	89	0	2226
CATAACCTTTACCTATCTCCTCA	2166	90	1	2437
TTTtagATTGAGGTTTTAGGGT	2188	91	0	101
ATCCATTCTACCTCCTTTTTCT	2188	92	1	598
GGAGGGGAGAGGGTTATG	2191	93	0	133
TACTATACACACCCCAAAACAA	2191	94	1	506
TTTTGGGAATGGGTTGTAT	2194	95	0	1628
CTACCCTTAACCTCCATCCTA	2194	96	1	1996
TTGTTGGGAGTTTTTAAGTTTT	2212	97	0	1711
CAAATTCTCCTTCCAAATAAAT	2212	98	1	2063
GTAATTTGAAGAAAGTTGAGGG	2267	99	0	1709
CCAACAATAAACAAAACCTCT	2267	100	1	2004
GGAGTTGTATTGTTGGGAGA	2317	101	0	1110
TAAACCCCAATTTTCACTAA	2317	102	1	1388
TTTGTATTAGGTTGGAAGTGGT	2383	103	0	1
CCCAAATAAATCAACAACAACA	2383	104	1	285
GATTTTTGGAGAGGAAGTTAAG	2387	105	0	789
AAAACTAAAAACCAAACCCATA	2387	106	1	1169
TGGGGTTAGTTTAGGATAGG	2391	107	0	1353
CTTAAAAACACTAAAACTTCTCAAA	2391	108	1	1750
TTTTTGATTGGGGTAGGTTT	2395	109	0	547
CCCAACTATCTCTCTCCTCTATAA	2395	110	1	1094
ATTAGAAGTGAAAAGTAATGGAATTT	2401	111	0	381
TCAATTTCCAAAAACCAAC	2401	112	1	795



primer sequence	amplificate identifier	SEQ ID	number indicating primer direction	starting position of primer in the bisulfite converted sequence of the ROI
GGGATGGGTTATTAGTTGTAAA	2453	113	0	1867
CCTTCACACAAAACCTACAAAAA	2453	114	1	2139
TAATTGAAGGGGTTAATAGTGG	2484	115	0	1861
AAAACCAAAACCAAACTAAAA	2484	116	1	2252
AGTGGATTTGGAGTTTAGATGT	2512	117	0	1016
AACAAAATAAAAACTTCTCCCA	2512	118	1	1446
TAGGGGAAAAGTTAGAGTTGAG	2741	119	0	1413
CCCATTAACCCACAAAAA	2741	120	1	1888
ATTTTAGTTTGTGAAATGGGAT	2745	121	0	1685
TCTTAACCAATAACCCCTCAC	2745	122	1	2097
GTGGGTTTTGGGTAGTTATAGA	2746	123	0	1679
TAACCTCCTCTCCTTACCAA	2746	124	1	2163
TAGGATGGGGAGAGTAATGTTT	2747	125	0	972
ACAACTTATCCAACCTCCATTC	2747	126	1	1448
TCCCACAAAACTAAACAATTA	2749	127	0	1370
AGGTTTTAGATGAAGGGGTTT	2749	128	1	1789
TTTGGAGGGTTTAGTAGAAGTTA	2751	129	0	88
CCCAATAATCACAAAATAAACA	2751	130	1	567
ATACAACCTCAAATCCTATCCA	2752	131	0	228
AGGGAGAAGGAAGTTATTTGTT	2752	132	1	712
GGAAGATGAGGAAGTTGATTAG	2755	133	0	1000
CCTACAACCCTATCCTCTAAAA	2755	134	1	1371
TTAGTAGGGGTGTGAGTGTTTT	2831	135	0	1313
CAAACAAAACCTTCTATCTCAACC	2831	136	1	1499
TTATAGGGTTGAGTTTGGGAT	2850	137	0	2100
TAAACAAACAACAAATCTTCCA	2850	138	1	2400
TGAAAATGAAGGTATGGAGTTT	2852	139	0	1262
TTAAAACCATATAATCCCTCCA	2852	140	1	1583
TATGTTTGGTTTTGTTTTGAGA	2859	141	0	1093
AACCCCATCACTTTTATTTCTT	2859	142	1	1491

primer sequence	amplificate identifier	SEQ ID	number indicating primer direction	starting position of primer in the bisulfite converted sequence of the ROI
GGGTGTAGAAGTGTTTAGGTTT	2861	143	0	2385
TTTCTCCCCTTACAACAATAAC	2861	144	1	2732
TCCCCTTCCAACATATATCTCTC	2864	145	0	884
TGAGAGTGTTTTAGGGAAGTTT	2864	146	1	1175
AAAACCAAACATAAACCAAAA	2867	147	0	1312
GATTAGGAGGGTTTGTTGAGAT	2867	148	1	1701
AATGGTTGATGATTTTGGTTT	2961	149	0	2039
ACTCTCTCCCTATACCCCTAA	2961	150	1	2311
AGTTAGAAGAGGAGTTAGGATGG	3511	151	0	1340
TAATTTTCCAATACCCATTTTC	3511	152	1	1711
TGTTAGTAGAGTTTTAGGGAGGTT	3532	153	0	1135
ACACTACCTATCCTTACCCAC	3532	154	1	1592
TTTTTGTTTTTATGGGGTGAT	3534	155	0	1909
TTAAATATCCCTTCCTTAACCA	3534	156	1	2385
TGGGTAGTATTTTGTGTTT	3538	157	0	956
CCTAAAACTCTCTCATCCTCA	3538	158	1	1414
AGTGGTTTAGGAGTATTTGGTTA	3540	159	0	659
AACTCCCTCCATCTACAATATC	3540	160	1	1064

These primer pairs lead to the amplification of specific regions (amplificates Seq IDs 1- 40) of the bisulfite converted sequences of the genomic ROIs (Seq IDs 41- 80) of interest. The ROIs can be identified by the four digit number that specifies the ROI and the corresponding amplificate - as indicated in the following table.

10 TABLE 2:

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
1	amplificate	2025	bisulfite sequence	41	ROI	2025	genomic sequence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
2	amplificate	2044	bisulfite se- quence	42	ROI	2044	genomic se- quence
3	amplificate	2045	bisulfite se- quence	43	ROI	2045	genomic se- quence
4	amplificate	2106	bisulfite se- quence	44	ROI	2106	genomic se- quence
5	amplificate	2166	bisulfite se- quence	45	ROI	2166	genomic se- quence
6	amplificate	2188	bisulfite se- quence	46	ROI	2188	genomic se- quence
7	amplificate	2191	bisulfite se- quence	47	ROI	2191	genomic se- quence
8	amplificate	2194	bisulfite se- quence	48	ROI	2194	genomic se- quence
9	amplificate	2212	bisulfite se- quence	49	ROI	2212	genomic se- quence
10	amplificate	2267	bisulfite se- quence	50	ROI	2267	genomic se- quence
11	amplificate	2317	bisulfite se- quence	51	ROI	2317	genomic se- quence
12	amplificate	2383	bisulfite se- quence	52	ROI	2383	genomic se- quence
13	amplificate	2387	bisulfite se- quence	53	ROI	2387	genomic se- quence
14	amplificate	2391	bisulfite se- quence	54	ROI	2391	genomic se- quence
15	amplificate	2395	bisulfite se- quence	55	ROI	2395	genomic se- quence
16	amplificate	2401	bisulfite se- quence	56	ROI	2401	genomic se- quence
17	amplificate	2453	bisulfite se- quence	57	ROI	2453	genomic se- quence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
18	amplificate	2484	bisulfite se- quence	58	ROI	2484	genomic se- quence
19	amplificate	2512	bisulfite se- quence	59	ROI	2512	genomic se- quence
20	amplificate	2741	bisulfite se- quence	60	ROI	2741	genomic se- quence
21	amplificate	2745	bisulfite se- quence	61	ROI	2745	genomic se- quence
22	amplificate	2746	bisulfite se- quence	62	ROI	2746	genomic se- quence
23	amplificate	2747	bisulfite se- quence	63	ROI	2747	genomic se- quence
24	amplificate	2749	bisulfite se- quence	64	ROI	2749	genomic se- quence
25	amplificate	2751	bisulfite se- quence	65	ROI	2751	genomic se- quence
26	amplificate	2752	bisulfite se- quence	66	ROI	2752	genomic se- quence
27	amplificate	2755	bisulfite se- quence	67	ROI	2755	genomic se- quence
28	amplificate	2831	bisulfite se- quence	68	ROI	2831	genomic se- quence
29	amplificate	2850	bisulfite se- quence	69	ROI	2850	genomic se- quence
30	amplificate	2852	bisulfite se- quence	70	ROI	2852	genomic se- quence
31	amplificate	2859	bisulfite se- quence	71	ROI	2859	genomic se- quence
32	amplificate	2861	bisulfite se- quence	72	ROI	2861	genomic se- quence
33	amplificate	2864	bisulfite se- quence	73	ROI	2864	genomic se- quence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
34	amplificate	2867	bisulfite se- quence	74	ROI	2867	genomic se- quence
35	amplificate	2961	bisulfite se- quence	75	ROI	2961	genomic se- quence
36	amplificate	3511	bisulfite se- quence	76	ROI	3511	genomic se- quence
37	amplificate	3532	bisulfite se- quence	77	ROI	3532	genomic se- quence
38	amplificate	3534	bisulfite se- quence	78	ROI	3534	genomic se- quence
39	amplificate	3538	bisulfite se- quence	79	ROI	3538	genomic se- quence
40	amplificate	3540	bisulfite se- quence	80	ROI	3540	genomic se- quence

5 The second task in this example is to select from these  
40 primer pairs those pairs which can be combined in five  
multiplex PCRs to amplify eight targets simultaneously.

The following steps, as disclosed in the invention, are  
performed for selection of those subsets:

- 10
- The melting temperature of any combination of two of those primer molecules hybridizing to each other taking part in one multiplex experiment must be below 20°C.
- 15
- The last seven nucleotides from the 3' end of every primer molecule in a subset is used to check if those are complementary and/or binding to any other primer molecules' sequence used in the set.
- 20

- The number of mismatch bases allowed for when virtually testing the primer pairs for amplification of an unwanted product is 2. For this step every possible combination of 16 primer molecules in one subset is checked for its ability to amplify an unwanted product. This is done by means of e-PCR (electronic PCR).
- 10 Having performed all these steps results in the selection of three different optimized sets of primer molecule pairs that can be used in multiplex PCRs. These sets are in the following described as a set of numbers. Each number refers to a specific amplificate and therefore also
- 15 to a single primer pair (out of the list given above) which proved to be able to specifically amplify said nucleic acid in a single PCR experiment.

TABLE 3:

optimized set 1								
8plex1	2194	2191	2391	2025	2961	3540	2861	2188
8plex2	2484	2106	2401	2850	3532	2044	2512	2852
8plex3	2453	2741	2867	2755	2267	2387	2864	2317
8plex4	2859	2383	2752	2747	2751	3511	2212	2746
8plex5	3534	2395	2745	3538	2749	2166	2831	2045
optimized set 2								
8plex1	2166	2212	3511	2383	2745	2859	3534	2861
8plex2	2749	2191	2751	2395	2961	2512	2831	3538
8plex3	2850	2025	2188	2317	2391	2852	3540	2194
8plex4	2106	2387	2867	2864	2401	2747	2746	2453
8plex5	2044	2484	2267	2755	2752	2741	2045	3532
optimized set 3								
8plex1	2194	2391	2191	2749	2745	3538	2861	2961
8plex2	2166	2188	2859	2212	2864	2746	2383	2752
8plex3	2484	2401	2850	2852	2512	2755	2106	2044
8plex4	2867	2453	3532	2025	2741	2267	2317	2387
8plex5	3511	3534	2751	2747	2395	3540	2831	2045

Without the use of said invention, the selection would have been performed randomly and tested for successful application later. Three randomly chosen subsets are shown here.

TABLE 4:

random set 1								
8plex1	2191	2194	2267	2741	3534	3511	2749	2747
8plex2	2391	2484	2867	2852	2453	2512	2025	3538
8plex3	2746	2212	2755	2045	2044	2188	2961	2864
8plex4	2831	2383	3540	2859	2861	2395	2401	2317
8plex5	2106	2751	2387	2745	2752	3532	2850	2166
random set 2								
8plex1	2045	2106	2212	2745	2044	2749	2752	2391
8plex2	2025	2831	2401	3540	2395	2484	2453	2961
8plex3	2194	2859	2746	2512	2267	2864	2861	2751
8plex4	2383	2166	2747	2387	3532	2741	2867	2852
8plex5	3534	2755	2850	2317	2191	3538	3511	2188
random set 3								
8plex1	2484	2850	2741	2747	2755	2745	2025	2746
8plex2	2383	3534	2861	2751	2749	2391	2188	2191
8plex3	2194	3538	2512	2961	2864	2867	2831	3532
8plex4	3511	2045	2387	2212	2166	2267	3540	2401
8plex5	2395	2317	2859	2453	2852	2106	2752	2044

5 The sequences of all of those amplicates and the ac-  
 cording primers are given in the sequence protocol (prim-  
 ers SEQ IDs 81-160; amplicates SEQ IDs 1-40). SEQ IDs  
 refer to the internal numbers used in these tables as is  
 shown in TABLES 1 and 2.

10 To show if the use of the design method described herein  
 was superior to the common method of selecting primers  
 for simultaneous amplification randomly said multiplex  
 PCRs were performed. This example hereby demonstrates the  
 advantage of the method which is subject of the inven-  
 15 tion:



A total of 40 amplicates (with lengths ranging from 187 - 499 bp) were partitioned into five 8-plex PCRs using either of two strategies.

5 First: the grouping was based on the invention using said "optimised sets" ("designed group").

10 Second: the grouping was done without using the selection criteria established by this invention using the "random sets" ("control group").

15 Whether such grouping can improve the success rate of mPCRs was subsequently tested experimentally by comparing the number of true and false positives and false negatives for each of the two classes.

20 Each of the five mPCRs (multiplex PCRs) contained 8 primer pairs specific for 8 amplicates with one primer of each pair being labeled with a Cy-5 fluorescent tag. Only fragments that performed successfully in sPCR (singleplex PCR) using bisulfite-modified human DNA from whole blood were included in this study. Isomolar primer concentrations were used in a 20µl PCR reaction volume and cycling was done for 42 cycles using a 96-well micro-titer plate thermocycler.

25 Group assignments for the "optimized" and "random" groups were done in triplicate and all mPCRs were run at the same time such as to minimize experimental variation in PCR performance.

30 A mixture of the amplicates that were expected to be generated in a specific mPCR reaction but were generated in eight corresponding sPCR reactions was called sPCR-pool. Electrophoresis of sPCR-pool amplicates and mPCR amplicates was done simultaneously using the ALFexpress

system (Amersham Pharmacia). In order to obtain the best comparability for mPCRs with their respective sPCR standard, these products were electrophoresed next to each other on the gels.

5

**Figures 1 and 2** show examples of these results as electropherograms, given as ALFexpress output files.

Success or failure scoring for each mPCR was based on assessing the number of generated or absent fragments compared to their respective pool of sPCR fragments. Only fragments with peak areas equal or larger than 8% of the largest peak within one electropherogram were included into the analysis.

15

Figure 1 illustrates a result of an 8-plex PCR based on a primer combination from the "optimized set". The top graph in the figure shows peaks of size standards only. The second graph in the figure shows the electrophoresed mixture of the products from 8 singleplex PCRs. The third graph shows the products resulting from a multiplex PCR employing one of the optimized sets of primer combinations. By comparing these graphs it becomes visible that, in this specific example, there is only one false negative (FN) and three false positives (FP), whereas there are eight true positives (TP).

25

Figure 2, however, illustrates a result of an 8-plex PCR based on a primer combination from the "control set". The top graph in the figure shows peaks of size standards only. The second graph in the figure shows the electrophoresed mixture of the products from 8 singleplex PCRs. The third graph shows the products resulting from a multiplex PCR employing one of the randomly chosen sets, as is the state of the art. This graph clearly shows that, there are eight false negative and six false positive

30

35

peaks, whereas there is only one true positive. Hence, for this specific example we have demonstrated the superiority of the design method.

5 A more comprehensive view on the results is given in **Figures 3 and 4.**

By applying the Wilcoxon rank sum test for the determination of false positives or false negatives as follows, it  
10 becomes evident that the optimized set resulted in a more reliable amplification experiment:

data: False negatives (FN)  
p-value = 0.02602 rejection of null hypothesis  
15 null hypothesis (H0): true if median of designed set  
equal or greater than of control set alternative hypothesis  
(H1): true if median of designed set less than of  
control set

20 data: False positives (FP)  
p-value = 0.06711 rejection of null hypothesis  
null hypothesis (H0): true if median of designed set  
equal or less than of control set  
alternative hypothesis (H1): true if median of designed  
25 set greater than of control set

data: True positives (TP)  
p-value = 0.02146 rejection null hypothesis  
null hypothesis (H0): true if median of designed set  
30 equal or less than of control set  
alternative hypothesis (H1): true if median of designed  
set greater than of control set

Figure 3 illustrates a summary of several such comparisons (as described in detail above). Six diagrams are  
35 shown, that illustrate the numbers of false positives

(FP), false negatives (FN) and true positives (TP) for a number of 18 experiments. In the top row of figure 3 the results for experiments that employed the design method are shown whereas in the lower row results from experiments are shown, that did use the conventional method of random selection.

At the x-axis the occurrence of an event (like a false positive) per 8plex is given whereas the values of the y-axis indicate the frequency of an event like this occurring within the number of experiments performed.

For example, in the diagram title FN, a y-value of 0 indicates that the event did not occur in a single experiment, a y-value of four indicates that the according number of occurrences given as the x-value was found in four experiments (out of the 18 experiments considered for these analyses). The x-value indicates what kind of occurrence is counted; a x-value of three in this diagram indicates the occurrence of three false negatives. A data point with an x-value of 0 and an y-value of 9 means, that in the set of mPCR results considered, nine experiments showed 0 false negatives.

Figure 4 gives all of the data from the 18 multiplex PCR experiments of this example in one table. The letter A, heading the four columns presented on the left side, is indicating the results from multiplex PCRs of the designed group using the five optimized sets of primer pairs that have been designed and selected according to the invention. The letter C is indicating the results from multiplex PCRs of the control group using the five randomized sets of primer pairs.

The first column lists the identifying numbers of the experiments, the second column gives the numbers of true

positives (TP) within this experiment, the third column gives the numbers of false positives (FP) and the last column gives the numbers of false negatives (FN).

5 The average false negative rate ( $\emptyset$  FN) of the optimized group is significantly lower than in the control group. Complementary the average true positive rate ( $\emptyset$  TP) is significantly higher. The average false positive rates ( $\emptyset$  FP) of the two sets do not differ from each other sig-  
10 nificantly.

This is due to the high deviation of false positives observed between individual ALFexpress analysis runs. Those 36 sets of amplicates have been analyzed on two separate gel runs. These runs were not designed to simply duplicate the results, but could be used to analyze whether  
15 the average TP, FP and FN rates are similar, independent of the run, and the sets chosen. Only three of those sets have been duplicated, as indicated by the letters a and b for sets 11, 21 and 23. It turned out that the rate of  
20 true positives as well as the rate of false negatives averaged over 18 sets per run were highly reproducible, 6.83 versus 7.33 and 1.44 versus 1.39 respectively. However, the rate of false positives was determined as 4.11  
25 in the first run and 7.61 in the second run.

Taken together, it could be concluded that the overall success rate of amplifying 40 fragments within 5 groups of 8plex PCRs was significantly increased when the primer  
30 grouping was based on the method being subject of this invention compared to an arbitrary primer grouping. The improved success rate of only 11% failures versus 24% in the random control group clearly becomes relevant when much larger numbers of mPCRs have to be established as is  
35 the case in a high throughput laboratory.

## Claims

1. A method for the amplification of nucleic acids comprising the following steps
- 1) isolating a nucleic acid sample,
  - 2) treating said sample in a manner that differentiates between methylated and un-methylated cytosine bases within said sample,
  - 3) amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules, wherein said primer molecules are characterized in that
    - a) each primer molecule sequence reaches a predefined measure of complexity,
    - b) every combination of any two primer molecules in the set has a melting temperature below a specified threshold temperature,
    - c) every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template,
- and
- 4) detecting said amplified target nucleic acid.
2. A method according to claim 1 wherein said primer molecules do not contain nucleic acid sequences com-

plementary or identical to nucleic acid sequences of the target sequence which prior to treatment of step 2 contained a 5'-CG-3' site.

- 5     3. A method according to claims 1 and 2 wherein said set is comprised of at least one but not more than 32 primer pairs.
- 10    4. A method according to claims 1 and 2 wherein said set is comprised of at least one but not more than 16 primer pairs.
- 15    5. A method according to claims 1 to 4 wherein the primer molecules are reaching a specified value of linguistic complexity.
- 20    6. A method according to claims 1 to 4 wherein the primer molecules are reaching a specified value of Shannon entropy.
- 25    7. A method according to claims 1 to 6 wherein the nucleic acid sample is isolated from a bodily fluid, a cell culture, a tissue sample or a combination thereof.
- 30    8. A method according to claims 1 to 7 wherein the nucleic acid sample is comprised of plasmid DNA, BACs, YACs or genomic DNA.
- 35    9. A method according to claims 1 to 7 wherein the nucleic acid sample is comprised of human genomic DNA
10. A method according to claims 1 to 9 wherein said sample is treated by means of a solution of a bisulfite, hydrogen sulfite or disulfite.

11. A method according to claims 1 to 10 wherein said primer molecule comprises of at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by the treatment performed in step 2) of claim 1.
12. A method according to claims 1 to 10 wherein said primer molecule comprises of at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by bisulfite treatment.
13. A method according to claims 1 to 12 wherein each of said primer molecules is characterized in that the last at least 5 bases at the 3' end of said primer molecule are not complementary to the sequence of any other primer molecule in the set.
14. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 20% of the number of nucleotides of the primer molecule.
15. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 20% of the number of nucleotides of the primer molecule.



16. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 10% of the number of nucleotides of the primer molecule.
17. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 10% of the number of nucleotides of the primer molecule.
18. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 5% of the number of nucleotides of the primer molecule.
19. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 5% of the number of nucleotides of the primer molecule.
20. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than seven.
21. A method according to claim 20 wherein the number of mismatches allowed for is less than five.

22. A method according to claim 20 wherein the number of mismatches allowed for is less than three.
23. A method according to claim 20 wherein the number of mismatches allowed for is one.
24. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is determined by a pre-specified maximum melting temperature.
25. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than eight 5'-CG-3' sites.
26. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than six 5'-CG-3' sites.
27. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than four 5'-CG-3' sites.
28. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than two 5'-CG-3' sites.
29. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR.

30. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, taking as template nucleic acid the coding strand of the treated sample, the non-coding strand of the treated sample and both of the strands of the untreated sample.
31. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, taking as template nucleic acid the coding strand of the bisulfite converted human genome, the non-coding strand of the bisulfite converted human genome and both of the strands of the untreated human genome.
32. A method according to claims 1 to 31 wherein said primer molecules are used to amplify nucleic acids which are comprised of at least 50 bp but not more than 2000 bp.
33. A method according to claims 1 to 31 wherein said primer molecules are used to amplify nucleic acids which are comprised of at least 80 bp but not more than 1000 bp.
34. A method according to claims 1 to 33 wherein said primer molecules are comprised of 16 - 50 nucleotides.
35. A method according to claims 1 to 34 wherein said primer molecules do not form dimers with each other.
36. A method according to claims 1 to 35 wherein said primer molecules do not form loops or hairpin structures.

37. A method according to claims 1 to 36 wherein said primer molecules are complementary to target sequences which prior to the treatment performed in  
5 step 2) of claim 1 did not contain specified restriction enzyme recognition sites.
38. A method according to claims 1 to 37 wherein said primer molecules amplify regions of the treated nu-  
10 cleic acids which prior to the treatment performed in step 2) of claim 1 did not contain specified restriction enzyme recognition sites.
39. A method for designing primers according to claim 1,  
15 comprising the steps of
- a) selecting a pool of possible primer pairs per amplificate by means of a standard PCR primer design program using said nucleic acids as template  
20
  - b) excluding those primer pairs which comprise of a primer that in combination with another primer molecule in the same set exceeds a threshold melting temperature  
25
  - c) excluding those primer pairs which comprise of a primer that does not reach a specified level of complexity  
30
  - d) excluding those primer pairs which comprise of a primer that in combination with another primer molecule in the same set, under conditions allowing for one or more base mismatches per primer, amplifies an unwanted product when virtually tested using the  
35 treated and the untreated sample nucleic acid as template.

40. A method for designing said primer molecules according to claim 1 and 43, adding the step of
- 5 e) excluding from the remaining confirmed primer pairs those pairs which in said amplification step do not result in the amplification of the intended product when performing a single PCR experiment.
- 10 41. A method for designing primers according to claims 39 and 40 , wherein said template nucleic acids are masked for repeats and SNPs before designing said primer molecules and wherein said standard PCR primer design program considers one or more of the following
- 15 factors
- length of amplificate, length of primer, melting temperature of the primers, dimer formation parameters, loop formation parameters, exclusion of unidentified
- 20 or ambiguous nucleotides in the primer sequence, exclusion of restriction enzyme recognition sites.
42. A method according to claims 39 to 41 wherein said measure of complexity is a measure of linguistic complexity.
- 25 43. A method according to claims 39 to 41 wherein said measure of complexity is a measure of Shannon entropy.
- 30 44. A method according to claims 39 to 43 wherein the following step is carried out prior to performing step d)
- 35 excluding from the remaining primer pairs those

pairs, which consist of a primer molecule that comprises of at least one CpG site.

- 5 45. A method according to claims 39 to 44 wherein the following step is carried out prior to performing step d)

10 excluding from the remaining primer pairs those pairs, which consist of a primer molecule that does not contain at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by the treatment performed in  
15 step 2) of claim 1.

- 20 46. A method according to claims 39 to 45 wherein the following step is carried out prior to performing step d)

25 excluding from the remaining primer pairs those pairs, which consist of a primer molecule that contains more than 5 bases at its 3' end that are complementary to any other primer molecules' sequence in the set.

- 30 47. A method according to claim 39 to 46 wherein the following step is carried out prior to performing step d)

35 excluding from the remaining primer pairs those pairs, which amplify a nucleic acid that did not, prior to the treatment in step 2 of claim 1, contain at least two CpG sites

48. A method according to claim 39 to 47 wherein the following step is added before performing step d)

5 excluding from the remaining primer pairs those  
pairs, which comprise of one primer molecule that in  
combination with another primer molecule in the set  
amplifies an unwanted product, when virtually testing  
according to step 3 c) of claim 1 under conditions  
allowing for a number of mismatching nucleotides of  
10 20% of the number of nucleotides of the primer molecule.

49. A method according to claim 39 to 47 wherein the following step is added before performing step d)

15 excluding from the remaining primer pairs those  
pairs, which comprise of one primer molecule that in  
combination with another primer molecule in the set  
amplifies an unwanted product, when virtually testing  
according to step 3 c) of claim 1 under conditions  
20 allowing for a number of nucleotides creating one  
gap, when aligning the primer molecule sequence with  
the template sequence, of up to 20% of the number of  
nucleotides of the primer molecule.

- 25 50. A method according to claim 39 to 47 wherein the  
following step is added before performing step d)

30 excluding from the remaining primer pairs those  
pairs, which comprise of one primer molecule that in  
combination with another primer molecule in the set  
amplifies an unwanted product, when virtually testing  
according to step 3 c) of claim 1 under conditions  
allowing for four or less mismatching base pairs.

35

51. A method according to claim 39 to 47 wherein the following step is added before performing step d)

5       excluding from the remaining primer pairs those  
      pairs, which comprise of one primer molecule that in  
      combination with another primer molecule in the set  
      amplifies an unwanted product, when virtually testing  
      according to step 3 c) of claim 1 under conditions  
10       allowing for two or less mismatching base pairs.



## Sequence listing

<110> Epigenomics AG

5 <120> Method for amplification of nucleic acids of low complexity

<160> 160

<210> 1

10 <211> 322

<212> DNA

<213> Artificial Sequence

<220>

15 <223> 2025

<400> 1

20 aatcctccaa attctaaaaa cataaaaata acgcaaccca aaaacaaaaa acccctccgc 60  
ccattaatta ctatacacta acgaaacttt cccgacccac aacgacgaaa ataaaaacaa 120  
tcgctaacgc taaaaaacat caaaaacact acccaaccca aatatcgccg ccgcttccac 180  
aaaactctac taaacgccgc cgccgccgct accaccgcct ctaatccaaa ccacctcccg 240  
ccaaataaac cccgaaatcc taactcaa atatatctct ccctccctct ccctccattc 300  
gtcattttct cactcccttt cc 322

25

<210> 2

<211> 413

<212> DNA

<213> Artificial Sequence

30

<220>

<223> 2044

<400> 2

35

ggataggagt tgggattaag attttcggtt agtttcgtat ttttcgtat ttttagtat 60

cgtttcgtat ttttcgtatt ttttttcggg ttattacggt ttttatgtga ttcgtttggg 120  
taacgtcgaa tttagtcgcg tagcgttgta gtgaattttt tttttaaaatt gtaataagtc 180  
gttttttaag gtaattacgt tttttttggt ttttttttaa aaaataaaaa taaaaaat 240  
atagaaaaaa attcgcgagt ttagaaaaaa gaagtaattg gtagaagggt ttaattaagg 300  
5 taaagagttg taaggcgaag ttaagaaaat gtaggtat 360  
ataaggggtt ttggggagag gtatatagag ggattttggt gttgaaaaag att 413

<210> 3  
<211> 347  
10 <212> DNA  
<213> Artificial Sequence

<220>  
<223> 2045  
15 <400> 3

aaccctttct tcaaattaca aaccttctta ccttcaaacc tcgactccaa caccaatccg 60  
acaaaaaac ccaatctaataaaaatagct ccttctctac cattctctat tccattaacc 120  
20 tatttcgtaa taaacgtaaa actaatctc caaaattacc ttattaatta acttacatat 180  
ttattatcta tctatccac caaaatacaa atttcggaaa acaaaaaatt taaaaaatc 240  
tattttattc tatataattt tcccatacca aacaccgtac ccgacacaaa ctaaaatccc 300  
aatacacatc tcgaaacgaa aaaaccgtat ttccttaaaa cccaatc 347

25 <210> 4  
<211> 283  
<212> DNA  
<213> Artificial Sequence

30 <220>  
<223> 2106  
  
<400> 4

35 ttgaaaaataa gaaagggttg gtagagagg ataatatagt tttagtttat ttttagtat 60  
ttgtttaatt ttttttaatt tttagttata aattcgagat ataacgtttt ttttttaaag 120

aggctcgcgtt ttttttgtgg tggtttttag ggattcgttt tagttttttt ttcgttttta 180  
gttttatata ttgggattat taggtattta agattttatt ttttaggtgg tatttttagc 240  
gtaggttgtt atttagtttt ttttaggga tttgggtag aag 283

5 <210> 5  
<211> 211  
<212> DNA  
<213> Artificial Sequence

10 <220>  
<223> 2166

<400> 5

15 tgtttgggat tgggtagggt tatcggggtt gggggggcgg ggtttgtggg taaggcgggc 60  
ggaggcgtgg atttttcgtt cgatgatagg gttggaggag gaaggggcgg gttgaagaag 120  
gggaagggtg gaagagttaa gtcgggggta taaattgggt gaagcgttga ggttttagta 180  
ttttcgtttg aggagatagg taaaggttat g 211

20 <210> 6  
<211> 497  
<212> DNA  
<213> Artificial Sequence

25 <220>  
<223> 2188

<400> 6

30 ttttagattg aggttttagg gttaaaggat tttttttttt ttttagcgtt gttcgggaaa 60  
ggtaagtttc gggcgggagc gtacgtcgcg ttttcgaagt ttggtttttt cgttacgttt 120  
attttttgtt tttatttcgc gtttttttag gtttttttc ggtgaatcgg atgttttggt 180  
agttttttat tttgcgtttt cggtcgcggg tcgggttttt cgtaaagtcg ttgttatttc 240  
ggagggttta gttagcgggt tttcggagggt tggcgggta ggcgtggtgc gcggtaggag 300  
35 ttgggcgcgt acggttatcg cgcgtggagg agatattgtt ttgtcgcgat ggggggttcgg 360  
ggcgtttttt tacgtcgtag gtaagcgggg cggcgggttc ggtatttggt tatcgggagt 420

tttttttttt tttttttgtt gttgttgttt tgtatttagt tcgggggagg atagaagaaa 480  
aaggaggttag aatggat 497

<210> 7

5 <211> 373

<212> DNA

<213> Artificial Sequence

<220>

10 <223> 2191

<400> 7

ggaggggaga gggttatgcg attttatttt tggtaggggt cggggagggt tttgtttttc 60  
15 gggagttttg ttcgggtttt ttggtcgtag ggttggtggg ttttaggttag gaacgagagg 120  
gtgaggttta tatgtggttc ggcgggttag ggcgggttgt agcgttttta ttgtttcgggt 180  
tgtaggggt tgcggcgacg cggtagtta gtagcgagtt taggtcgcgt agattttatt 240  
gatgagtttt gattttttagt atttttttta agttaagaag agtttagcgt atttttcgggt 300  
tgttttatatt tagttttttt gtttttagttt ttttagttta ttttttttcg ttttgttttg 360  
20 ggggtgtgtat agt 373

<210> 8

<211> 368

<212> DNA

25 <213> Artificial Sequence

<220>

<223> 2194

30 <400> 8

ttttgggaat gggttgtatc gagaggttcg attagtttta gggtttttagt gaggggtag 60  
tggaatttag cgagggattg agagttttat agtatgtacg agtttgatgt tagagaaaaa 120  
gtcgggagat aaaggagtcg cgtgttatta aattgtcgtc gtagtcgtag ttatttaagt 180  
35 gtcggatttg tgagtatttt gcgttttttag ttttcggata gaagttggag aatttttttg 240  
gagaattttt cgagtttaga gacgagattt ttttaataatt attatttttt tttgcgtttt 300

ttatttgcg ttcgttgga taaacgatag ttatagtttt ttgacgata ggatggaggt 360  
taagggt 368

<210> 9

5 <211> 352

<212> DNA

<213> Artificial Sequence

<220>

10 <223> 2212

<400> 9

15 ttgttgagg ttttaagtt ttgtgagaat ttgggagtt ggtgatgta gattagttgg 60  
gttatttgaa ggttagtagt tcgggtaggg ttatcgaaa gttattcgt atatattag 120  
taatttaatt tttattttg tgtgatagaa gtagtaggaa gtgagttgt tagaggtagg 180  
agggtttatt tttgttaaa ggggggatta gaatttttt atgcgagttg ttgaggatt 240  
gggatgtcga gaacgcgagc gattcgagta gggtttgtt gggatcgtc ggggtaggat 300  
tcggaacgta ttcggaaggt tttttgtaag tatttattg gaaggagaat tt 352

20

<210> 10

<211> 295

<212> DNA

<213> Artificial Sequence

25

<220>

<223> 2267

<400> 10

30

gtaatttgaa gaaagttgag gggaggcggc agatgttttg atttattagg gaaaacgtgg 60  
acgttttttg ttgtatttt gtgaattgtg tgtatttagt ttttttgag taaatattg 120  
gagcgaggaa tttttgagtg gtgtgggagg gcggtgagg gtagttgaaa gtcggttaaa 180  
gttttcggag ggggttggtt aggaaatatg attggtagtt acgagagagt taggggttg 240  
35 acgtcgagga gagggagaag gttttcgggc ggagagaggt ttgttttagt tgttg 295

\

<210> 11  
<211> 278  
<212> DNA  
<213> Artificial Sequence

5

<220>  
<223> 2317

<400> 11

10

ggagttgtat tgttgggaga tttgggtgta gatgatgggg atgttaggat tattcgaatt 60  
taaagttgaa cgttttaggta gaggagtgga gttttgggga attttgagtc ggtttaaagc 120  
gtattttttt gtatatattat tcggtgttgg gcgtagggaa tttttgaaat aaaagatgta 180  
taaagtattg aggtttgaga tttttggatt tcgaaatatt gagaatttat agttgtatat 240  
15 tttagagttt atggtatttt agtgaaaatt ggggtttt 278

<210> 12  
<211> 285  
<212> DNA  
20 <213> Artificial Sequence

<220>  
<223> 2383

25 <400> 12

tttgtattag gttggaagtg gtcgtagt tttcgtgtaa ttttattttt tggaaaagtg 60  
gaattagttg gtattgttta gcgtgatttg tgaggttgag ttttaatagt ttaaagaagt 120  
aaatgggatg ttattttcgc ggggttcggt tttcgcgagg tgtttatttc gtatttgta 180  
30 tgtaaaacga gggagcgtta ggaaggaatt cgttttgtaa agttattggt tttggttatt 240  
agtttttatt taatgttttc gtgatgttgt tgttgattta tttgg 285

<210> 13  
<211> 380  
35 <212> DNA  
<213> Artificial Sequence

&lt;220&gt;

&lt;223&gt; 2387

5 &lt;400&gt; 13

gatttttggg gaggaagtta agtggtttttt tgtttttttt cggatatttta ttttaaggcga 60  
ttagtttaga attgggttttc ggaagcggtc gggtaaagat tgcgaagaag aaaagatatt 120  
tggcggaaat ttgtgcgttt ggggcgggtg aattcgggga ggagaggag ggattagata 180  
10 ggagagtggg gattattttt tttgttttta aattggggta gttttttggg ttttcgattt 240  
ttttattttc gtgggtaaaa aattttgttt ttatcgggtt tacgtaattt ttttaagggg 300  
agaggaggga aaaatttgtg gggggtacga aaaggcgga agaaatagtt atttcgttat 360  
atgggtttgg tttttagttt 380

15 &lt;210&gt; 14

&lt;211&gt; 397

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

20 &lt;220&gt;

&lt;223&gt; 2391

&lt;400&gt; 14

tggggttagt ttaggatagg cgttcggggg acgcgtgttt ttattttacg gggacggtgg 60  
aggagagtta gcgagggttc gaggggtagg tattttaacg aatgggtttt ttggtgtttt 120  
ttgcgtttcg tcggtttatt ttttttttta taaaacgggt ttagttttta gtatttattt 180  
ttcgttatta attaggtatt tcgggagatt agttcgttcg aaagtttttg cgttatttcg 240  
cgggtttttt taggtgggtt ttttagtttc gttttttttc gggatgtttg ttgattattt 300  
30 cgagttcgcg tggcgtaaga gtacgagcgt cgagttcgtg cgcgttaagg ttgcgtgggc 360  
gggtatcgat ttttttgaga agtttttagtg tttttaa 397

&lt;210&gt; 15

&lt;211&gt; 547

35 &lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; 2395

5 &lt;400&gt; 15

tttttgtatt ggggtaggtt tcggtaggtg tatgggagga agtacggaga atttataagt 60  
ttttcgattt tttagtttag acgttggttg gtttttttcg ttggagatcg cgtttttttt 120  
aaatttttgt gagcgttgcg gaagtacgcg gggttcgggt cgttgagcgt tgtaagatag 180  
10 gggagggagt cgggcgggag agggaggggc ggcgtcgggg cgggttttga tatagagtag 240  
gcgtcgcggg tcgtagtata gtcggagatc gtagttcgga gttcgggtta gggtttattt 300  
gttttcgtag cgtcggttcg cgtttttttg tcgtagttag cggtgagtgt cgcggttttg 360  
agatttttcg gtcggatgcg cggcggtttt agttttcgag cgtttgtttg tttcgttttg 420  
ggttgttcgg gttttttggg tttttcggcg gttgtacgga gtttaaggcgt ttcgttttcg 480  
15 gcgtttttcg cgggtgtcga tttaggttgt tcggagttag gagtttatag aggagagaga 540  
tagtttg 547

&lt;210&gt; 16

&lt;211&gt; 414

20 &lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; 2401

25

&lt;400&gt; 16

attagaagtg aaagtaatgg aatttcgatg taaatataat attatttttt tgtagagtta 60  
ttttgagtat aataaatttg aattgtgtta atgttgggag aaaaaattta aaagaagaac 120  
30 ggagcgaata gtagtttttt cgttcgttga ttagaaatag taggacgata ttttttcgat 180  
tgaggagag cgtttgcgtt cgtatttagt tggcgttcgt ttttttggtt ttttttagt 240  
cgtttttttt tttttttttc gcgttttagt tattcgggaa ggtattgcgg tagttgggtt 300  
ttgattggtt gttttgaaag tttacgggtt attcgattgg tgaattcggg gtttttagc 360  
gcggtgagtt tgaaattgtt cgtatttggt tttaaagttg gtttttgga attg 414

35

&lt;210&gt; 17



<211> 272

<212> DNA

<213> Artificial Sequence

5 <220>

<223> 2453

<400> 17

10	gggatggggt attagttgta aatcgtggaa ttttttttga tataatgaaa agatgagggt	60
	gtataagttt tttagtaggg tgatgatata aaaagttatc ggagtatttt ataaggtata	120
	aattttttaga gatagtagag tatataagtt tttaggataa gagttaggaa gaaattatcg	180
	gaaggaatta ttttattgtg tgtaaatacg atttttaagt tggtcgtggg ttttttggtg	240
	gtttttttga tttttgtagt tttgtgtgaa gg	272

15

<210> 18

<211> 391

<212> DNA

<213> Artificial Sequence

20

<220>

<223> 2484

<400> 18

25

	taattgaagg ggtaaatagt ggaatttggg tgggtgtttg ttaaattttt ttttttggtt	60
	ttgttttggg tttttttttg aagggaattt ttttcgtttt tgtaataaga ttttttataa	120
	agtatagatt ttttatttta tttcgcggta tttgtatcgg gttttattgg ttttaggagt	180
	tgaatatttt tttaggtata tataggtggg atataaataa gggttttgga attattattt	240
30	ttttattacg atagtaattt aaaatgtttg ggaagatggg cgtgattttt ggagttttta	300
	atatattttg gataatgttt gtagtttgta agttattttt ttttatttgt tttaaagtgt	360
	agtatttaat tttagttttg gttttggttt t	391

<210> 19

35 <211> 430

<212> DNA

<213> Artificial Sequence

<220>

<223> 2512

5

<400> 19

	agtggatttg gagtttagat gtaatataat gattgatatt ggtatagtat atttattttg	60
	tttttgtaaa taaaatggta tatgtgatgt tttttttgt ttttttgat ataaaataat	120
10	atttgttttt atttattatg tatttatgtt tttattttgt atgttaggag ttaagtattt	180
	tgtatgtatt aatttatttt gtttttataa taatttttat atgtaggaat tattatagtt	240
	attttatgaa tgagtcgagg aaggattga gacgttaagt aatttgttta aggttacgta	300
	gtttagtaagt ggtagagtaa gaattattat ggttttataa gtttaggaaa aagtttgaaa	360
	gaattaaaaat gttaatagcg gggattttta ggaagtattg aagaggttat gggagaagtt	420
15	tttattttgt	430

<210> 20

<211> 475

<212> DNA

20

<213> Artificial Sequence

<220>

<223> 2741

25

<400> 20

	taggggaaaa gttagagttg agaggttggg gcgcgacgag tttggatata ggcgggggat	60
	ttaagttttt ttcgttttagt taataattgt gtttttttta ggaaggcgtg aggaaatgtt	120
	ttaattaatt tttgtatttt ttttttgga tttgggttgt atttttttat ttattgtaaa	180
30	ttttataatt tatttagggg tttttttagt gtttggtttt agcggtttcg gtgtttattt	240
	attagtgttg tttttttttt ttcgtaagat tgcgttttag ttttagtttt ttttttcgag	300
	ggtgtttttt aaatcgtttt attattttcg ggtttaggga ggcggaatcg tgtttgtttt	360
	tcggtttttt taagaggcgt cggttttatt ttttttagag tcgcggtttg acgcgagatg	420
	atagtaacga gttcgttatg tttatgtaaa taagcgtttt tttgtgggtt aatgg	475

35

<210> 21

<211> 412

<212> DNA

<213> Artificial Sequence

5 <220>

<223> 2745

<400> 21

10	at t t t t a g t t t g t g a a a t g g g a t t t a g g a t t t a g g t a g a g t g c g t t t t c g g t t t g g g g a t	60
	c g a g t a t t t t g t g c g t t t c g g t a a c g t a g g a a g a t a g c g t t a t t g a t a t t t t a g a g a t t a	120
	g c g g g t a t c g t t t g g a g g c g t t t t a t t a t t t g c g g t t c g g g g t t c g c g t t t a t c g c g	180
	t t a t a a g a t t t a c g t t c g a a t t a c g t g a t t a g g g t c g t g g t t c g t t t t c g c g t c	240
	g c g c g t c g t t t t c g g t a g g g c g g a a a g c g g a a g t g t g g g a g g g t t t g c g g g c g g g t t t	300
15	a g g a g g t t c g c g g g a g g a t g g a g t a g t g a g c g g g t t t g g g c g g t t g t t g t a g c g t t a t g	360
	g a g a c g g t a t a g t t g a g g a a t t c g t c g c g t c g g t g a g g g g t t a t t g g t t a a g	412

<210> 22

<211> 484

20 <212> DNA

<213> Artificial Sequence

<220>

<223> 2746

25

<400> 22

	g t g g g t t t t g g t a g t t a t a g a a g t t a t c g c g t t g g c g g g g a g g a g g g g g a t c g a t g c g g	60
	t t t a t g t t t c g g t a g t t t t a t t t t t t t t g t t t g c g a a g g g t t t t t g t t c g c g g g a g g a	120
30	g a g a g c g c g t t t t a t t c g g t t t t t t t a t a t t t g t c g t c g t t t g g g t c g a t t t c g c g g g	180
	t t t c g t t c g g c g t t t t a g t c g a t t t t c g t t a g t t t c g g g t t a t g g g c g c g g t t a g t a g	240
	g g c g g g t t a g g c g g c g g g g c g c a t a t t g g a g g a a g t g c g g g t c g t t t g t t c g g g c g c	300
	g t t a a g g a a g t t g t t t a a a a t g a g g a a g a g t c g c g g g t t c g c g g t t g a g g t a t t t c g g	360
	c g g c g g t t g g a g a g c g a g g a g a g c g g g t g g t t t c g c g t t g c g t t c g t t t t c g t t t t a t t	420
35	t g g c g t a g g t a g g t g t g g t c g c g t t t t t t a t t c g g t c g g g a t t t t t t g g t a a g g a g a g g a	480
	g g t t	484

<210> 23

<211> 476

<212> DNA

5 <213> Artificial Sequence

<220>

<223> 2747

10 <400> 23

taggatgggg agagtaatgt tttcgagtag aatagggtgg ggtttttaga ttatTTTTTT 60  
ttttttatag ttggttttat ttatcgtatt ttattaaagt ttttttgga gtatTTTtaga 120  
gaagagttac gtttaggtcg ggttttggtt gtttggttta cggcggaatt tttagtatta 180  
15 cgtttcgtac gtcgggttta aagtatgttt agtgaaggag taggtattta ttgtagatg 240  
gagttatttt tttagatttg gggTTTTTTT ataacgatgg ttatgtttgg tatggaagtt 300  
tttttagaag ttaatagtag gaaataaggg ttaatagtat ttaattgtgg agtaaggttt 360  
aaattttagt ttgtttattt aatcgtttcg aatttgTTTT tttattgtag aggcgaaaag 420  
gttaatatata ttttatttcg gagggttatc gtggagaatg gaagttggat aagttg 476

20

<210> 24

<211> 419

<212> DNA

<213> Artificial Sequence

25

<220>

<223> 2749

<400> 24

30

tcccacaaaa actaaacaat tattacaaat tcaaaaaacc ccgaccaatt tttcaaaaat 60  
ttctcctcct cttttccccc taaaactcgt aatactttta ctctactttc aaaatacatt 120  
aaatctccta ctttataact actttaaaac caacaatac tctaataatat ataattcaaa 180  
ttatacaaat ttcacgaata aatttaaatct tattttttta attaattaaa aaacaaataa 240  
35 tatttaaaaa aatattaact tataattatt tcaccctttt tacttttaaac atttttatta 300  
cttctcgacc ttttaactaa aatcaaatat atacttttaa cattttttta aataaaaaata 360

tccttttaaat ttaataaaaa aacaaaattc tacataaaaa aacccttca tctaaaacc 419

<210> 25  
<211> 479  
5 <212> DNA  
<213> Artificial Sequence

<220>  
<223> 2751  
10 <400> 25

tttgagggt ttagtagaag ttattttagg ggagggttcg ataggaagga aggtagggtt 60  
gtcggagggg tatataggag tttttttttt cgttatagtg tttagggtta attgttttag 120  
15 ttttttaggt ggtttaatag gatgggatag tttaggcgga aggaaatttg tggggaggga 180  
tatttcgtag atagaagtag ggatatgggg tggggagagg taggaagagt tgtcgggttg 240  
ttgagttggc gtttttttag tagatttagg aggggcggtg ataggagggtt attttttttt 300  
tattttcgta gttttgggtt tttttggtt tggttaatag tattattatt attattattg 360  
ttgttggtcg ttagtttggg ttttagatat attagaaaaa aattatcgga agatacgat 420  
20 agtattggta gtttttaaaa gaattaattt tttttttgtg tttattttgt gattattgg 479

<210> 26  
<211> 484  
<212> DNA  
25 <213> Artificial Sequence

<220>  
<223> 2752

<400> 26  
30

atacaacctc aaatcctatc caaaccccca aaacatcaca ctcgaaactt attctacata 60  
tttttacttt tacctccac taataactaat ttttccgtaa aacaacctaa atcccttcaa 120  
atacttaata ttttttctca aatactacca taaaacaaaa tctccacgt cttaaaacat 180  
35 tcctttttaa aaataaaaaa tatatatcgc tccttttata taatttacat tctatcttaa 240  
ataatttaac catcaccgta attcattcaa atctatttaa atcctaccca tctcaacttc 300

aatccatttc attcttttaa atctaatacg caattacctc caacaacttc atcacaaatc 360  
actcacaaaa ataaccttaa tcctaaaatt tatttacgaa aaacacactt actaaatata 420  
taacaaatat acaaaaaaca caaaataaaa caacaaatct aaaaacaaat aacttccttc 480  
tccc 484

5

<210> 27  
<211> 371  
<212> DNA  
<213> Artificial Sequence

10

<220>  
<223> 2755

<400> 27

15

ggaagatgag gaagttgatt agatattaag gatgagcgga tgatttaata ggtttttttg 60  
ttaagatttg gttgggtagg tgaaagataa agtcgaggag tggttatggt gtggtataga 120  
agaagggtta gaggacggtt ttgttattt ttttatgtt gagttttttt ttttgtgaaa 180  
tggggataat aagagtcgtt atatagggaa ttgttgttag gattaaatga gataatgtat 240  
20 gtgaaacgtt ttggtttagt gttttttagt aaatgggtac gatttgcgga gtggggattt 300  
gaatttacgt ttggcgggat gtttaagttg ttattttgat cgtagggag ttttagagga 360  
tagggttgta g 371

<210> 28  
25 <211> 186  
<212> DNA  
<213> Artificial Sequence

<220>  
30 <223> 2831

<400> 28

35 ttagtagggg tgtgagtgtt ttgattagaa ttattttttt ttgttagaat ttgatgtaat 60  
tcgaatgttt ttatttttgt ttgaagggtt taaataataa attaggtttt gtcgtgttat 120  
tatgggggtg gttatatttt gtatttagga aataggtacg gtagggttga gatagaagtt 180

ttgttt

186

&lt;210&gt; 29

&lt;211&gt; 300

5 &lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; 2850

10

&lt;400&gt; 29

ttatagggtt gagtttggga tcgaggtgag agtcgtcggg ttgggagtga gggagatggg 60

aataaggtcg tcggtgggcg aggggagtcg agggaattcg ggggattggg aggtttgggg 120

15 cggcgcgggtt tggtcgggtt gggatcgggtt ttccggttta gacgttcgcg atgttggtat 180

tttttggtat tttttatttg ggttttaggg gtccgttttt gggtagtttg gagtttttcg 240

aggtgggagg atcgggcgga ggtggaggaa gttttttttt ggaagatttg ttgtttgttt 300

&lt;210&gt; 30

20 &lt;211&gt; 321

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

25 &lt;223&gt; 2852

&lt;400&gt; 30

tgaaaatgaa ggtatggagt ttggtgttaa aagaaatttt ttttaaaaat taaataataa 60

30 tattagagta aagtttttag ggcgagataa ggagttgtta taaaataagc ggaaattcga 120

gaagcgttaa tgtttttaag ggttaatgat tatatataat ttacgtagtt aacgtgttaa 180

aatatattaa cgtatttttt ttttttaaat aaagtaggaa agcggatttt gtatgagggg 240

cgggttggtcg atttagtagt ttttttcgga tagttcgttt tgattttttt tggttggtcg 300

tgagagggatt atatggtttt a 321

35

&lt;210&gt; 31

<211> 398

<212> DNA

<213> Artificial Sequence

5 <220>

<223> 2859

<400> 31

10   tatgttttggg tttgttttga gatagagttt cgttttgtcg tttagggttg ttaaaagata       60  
     gggttttagt cgggtgcggg ggtttacgtt tgtaatttta gtattttggg aggtcgaggg       120  
     gggcggttta tttgaggttc ggagttcgag attagtttgg gttaatatgg cgaaacgttg       180  
     tttttattaa aaataataaa aattatttag gcgtgggtggc gcgtatttgt aatttttagtt       240  
     attcgggagg ttgaggtagg agaattattt gaatttagga ggtagacgtt gtagtgagtc       300  
15   gagatcgcgt tattgtattt tagtttgggc gatagaggga gatttcgttt taaaaaaagg       360  
     aaaaaaaaa aaaagaaaag aaataaaagt gatggggg       398

<210> 32

<211> 347

20 <212> DNA

<213> Artificial Sequence

<220>

<223> 2861

25

<400> 32

     gggtgtagaa gtgttttagt tttttttcgt tgggggttggg agtttgggta ggtagtttt       60  
     atttttttta agttcgtttt tggttttcgg gtttagtttc ggttattatg tttcgttaga       120  
30   ttatttttgt gggtttttagt tgtttggatt tgtggaggga aaagaatgat cggttcgttc       180  
     gataggttaa ggtaatacgg ttgttggtat tttcggtttg tagttttaag atttttgaaa       240  
     gcgggtttgt agtggtttta ttttaataga tggggaggga ttgagtttga ttaaagagtt       300  
     agaaatgatt ggagaatgta ttttttgta ttgttgtaag gggagaa       347

35 <210> 33

<211> 291



<212> DNA

<213> Artificial Sequence

<220>

5 <223> 2864

<400> 33

10 tcccccttcca actatatctc tcacccaaaa ataacttcta actctcgtat tcatctaaaa 60  
ctcctccttc catataccaa caattaacta taaccctctc aaaaacgctc catctccaaa 120  
tatactccca catccaaacc acgaaccctc caccgatca catacttcac acacctataa 180  
ctccgcactc cccaaatata cctctaacgt acaactatta ccccttcccc cgattataac 240  
cctataactc gccacatata actataacta aaacttcctt aaaacactct c 291

15 <210> 34

<211> 389

<212> DNA

<213> Artificial Sequence

20 <220>

<223> 2867

<400> 34

25 aaaacaaaa cataaaccaa aaaccaaact cgaaccgaaa acaataaccg caacgcccga 60  
aaactaaacc cagcagcgcg taacaacgcg aaccgaacta cgaaaacgat caggtcaacg 120  
tccgttccaa accgactaac aatctccggt ctacattaac gtcaacactc ccgttaaaaa 180  
taatacatct ctcccatacc aaaaaaactt aaatactact aaaaaccaac cctccgaata 240  
ctaccaaacc gacgctcacc cgccaccttc atcttccctt ctcctttacc ccaaaacaac 300  
30 cgaaaatata taattaaatt ccccctaccc ataaaaaac caaaaataaa aaactaacga 360  
cctactcgat ctcaacaaac cctccta 389

<210> 35

<211> 272

35 <212> DNA

<213> Artificial Sequence

&lt;220&gt;

&lt;223&gt; 2961

5 &lt;400&gt; 35

aatggttgat gatttttggt ttttttcgtc gtcggagagc ggtgtttcgg aggcggcgga 60  
ggaggattcg gcggtcgttt ttttggttta gtaggagagc gagattgtag gtatagagaa 120  
cgacgagggg ttcggggtat ttgtcggtag ttatgcggtt ttcgcgtagt cgggttttac 180  
10 gagtgggggt gagttagcgc ggggtttgga gaggggttta gggcgcgtat tcgggggatt 240  
tcggtcgggg tttaggggta tagggaagag ag 272

&lt;210&gt; 36

&lt;211&gt; 371

15 &lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; 3511

20

&lt;400&gt; 36

agttagaaga ggagttagga tgggtttcgg gtagtttaat agtatagttg aagttttaat 60  
tattatgtta atagtttttt gggtttatat attttatggg aagaggaaaa taaaaaggta 120  
25 tttatttgta ttttttttta tttttgatat aagaagtaga atttttttta tatgatttat 180  
gtttatttaa tacgttattt tgaaatttat taataaaatt ttttaagcgt tagaaaattg 240  
ttagtggttt tttttatttt tttttatttt tttttgtggt attaatattg tttttttttt 300  
ttagaagggt gtcggaatag taaatattta ttgatatggt ataattattg gaaaatgggt 360  
attggaaaat t 371

30

&lt;210&gt; 37

&lt;211&gt; 457

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

35

&lt;220&gt;

&lt;223&gt; 3532

&lt;400&gt; 37

5     tgttagtaga gtttttagga ggttttatntt tttatntntta tttaaagtntt tntttgttgg     60  
       gggtgggggtt ttgnttgga ggggaaggtt taaggttgntt tttagcgtgt tntntntntt     120  
       tgattgntntt tggcggggcg ggggtgntntt tgtatnttag ttgtataacg gttaggaagg     180  
       gtttaaatta tntnttaggt taatnttaagg tcgntntnttg ggnttgtata tntntgtgntt     240  
       gagtgcggat cgggagaggt tgttgaagat aggaggggat aaatggggga cgaaggggtt     300  
10     cgagggaggg gattgaagga tttgggttaa gtcgggagntt ttcgagggcg gagttaaaac     360  
       gtatnttgat tntgttagntt ttaaattnttg tntntatntgt tgtaagntntt ttagatcgag     420  
       gattnttcggg ttgaggggtg ggtaaggata ggtagtg     457

&lt;210&gt; 38

15     &lt;211&gt; 476

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

20     &lt;223&gt; 3534

&lt;400&gt; 38

       tntntgtntt tatggggtgt atatnttaagt agttgaaata gatagtgaat aaataaaaaa     60  
25     ggataataat tttaaataat aatgatgtta tcggttaggt gtggtggtntt atgntntataa     120  
       tntntagntt ttgggaagntt aagntaagcg gattatntga ggnttaggagt ttaagaatag     180  
       tntggntagt atggtgaaat tntatntntta ttaaaaaatat aaaaatntag tagatatggt     240  
       ggatatatntt tgtaatntta gntatnttgg aggttgacgt aggagaatntg tntgagnttcg     300  
       ggaggtggag gntttagtga gntaagatntt gataggtntnt tagtattatnt gtatntntaga     360  
30     ttggttgata gagcgagatnt ttgttaaaaa aaaaaaagntt ataaatagat tntaataggg     420  
       taatatgata gggagggagg gataggggag tagggtggtt aaggaaggga tntntta     476

&lt;210&gt; 39

&lt;211&gt; 458

35     &lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; 3538

5 &lt;400&gt; 39

tgggtagtat ttttgttggt ttttttttat attataaggt tacgtagagt tggcggaggg 60  
ttatggtttt atttatgtta ggtgttttta atttggttaag gaaatgtaat ttacgtgaat 120  
tttaaataggt agtgaagtat cgtttttttt tgatttttagg taggggtgaag aaaatgggat 180  
10 agtagtacgg ggtgcgggta taaacgtata attttgtttt ttttagacgta gagttgtggg 240  
gttgtgagaa tgtaggagg aggtaagaaa gggcgggttt atgggggggtt tgtaggggtgg 300  
gataagttta agaggttttt atatttaggt ttggtggggg aggtgagttt ttggtttatc 360  
gaggggggtt ttttttgttt tcggaaatat ttagtatttt atttttatcg ttttttcggt 420  
gcgggggattt aggggcgtga ggatgagaga gtttttag 458

15

&lt;210&gt; 40

&lt;211&gt; 405

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

20

&lt;220&gt;

&lt;223&gt; 3540

&lt;400&gt; 40

25

agtggtttag gagtatttgg ttattttcgg gaaaaatcgg tttggtaaag gttttttcga 60  
gggtacgcgt ttttcggata gtgaggtagg atttaaattt tttcgttaat attatatattt 120  
tcgtattttt gtagtgtttg tatttttagg ttttattatt ttttcgtatt ttttagggag 180  
aagttttcga cgtttttattt tttttggaag ggtgttggtt ttagagattt ttaggttaat 240  
30 ggtttaattt tagtgttttt aggggagagg ggggtgtaga aaaatagttt gggttataaa 300  
agaggtgcga gggttgtgag atttcggagg tatcgacggg aagcgagacg gagaatagga 360  
gggtaggacg gggttgagggt gggggatatt gtagatggag ggagt 405

&lt;210&gt; 41

35 &lt;211&gt; 2501

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;400&gt; 41

5	ccagttccag tcccgggtcc tgtggccgcc ctgccggcga ccctgcggag agcgagtctt	60
	agatacccag tcccagccc cgagttgtta ttccctcgct gtagttaaga aggaggagat	120
	caattaaggg catcttagaa gttaggcggt cccgctgcct cctttgagca cggaggccac	180
	caacccccta gggggaagag atgtagcgcg aggcaggggt gtcgtgctaa gaaatttcga	240
	cgcttctggg gactgaggac aaaggtgcgg acacgacccc ggggtacctg gagttccgtg	300
10	actcgcgcca cggacggcac acctaggggc taatttctgc tctgcctcaa agaacctcaa	360
	gctagagtcc ttgcctccgc ccacagcccc gggatgccgc tgctgcgctc accgcacagg	420
	cagcgcgccg accggtcgca gcagatcgcg cgctgcgctg tccaccggga gatggtggag	480
	acgctgaaaa gcttctttct tgccactctg gacgctgtgg gcggcaagcg ccttagtccc	540
	tacctctgct gagctgaacg ctcaggcaca gtggaactga aaccgggttc tgccggatgt	600
15	gagagctgtt gaggtcacgc gtaattgggt gtgatggagg gcgcctgttc gtgatgtgtg	660
	caggtttgat gcaagcaggt catcgtcggt cgagtgtgtg gatgcgaccg cccgagagac	720
	tcggaggcag gcttgggaca cgtttgagtg aacacctcag gatactcttc tggccagtat	780
	ctgtttttta gtgtctgtga ttcagagtgg gcacatgttg ggagacagta atgggtttgg	840
	gtgtgtgtaa atgagtgtga ccggaagcga gtgtgagctt gatctaggca gggaccacac	900
20	agcactgtca cacctgcctg ctctttagta gaggactgaa gtgcgggggt ggggtacctg	960
	ggccggaata gaatgtctct gggacatctt ggcaaacagc agccggaagc aaaggggcag	1020
	ctgtgcaaac ggctcaggca ggtgatggat ggcagggtag gaagggggag gtccagaggt	1080
	ctggatggag gcttccgcat ctgtaccttg caactcacc ctcaggccca gcaggtcac	1140
	ggccccctcc tcacacatgt aatggatctg aagagtaccc cgggacagtc cggggagatg	1200
25	gagattcgga aagtatccat ggagatctta cagaatcccc tgtgcggacc aggaaactct	1260
	tgtagatccc tgcctatctg aggcccaggc gctgggctgt ttctcacaat attccttcaa	1320
	gatgagattg tgggtcccat ttcaaagatg agtacactga gcctctgtga agttacttgc	1380
	ccatgatcac acaaccagga attgggcca ctgtaattga actcctgtct aacaaagttc	1440
	ttgtctccag ctccgtctct tgtttccac gagccctggc cctctgtggg taataccagc	1500
30	tactggagtc agatttcttg ggcccagaac ccacccttag gggcattaac ctttaaaatc	1560
	tcacttgggc aggggtcttg gatcagagtt ggaagagtcc ctacaatcct ggacccttct	1620
	cgccaaatcg tgaaccagg ggtggagtgg ggcgagggtt caaaaccagg ccggactgag	1680
	aggtgaaatt caccatgacg tcaaactgcc ctcaaattcc cgctcacttt aaggcgctta	1740
	cttgttggtg cccccaccat cccccaccat ttccatcaat gacctcaatg caaatacaag	1800
35	tgggacggtc ctgctggatc ctccagggtc tggaaagcat agggtgacgc aaccagggg	1860
	caaaggaccc ctccgcccac tggttgctgt gactggcggt aactttcccg acccacagcg	1920

gcgggaataa gagcagtcgc tggcgctggg aggcatacaga gacactgccc agcccaagtg 1980  
 tcgccgccgc ttccacaggg ctctgctgga cgccgccgcc gccgctgcca ccgcctctga 2040  
 tccaagccac ctcccgccag gtgagccccg agatcctggc tcaggtatat gtctctccct 2100  
 ccctctccct ccattogtca ttttctcact ccctttcctc ctctccctct ctctccgta 2160  
 5 gtctcttcat cagatagtct ctgttagtcc gcgatttata ccaggctcgt gccctagggt 2220  
 ggatcggaca gtctcaatcc ccggctcgc tcttctgct cggtgcgga ctccagtctt 2280  
 actctctcgc actgcacaca ggcttaggcc agtctcggga cactcaggct cccagggac 2340  
 cgcgcacaga gcctgaggca agagaaactt tccgcagacg gtgcgatcag ggacggcgtc 2400  
 tggagcccag cagtcccagg gaaattgggt cagaacctgg aacagagcgg atgggtggca 2460  
 10 aataggcacg acgactgagg gacaagcagc cctaaactgc a 2501

<210> 42

<211> 2501

<212> DNA

15 <213> Homo Sapiens

<400> 42

agatttactc aaatttaaga atgagaatac aaatccacat cttgaagtgt ttcacagaaa 60  
 20 ggtctatctt aatgtctgga gtatatattt caatgaacat tcattttatt ttatttctct 120  
 ccattcctga atcaagcaat cttgaatcta aagttgctat gattagcact gaaaagacca 180  
 ctggactatt aattgtgtga ctttgggaca gtaactttct gcaccttagt ttgtttacat 240  
 gttatacatg aaggttgaag tctgattctg ctctgtgact atcattctaa acatctgatg 300  
 aaatcaaatt tcagtgtttg gaatggtagt acaataaatt tactaagaat aaataattca 360  
 25 ctgcaaaaac acattgattt ccaaagatg taactgacag ttatattact gcagagggt 420  
 gataaataac aaaagaaatg aaagatgcac atggtgagaa ctgaaattat cctgacaagt 480  
 cttctacctg tttatcactt aaaatcaatg accatgctga atgcctacaa attacaaaat 540  
 ataaaagaaa tcttataaat gcgcatgtac aggagtctaa gttactaaaa gttttaaagc 600  
 ataagtttaa accaaactaa tcaaagaagt tgagaggaaa aattggcttt catctttaat 660  
 30 cactactggt ttgaggtcct atgtttaata taattttcta agtagaggct tcagagagaa 720  
 gagttgtgag gatactttca tatttgtgta gaaggaaaag ttgcatcc attctagtat 780  
 ccctagtgtt atactgatgt gcaccttga tttattttgt tcctattgta taaactcata 840  
 cttgacttca aagaaaagga aaatccaaag tccctctttt ctaaggggac agaaatcctt 900  
 tgtgtcaact gtttgacctt tttctctgta aggtcctatt ggaaatcttt tgtaacacaa 960  
 35 tgcaggggac tcttccatgt gttgatgctg tttacacagt ggggtgggcc tgactgaaga 1020  
 aaaaaaatcg catatacgca tgaaagatta tggctttatt tccggaaaagc atgaaagggtg 1080

	attgatactt ccaagaagtc cctgttactc aggaaaatta tcaaatttc tactcagaga	1140
	tacttggaag gactgaagga aaggaagaac gaagaagca gaatctagac ttatgtggg	1200
	agagatttgt ggcagaggaa aagtattctc tttgaatccg acaagggtt tgcctgggg	1260
	aatttcctgt ccagcctttt attaccaggg tcttttgaag ccgggctccc cattgggcag	1320
5	ttccctggga gtgcagtggg gaattcttac actttccctc taggtcccc aaggatctcg	1380
	ttttctcagt gtctctttca ggttggcagg agccttgagc ctgacacttc cctttgatgg	1440
	gacaggcaag ctctgtgggc gcgtaaacac gctgtaacca agttctttgc tgattttaca	1500
	gttttgtgtg ctcccagaaa gaagtgatcg tactcaattg tctattgctg gcctgcccc	1560
	taagagcctg ggggctcctt tcccctaacc cagaactagc tgcacgggg gcggggaaat	1620
10	gggggtggg aaggagtggg agggcagtgg tttccgcgag cagagcgatg ttactgagt	1680
	agtccctgaa tggggagcgc tgctgtcccc aagccgattg gtacttcttg tcaggaagaa	1740
	acgccaaag gtgggagtgc ctggggaggg aggcaggcgg tccctaccgc aggcgcggg	1800
	agctgccttt ccgcccctcc gcctgctttc caagcctgga ctcttaggag tggctgaagc	1860
	tgcggagcgc ttttgagcc tgtgaatgaa ccctcctcct ctccctcctc cttcttctcg	1920
15	ctgagctcct tcctcggtc tgacggtaca gtgatataat gatgatgggt gtcacaacc	1980
	gcatttgaac ttgcaggcga gctgcccga gcctttcttg ggaagaactc caggcgtgcg	2040
	gacgcaacag ccgagaacat taggtgttgt ggacaggagc tgggaccaag atcttcggcc	2100
	agccccgat cctcccgat cttccagcac cgtccgcac cctccgcac cttccccggg	2160
	ccaccacgct tcctatgtga ccgcctggg caacgccgaa ccagtcgag cagcgctgca	2220
20	gtgaattttt ccccaaaact gcaataagcc gccttccaag gtaatcacgt ttcttttgtt	2280
	cccccttaa aaacaaaaa caaaaaactt atagaaaaa acccgcgagc ttagaaaaa	2340
	gaagcaattg gtagaaggct ttaattaagg caaagagctg taaggcgaag ttaagaaat	2400
	gtaggcactt aaaaaatgca ggtaactttc ataagggtt ttggggagag gcatacagag	2460
	ggaccttggg gttgaaaaag attcagacaa aagaaacca g	2501
25	<210> 43	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
30	<400> 43	
	tgtgggtcat taatgcaatg ttatttaaga ctaggatttg gctgggcgca gtggctcacg	60
	cctgtaatcc cagcactgtg ggaggccgag ccgggaggat cacctgaggt caggagtcca	120
35	agaccagcct gaccaacatg gtgaaaccac gtctctacta aaaatacaaa attagccggg	180
	catagtcaca tgcctgtaat ccagctact gggtagcctg aggcaggaga atcgcttgaa	240

	cccgaggagc ggaggcggag ttgacagtga gccaaagattt cacaactgca ctccagtcgt	300
	ggccacaaga gcgaaaaccc gtctcaaaaa aaaaaaaaag actaggattt gacataaggc	360
	ctgaggggta ttcttttggt ttgttttgcc ttgttttcaa gaggccaaaa tcttcacagt	420
	tgaaaatttc tgttgaacca cagagatttg aaccaactca gtttagaaag cctggggatt	480
5	tgaacaacgg tatggatcgg aaatctcttc atctgtcagt ttcatcatt ctaggcagta	540
	aaatagattt ccctttagga gcttttcacc gtttggggtt ctccagcagt gggatgtggg	600
	gaatcaaccc ttcttcgtct ccacccaaac attagggtggg agcaaggggt gggaagtaga	660
	gaaagtggat agaggtctcc agtggatatg ggatctttgt gtagaccagc acagtcctca	720
	gaaatctcat gcaagcaaca taggtactgt tatattttct agtggccacc ttttaaaaag	780
10	taaacaggtg aggccgggcg cggtcgtcac gcctgtaac ccagcacttt gggaggccca	840
	ggcgggcgga tcacgaggtc aagagatgga gaccatctg gtcgacacgg tgaaccccg	900
	tctctactaa aaatacaaaa attagctggg catggtgacg cgcgactgta gtcctagcta	960
	ctggggaggc cgaggcagga gaatcacttg aacctggag gtggagggtg ccacgctcca	1020
	ctacactcca gcctggcgac agagtgaagc tccgtctcaa aaaaagaaa gtaaacaggt	1080
15	gaaattaatt ttaataatat attttgttta acccaacgta tccaaaatac tatcatttga	1140
	aagtgtaatg aatataaaaa tattcatgag atatttttca ttctcatatc catactgtct	1200
	tggactctaa tgtgtatttt acaattacag cacaattaat ttgggactag ctacatttca	1260
	gctcaacaat agccaatagc atatgggata gcgcaaataa actctgcgtc tctgttgctt	1320
	ctttgggtct cggagacctc aaccotttct tcagattgca aaccttcttg ccttcaagcc	1380
20	tcggctccaa caccagtccg gcagaggaac ccagtctaag gaggtacgct ccttctctgc	1440
	cattctctat tccattaacc tgtttcgttg taaacgtagg actgatctc caaaattacc	1500
	ttattaatta gcttacatat ttattatcta tctgtccac cagaatgcag gtttccgga	1560
	ggcagggatt taaaaaatc tgttttgttc tatgtgattt tcccatacca agcaccgtgc	1620
	ccggcacaag ctgggatccc agtacacatc tcgggacgga agaaccgtgt ttccctagaa	1680
25	ccagtcaga gggcagctta gcaatgtgtc acaggtggg cgcccgctt ccggcgcgac	1740
	gcaactggctc ccggccggc gtgggtgttg ggcgagtggt tgtgtgcggg gtgtgcgcg	1800
	tagagcgcg cagcgagccc ggagcgcgga gctgggagga gcagcgagcg ccgcgagaa	1860
	ccgcgagcg cggcctggca gggcagctcg gaggtgggtg ggccgcgccc ccagcccgt	1920
	tgcagggctc ccattggccg cctgccggcc gccctccgcc caaaaggcgg caaggagccg	1980
30	agaggtgct tcggagtgtg aggaggacag ccggaccgag ccaacgccgg ggactttgtt	2040
	ccctccgagg aggggactcg gcaactcgca gcggcaggg ctggggccgg cgcctgggag	2100
	ggatctgcgc ccccaactca ctccctagct gtgttccgc cgcgccccgg ctagtctccg	2160
	gcgctggcgc ctatggtcgg cctccgacag cgctccggag ggaccggggg agctcccagg	2220
	cgcccggtg agtagccagg cgcggtccc cggtccccc gacccccggc gccagctttt	2280
35	gctttcccag ccagggcgcg gtgggggttg tccgggcagt gcctcgagca actgggaagg	2340
	ccaaggcgga gggaaacttg gcttcgggga gaagtgcgat cgcagccggg aggttcccc	2400



agccccgcgg gccgggtgag aacaggtggc gccggcccga ccaggcgctt tgtgtcgggg 2460  
cgcgaggatc tggagcgaac tgctgcgcct cggtgggccc c 2501

<210> 44

5 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 44

10

gatgtgaaaa gagaaataat tgaaaaagac tggagtacat atactatcta cagtgtctgt 60

tttaaagaaa caacattcta gcacaccttt ctacccttga ctaagattac tgtaatgaga 120

gcaccagtac ccctgagtaa ccgaaagggc attttggaac ctgagctttt ggtgtttata 180

tgaacattct gtcttccagg acctgccttg atttattcaa gactcatact gctgtatatg 240

15 gtgttgtata cattaggggt agttgggtag cagtaactga tatagaaaat tttaaatgta 300

aaaaacactg gggagtgaac ctttccatta tatatatata tatatatata tatatatata 360

tatatatata tatatatata tataaattca catcaggatg agtttctgtt taggcaatgt 420

tggaaaacgc tatttccatt tttttttttt aacaaatatt taacaaacat ttataaggca 480

cttaaateca tgctggctct tacaatgtt gactcatctc tcataaccac cttggggtag 540

20 aaacggagag gctaaacaat ctgcaggcga tgcttcacta ctaaagcag gtggcagcct 600

tgctgtgtt ctctgcttgg ctaggaaac aggtcttacc tattgagctg ggctgtgtag 660

aactctgttg tggagacatc tgccctggg gcagaagcct ctgctttttc cccctcctcc 720

catcttactc catgtctcag agagctctga atcccacttg gagaatcaca cttaaaccct 780

ctaaaaacct aatgatgaat aaaaaatagt tctctagaac ttctggagaa aaaagtaata 840

25 aagctaccag gttaaatgac tgaattcct gagagaaaac aacatgtgtg tgtttctcta 900

gaaagggggc ccaatactga ataccaggaa gtcttatagt aaatggaatg tgactctatg 960

tgggatccgg cgttcttatt tcatccgaat gcatgtctgc tgcttcagtg ggaaggggtc 1020

ttgcacacca ggtaccact ccctgggtgc atgtgctatg cagtccaaag acagaaccag 1080

gaatggtgag cccatgagcc tgctggaccc agcccctccg aggtccggag tgacaaccag 1140

30 tgccgtatth ctatgacaaa cctgaacccc tctacaggg aaaagatttc caggggattt 1200

tgaagttcc aacattttac aggaagaag gaagataagc aggatatgaa agaagagttc 1260

atgttataca gccctggctt cactgacgc taacactgga ttcagctttt gacactgata 1320

atctgttgcc accaaatgga aaacgtaaac aagatattct aagtgtgggt agagaatatg 1380

caacacaagg aacaagcaga acattcttct ctggaatctg acataatgga ctgtactttc 1440

35 acagacagca ctgatgttag atgtacgtga aataggctaa actgaaaata agaaaggctg 1500

aggcagagag gataatatag ctccagccta tctccagca ccttgtaa tctctctaac 1560

	ctccagccac aaatccgaga cacaacgctc ttcctccaaa gaggtcgcgc cttctctgtg	1620
	gtggtttctca gggatccgcc ccagctcctt ctccgttccc agccccacac actgggatca	1680
	ccaggcacc c aagatccac ctctcaggtg gtatcttcag cgcaggctgc cactcagccc	1740
	ccctccaggg atctggggca gaaggcgaat atcccagagt ctccagagtcc acaggagtta	1800
5	ctctgaaggg cgaggcgagg gctgcatcag tggaccccca caccaccacc gcaccccaag	1860
	cgctccacc tgggggcggg gccgtgcct tcttccgga ctggggtcg atctggaact	1920
	ccgggaattt cctggccc ggggtccgg gctttccagc cccaaccatg cataaaagg	1980
	gttcgcggat ctccgagagc cacagagccc gggccgcagg cacctcctcg ccagctcttc	2040
	cgctcctctc acagccgcca gaccgcctg ctgagcccca tggcccggc tgctctctcc	2100
10	gcgccccca gcaatcccc gctcctgcga gtggcgctgc tgctcctgct cctggtagcc	2160
	gctggccggc gcgcagcagg tgggtaccgg cgccctggg tccccgggccc ggacgcggct	2220
	ggggtaggca cccagcggc acagcctgc tcagtcagt agtctcttct tccctaggag	2280
	cgctcgtggc cactgaactg cgctgccagt gcttcagac cctgcaggga attcacccca	2340
	agaacatcca aagtgtgaac gtgaagtccc ccggacccca ctgcgccc aa accgaagtca	2400
15	tgtaagtccc gcccgcgct gcctctgcca ccggcgggt cccagaccct cctgctgccc	2460
	caaccctgtc cccagccga cctcctgcct cagcagattc c	2501
	<210> 45	
	<211> 2501	
20	<212> DNA	
	<213> Homo Sapiens	
	<400> 45	
25	ggcgacagag caagactccc tcttaaaaaa aaaaaaaaaa aaagattctg agtcaaagt	60
	ctcaagttga atgcattttg tcatccacaa gacaaatcgt gtttaaccct tgtggtttac	120
	tttatctata aaatagagat aacaatagtt cctgcttcta gggttgtgtt gggaattaaa	180
	gacttagaat aatgttcagc ctctaatacag tgctgtcaca actgtctgat acaattgtat	240
	tatatattgtg tactttgtag attgatatta aatcatactt ttaaaaatag gtgcttaatg	300
30	ttccactcaa ttaccttaaa acatgtttta ttatgtctct atcctactct tataaacctt	360
	ctataaaaac tttttacata tagcgtccac ttttggttca gtttcttagg aaaataactt	420
	tgagagtcag ctatctgaac caaagaaaca ttaacattac cagactatat tgggattttt	480
	gagactggct tttatcaatt ctttagctac gggtcttgt catcatctct accagtgacc	540
	taagtgtcaa acccaaatgc cttgtatctg tccattaaa gagatgcagc atctgtcct	600
35	ttcttactgt ttccatttcc tctgcatgc ctctcttac aaccataaat atccaggtct	660
	cttaggtttt aaacggggca tctctcaacc cccacattct tttccttggt tattcccttc	720

	cctccaacag ttcaattcac ctagatcccc acgcctgaaa ttatcctaga tgcctagag	780
	ggcctcatc attacaatgg tacattattc tccactcctt tacatgtcac gccagctttc	840
	aaactgaaaa tctgagcgtt catccctggg gcatcacctt taaattccag atctccaaaa	900
	tccaggttca tgtaacctta aaaaattttt accctctctt ctccactgcc cttgttcagg	960
5	ccttatctct tccagcagct gttccaaagg cctactctgt ttctctttcg gagtgtaac	1020
	ctccaccgaa gcctccaccc agttgccaat tctgccccat gcctgataat ttgctcgtgc	1080
	gttgacatac ataaaatttc taagacaaaa attttttaaat aatggtaaata gaaccttggg	1140
	aactgcatac agatcataca gatccataat aagagaaaaag gtcccagatt aacacggaaa	1200
	actttccatt taactaacat ttgcactggg aaacttcata aagcaagacc ctacttaatc	1260
10	ccacattacc ttctactgaa gaggttgtgg tcattctctg gaaatatctg aattcattcc	1320
	tacaagttag agaaacagcg ttactcgaaa cattatccct tgggctcgag ctctaaggca	1380
	cctgacaaac ggagcgtgtt gggtaggggt gaggtgtttt ctccagggct gggactttgc	1440
	cctgggagag ggagcgcgag ggcaaagacc tcaccgggca gcagaatccg ggcagaaatc	1500
	agcaactggg cctcccgccg agcagaaaaag gggaatccag tcggggccca cccttctgc	1560
15	cagcgcagac cgcaagtctg gccccatcct ctgcgcggga gtcggcctgg cgcgtccgc	1620
	ccaggtaccc cgaccgtggg cagcctgcgc ccgtttgggt cccatcgccc cggcccgga	1680
	gatacctgag cgggtggccag ggcaggtccc cgttcttgcc gatgccatg ttctgggaca	1740
	cagcgacgat gcagtttagc gaaaccaacca tgacagcagc gggaggacct ccgagccgc	1800
	tcgttacagc agaacgcgcg gtcaagtttg gcgcgaaatt gtggccgccc cgcctctcg	1860
20	tcctattttg tgcaggcgag gccccgcccc cccgccccgg cgcacgcagg gtcgcggcgt	1920
	gctcgcgccc gcagacgcct gggaaactgcg gccgcgggtt cgcgctcctc gccgggcct	1980
	gccgccccgg tgccatcctt gccctgccat gtctcgccgg aagcctgcgt cgggcggcct	2040
	cgctgcctcc agctcagccc ctgcgaggca agcggttttg agccgattct tccagtctac	2100
	gggaagcctg aaatccacct cctcctccac aggtgcagcc gaccaggtgg accctggcgc	2160
25	tgcagcggcc gcagcgcgcc cagcgcgccg cttcccgccc cagctgccgc cgcacgtagt	2220
	aggttctgtc tgggactggg caggggccatc ggggctgggg gggcggggct tgtgggtaag	2280
	gcgggaggag gcgtggaccc tccgcccgat gatagggtg gaggaggaag gggcgggctg	2340
	aagaagggga aggtgggaag agcccagccg gggctacaaa ttgggtgaag cgctgaggtt	2400
	ttagtacttc cgtttgagga gataggcaaa ggttatgcag gtttttaatg gcaggcctga	2460
30	gacaggaact caggtctcct gactcccatc ctgatgagg g	2501

&lt;210&gt; 46

&lt;211&gt; 1092

&lt;212&gt; DNA

35 &lt;213&gt; Homo Sapiens

&lt;400&gt; 46

aagcttcccc ttcacatcc aagaaggcat tcaggtcttt ctgtgctagg cccaggtaa 60  
 agtgcctggac taccagtaa ttgggttcag tagcaggatg gcctcagatt gaggtcccag 120  
 5 ggccaaagga cactcctct cctcagcgt ggtccggga aggcaagctc cgggcgggag 180  
 cgcacgcgc gccccgaag cctggctccc tcgccagcc cacttcctgc ccccatcccg 240  
 cgcctttcca ggtcttctcc cgggaaccg gatgctctgt cagtctccta ctctgcgtcc 300  
 tcggccgcgg cccgggtccc tcgcaaagcc gctgccatcc cggagggccc agccagcggg 360  
 ctcccggagg ctggccgggc aggcgtggtg cgcggtagga gctgggcgag cacggctacc 420  
 10 gcgcgtggag gagacactgc cctgccgca tgggggccc gggcgctcct tcacgccgta 480  
 ggcaagcggg gcggcggtg cggtaacctc ccaccgggag ctttccttc cttctcctgc 540  
 tgctgctgct ctgcatccag ctccggggag gacagaagaa aaaggaggta gaatggatcc 600  
 ccttgccctt cccctgtggt cgggggcggg ccagggtggg ccgcgttgcc caggcagccc 660  
 tgccgtgttg ctaggcagcc tggtcgccg cgtgggcgat gccggcgctg gggcgggagc 720  
 15 cgcgaggggt ggaggccctg gggcggttcc gggacgtgga gttagcaggg ttctgacttg 780  
 aaaaacgacg gcaaagcgtg ttcttgactg cttctgagca cctcacacct ttcagaccca 840  
 gggcgccctt attccagct ggaagcccag cttagagcaa tggtgccact aaaaggggtg 900  
 tgttgatgt gaaaataccc ttggaagta ttataagcc tgcaggaaat atgttttctt 960  
 tattttctta ctctgctccc ttcattaccc atttaagaa gcaacagaac ctgtgcagag 1020  
 20 tgtgttttaa gttacactgt atgtttattt ttgtttatgt tgaactcggg gtatacttgt 1080  
 gagaataagc tt 1092

&lt;210&gt; 47

&lt;211&gt; 2501

25 &lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;400&gt; 47

cgaaatgaaa cctcgcccag gaggccggg acctggacac ccggcgccac ctccctcacc 60  
 tctgaccag gtttcctccc ggcgctgca gctccgggg aagggttaga gccggcagcc 120  
 ctcccagcc cggggagggg agagggttat gcgacccac ctctggctag ggccggggag 180  
 gcctttgctt cccgggagcc ctgccgggc tccttggtcg cagggtgct ggggtcccag 240  
 caggaaacgag agggtaggc ccacatgtg cccggcgcc cagggcggct tgcagcgtcc 300  
 35 tcaactgtcc ggtgccag ggtgcggc acggcgccag tcagcagcga gttcaggctg 360  
 cgcagatttt attgatgagc tctgacttcc agcactttcc ctaagtcaag aagagtctag 420

	cgtacccttc ggctgcttca ttccagcctc cctgcctcag ctcttcagcc ctattccccc	480
	tcgccctgtc ctggggtgtg tacagcagcc caggccttcc ttctccttcc cggtccgtg	540
	gcccgaagcc gccgagagag ctccggacag cgcaggacca ggcagccgct cgctctcctg	600
	tcaccttaac tgcaggctcc gaggggagcc tttggagtgt actgaggtgt gtcctaatac	660
5	tgccgcatte aacaaatgga cttctggtgt gtggtcagaa gagaaaagcc atttacttac	720
	tttcctcccc ggttttctgg caacagctga aggggagctg cctccgtgga ctgagcagac	780
	ccaggagagg gagtctgtgt gcggagacac acgcaccaca cacagatgac cgggtggcaca	840
	cacgacacac gctgacatac cgacatcgcc agtgggacac acacacacac acacacacac	900
	acacacacac acacagagag agagagagaa tccctcccag cattgggtcat ccgccccccc	960
10	accagggctt ccaactcccc tccctcttta tctcccttgg cttcccttcc tctcgggcgc	1020
	tgcgaaaagc agccgcactt agtcaacaaa tggcacgtgg gagaagttgg tgagtgtttg	1080
	gtgaggactc ttcagggtt ttcacaagaa ccctctgtac acaaagtaag tggcgtgttt	1140
	actcgggcct ctccagccag agctgtgcct ctgctccgct gcgcaccgcg gcttccgaaa	1200
	ggagaaaagga gagaagaaaag ggcggggaga gcggggtgga ggatttggac aggccctgga	1260
15	ggcttgggct ggggaggcct ctggcctcgt ttagttctcg gcccggaac ctctctcgg	1320
	cctaggcttc gccgcggcct ccgcagctgg aatggagctg ccaggacca gtgacgctcc	1380
	cgcccccttc ctctcttctc aaggggccag gtgggctggg gtgcggccgc cgctgtgctc	1440
	tgtgtcttgg ggccccggt gggatggggg gggggcgggc gggggcgggg cggcaggcca	1500
	cgctgtcctg gagtggcaa gaaaggacag cacagaaact tgcaccctcc gaggactggg	1560
20	agtcccagat ccagcttagg gggagtgggg gcgcgacccc caaccagaa accttcaactt	1620
	gaccgctcaa gttcgcggca gcagggcggg ccgcgccgaa tctcggcgtg cgcggagcgg	1680
	ggagatgcag gcgagcgcca gagccgggc tcggggggcc tgcccgggg agaggagccg	1740
	ggaccaccg gcggagccga aaacaagtgt attcatattc aaacaaacgg accaattgca	1800
	ccaggcgggg agaggagca tccaatcggc tggcgcgagg ccccggcgct gctttgcata	1860
25	aagcaatatt ttgtgtgaga gcgagcgggt cattttgcatg ttgcggagtg attagtgggt	1920
	ttgaaaaggg aaccgtggct cggcctcatt tcccgctctg gttcaggcgc aggaggaagt	1980
	gttttgcctg aggatgatga cagaggtcag gcttcgctaa tgggccagtg aggagcgggt	2040
	gaggcgaggc cgggcgcgg caccacaca ttaacacact tgagccatca ccaatcagca	2100
	taggtgtgct ggctgcagcc acttccctca cccacactct ttatctctca ctctccagcc	2160
30	gctgacagcc cattttattg tcaatctctg tctccttccc aggaatctga gaattgctct	2220
	cacacaccaa cccagcaaca tccgtggaga aaactctcac cagcaactcc tttaaaacac	2280
	cgtcatttca aaccattgtg gtcttcaagc aacaacagca gcacaaaaaa cccaaccaa	2340
	acaaaactct tgacagaagc tgtgacaacc agaaaggatg cctcataaag gtgagtccgc	2400
	ttctttcttc tcgctttatt ttattgcaa tattcagaca ggtctcccc ttcctcccc	2460
35	cttcttctct cccctctcgc cggctccctc cccactgct a	2501

&lt;210&gt; 48

&lt;211&gt; 2501

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

5

&lt;400&gt; 48

	tgatgggtgc acaactctga gtacatgaaa aatcaatgaa ctgatacttt gagtgagctg	60
	tatgatactg gaattacacc tcaataaagc atggtaactg ttttaagata ggctggaaaag	120
10	agaaagcctg aaaacaacaa taatgatatt aataaattag tttacttctc tagtctcata	180
	tacttctgtg cccacacttg ctcctgttct attcataatg gtccccctgc agttgccata	240
	ttatacctg ccatttgatg cccgggtgaac attctatacc tgcttcccag aattctcttt	300
	accttctctc tatctgccta acttccacat atctaaaatt aatcagagta aactatttac	360
	tagaacaacc aactccaaat cctagtaacc taacatgata aaggtttggt tctcactcat	420
15	atagcccctc cccagatgat cgaggggtcc aggctcctta cctctagtgg ctccccacc	480
	ttctggagtc ttctgcattc tttatacatg gttgagataa actatgagtc attagcacag	540
	ctagaccttg aggtcctaca agaaaatttg caaatcattc actctgtttt gaacaaggta	600
	tatttaagat gatgttaaaa tacccaatgg tcttgggtca aatacagttt atgactgtgt	660
	atctaaaata tatattgcaa tattcttccc tttttctact gacttcatga atttagcggg	720
20	gatccatttt ataagctcaa agataattac ttttcagact aagaatattt agggtaaaaa	780
	gtactgttca acatctctac tgaggatgtt atgatgtagc aactgtata agctggagct	840
	aaaggaaact ttccttaaaag tgctatttac taaaaattgg aacacattcc ttaagacaaa	900
	tcgaagtgtg gcacacaaca tccaaacttc catcatagat acagaggtgt taccatctcc	960
	cactcccaaa tttctttgtc acgtgagga tactcaagag gagcaggaca tgttggtcgc	1020
25	agcaggagaa acttgaaagc attcactttt atggaactca taaggagag aatttcttat	1080
	tttagtatcg tccttgatac atttattatt ttaaaagata atgtagccaa atgtcttctt	1140
	ctgtgttaaa tctttacaaa actgaaatct taaaatggtg acaaaaattc tacttctgat	1200
	agaatctatt catTTTTCCA attagatagg gcataattct taatttgcaa aacaaaacgt	1260
	aatatgctta tgaggttcca tcccaaagaa cctgctattg agagtagcat tcagaataac	1320
30	gggtggaaat gccaaactca gagtttcaga tcctaccggt aattggggta gggaggggct	1380
	ttgggcgggg cctccctaga ggaggaggcg ttgttagaaa gctgtctggc cagtccacag	1440
	ctgtcactaa tcggggtaag ccttgttgta tttgtgcgtg tgggtggcat tctcaatgag	1500
	aactagcttc acttgtcatt tgagtgaat ctacaaccg aggcggctag tgctcccga	1560
	ctactgggat ctgagatctt cggagatgac tgtcgccgc agtacggagc cagcagaagt	1620
35	ccgaccttc ctgggaatgg gctgtaccga gaggtccgac tagccccagg gttttagtga	1680
	gggggcagtg gaactcagcg agggactgag agcttcacag catgcacgag tttgatgcca	1740

	gagaaaaagt cgggagataa aggagccgcg tgtcactaaa ttgccgtcgc agccgcagcc	1800
	actcaagtgc cggacttggt agtactctgc gtctccagtc ctcggacaga agttggagaa	1860
	ctctcttgga gaactccccg agttaggaga cgagatctcc taacaattac tactttttct	1920
	tgcgctcccc acttgccgct cgctgggaca aacgacagcc acagttcccc tgacgacagg	1980
5	atggaggcca agggcaggag ctgaccagcg ccgccctccc ccgccccga cccaggaggt	2040
	ggagatccct ccggtccagc cacattcaac acccactttc tctccctct gccctatat	2100
	tccccaaacc cctcctcct tcccttttcc ctccctcctg gagacggggg aggagaaaag	2160
	gggagtccag tcgtcatgac tgagctgaag gcaaagggtc cccgggctcc ccacgtggcg	2220
	ggcgccccgc cctccccga ggtcggtacc ccactgctgt gtgcccagc cgcaggtccg	2280
10	ttcccgggga gccagacctc ggacaccttg cctgaagttt cggccatacc tatctccctg	2340
	gacgggctac tcttccctcg gccctgccag ggacaggacc cctccgacga aaagacgcag	2400
	gaccagcagt cgctgtcgga cgtggagggc gcattattcca gagctgaagc tacaaggggt	2460
	gctggaggca gcagttctag tccccagaa aaggacagcg g	2501
15	<210> 49	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
20	<400> 49	
	taccttcata aaaggatctt tgacttggtg agtgtgtgcg atgcatactt ttcattgttac	60
	accacaagtg ccacttagca actccactag acagggcagt gtttcagcat ggggtggggt	120
	gccccctgac aggcttttaa aaggcccga tgccaatgca cattccaaca ctatccacaa	180
25	aaaggagact ggagcagtcg tcttccctgc attgggcaag gagactctcc ctccctgcct	240
	aaccacttgc ctgccctggt ttgtgggaga attacaagta aatgctacag aggcagtgga	300
	gaaaaaaggg tgttttaatt cctctccaga gtttccttta tttgatgtat gttgcatcct	360
	ttaaacaagt tgtgcaaaat ggctgcaggg tagattggct ctccctttta aagctctcca	420
	tcgggctggg tttatttgta aatactgcat ctatccttct tagtgtttta ggactggctg	480
30	gaaagactct tcttctgta ggttgggtca gtgtgagaga tctaaaaaat cattttccct	540
	taaaattact gtattttaat aaaaggattg ggcaggggct ggaatgagag aaaactggtc	600
	cttcaaaatg taaaactgtc atacttaaac cagtttaca aatatgcgtt taattatgtg	660
	gtgggatgtg ttaggtgta tgatgagaga ggcaaccaac atggctatct ggggtgcaag	720
	gatgtgggaa caggcaagta attttcacat tggactttca tctaggag ctgggttcta	780
35	gtcacagctc tgagctgtgt gaccttgggt aggtctcatc tccccgggt tttgtttcac	840
	cagttgaaca gtaggagat gtagcacagc taacatttgt tccatgatat ttaccagca	900

ccatacaagt gttatctctg tcctcccagt taacactgac gtgggtagta ttatatgcc 960  
atcttacaga tgaggaaact gaagcctgaa gaagttaaact acttatccca gaacacacag 1020  
ctggtaagtg gcagacctgg aattggaatc tagttcagtt tgattcccca acccatgctc 1080  
ttgaccacta tactgttttt tcaagtccag atctgaaatc tcattttctg tgtggctgtg 1140  
5 tgtttgggac aggggtaacc aattcctgac tactctatat gctgcataga acctggagag 1200  
gatttttcaa agtaaatgaa tctcgaaagc tggattgcag agcaaacgag tgcagtcaat 1260  
tcagccaggg gcttgcaaga gggagaaaga gaaaaagact gtggaatgga aagtttccca 1320  
acccaagcct ttccaaggg gtagccattc tctgttctac agtttagggc ttgcatgtgc 1380  
tttttctgga gtggaaaaat acataagtta taaggaaatt aacagacaga aaggcgcaca 1440  
10 gaggaattta aagtgtgggc tggggggcga ggcgtgggc gggaggcgag cgggcgcagg 1500  
cggaacaccg ttttccaagc taagccgccg caaataaaa ggcgtaaagg gagagaagtt 1560  
ggtgctcaac gtgagccagg agcagcgcc cggctcctcc cctgctcatt ttaaaagcac 1620  
ttctgttatt gtttttaagg tgagaaatag gaaagaaaac gccggcttgt gcgctcgctg 1680  
cctgcctctc tggctgtctg cttttgcagg gctgctggga gtttttaagc tctgtgagaa 1740  
15 tcctgggagt tggtagtgc agactagtgt ggtcatttga aggttagcag cccgggtagg 1800  
gttcaccgaa agttcactcg catatattag gcaattcaat ctttcattct gtgtgacaga 1860  
agtagtagga agtgagctgt tcagaggcag gaggtctat tctttgcaa aggggggacc 1920  
agaattccc catgcgagct gtttgaggac tgggatgccg agaacgcgag cgatccgagc 1980  
agggtttgtc tgggcaccgt cgggtagga tccggaacgc attcggaagg ctttttgcaa 2040  
20 gcatttactt ggaaggagaa cttgggatct ttctgggaac ccccgcccc ggctggattg 2100  
gccgagcaag cctggaaaat ggtaaatgat catttgatc aattacaggc ttttagctgg 2160  
cttgtctgtc ataattcatg attcggggct gggaaaaaga ccaacagcct acgtgccaaa 2220  
aaaggggcag agtttgatgg agttgggtgg acttttctat gccatttgcc tccacaccta 2280  
gaggataagc acttttgagc acattcagtg caaggagat catgtttgac tgtatggatg 2340  
25 ttctgtcagt gagtccctgg caaatcctgg atttctacac tgcgagtcg tcttccctgca 2400  
tgctccagga gaaagctctc aaagcatgct tcagtggatt gacccaaacc gaatggcagc 2460  
atcggcacac tgctcaatgt aggtttatct ttttcccttc t 2501

<210> 50

30 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 50

35

ggaggataga aatataaatt aaagaatgac acaaataatt ataaagttac agctgttaaa 60



	agaaaaagcat atggtgccaa gagaacgtgt aatacaagat ctactcatgg aggtgagggg	120
	aagcttgccc atcaaagaag ttatgattca atccacgaag accaggagtt ggctgggtga	180
	agaaaaaag gtcagaggaa ggaagtccac actggggaag gctctaagca taaagggtag	240
	gaggattaca gaggcataatt cacgaaattt ggagaaggct ttcagtaagc aaggagaagc	300
5	caaatgaaag ttacggggag agttggaggc ttgaagacac gttcaaggat ctggttttta	360
	tcttctcttt atctcaagag cagtgggaag ccattaaatg attttaatca gagggttgg	420
	ataactagtt ttgtattttg aaaagctgaa ttcagctctc gtttgagaaa ctgagtgaaa	480
	gagcccagaa cggcogtggc tgagggtgac tcgtgggaga ctcctacaca agccatggca	540
	gtggcatggg ctggtggcag aagagggaat agggagaaga tttggaactc aatcttctc	600
10	cattgacaaa gtcactccag ctttggaag gcaattaatt ggtgggaaag aagatgccta	660
	gccctcctga tttcactgca ctttctgcat cttcaacatg agtactggga agtggcaaaa	720
	catccagagg cagcttgggt gctaggtgga gcatgagtta aaattccagg atgaagcaaa	780
	tgaacactta gaatgacagg aaagatttgg gagttgggtt tgggggaggg ctatttacct	840
	ttattccctg gagaccctgg cacaaccct tgcctctgca atcttctct caggtaaagg	900
15	aattcattaa atgaattgct agaagatcta ctgaccagag ggctgtacag aatcatatct	960
	ttgagagtgg gaagtaggtt gatcacatag tttattatcc aatcaggaca tatctgaaag	1020
	agaaagggg ttctattaat atttaaaacta caaaacatgt acaccaggaa tgtcttgggc	1080
	aaatctggtt gccctagcaa gaaaggaaat ttgaaagttt atactgttct gctcccatgt	1140
	taccccgttt gcacatgaga gggtaagtat tctctttctt cacctgcatt aagggaataa	1200
20	aagcacaagc attcaggtga ctcccaaccc acttttaatt ttacagtttc tgctatactc	1260
	tatacattct gaaaattaca tttcccacca ctatcacttc gtgatagggtg atcatttaca	1320
	attactcact gactcagtcc cggaagagg cggtgcaaaa tgggacgctc tatccagggtg	1380
	ctcattagaa atgcagaatc tctgcctgcc tcttagacct actgaattag aatctgcatt	1440
	tttaataaag atttccaggt gatcaatatg tacattaaaa cttgagaaaa acctctagac	1500
25	ttcgacctaa agaaaaacat tttaacaact gacagtgtat gcacatacat acatgcatat	1560
	agacacaact gaagcacaaa tttaatgaag tagaatttac cgttactatt ttatttggga	1620
	aagaaatgtg ctgcgactc aatagattgg agtattcact cctggatctc aacttgcaat	1680
	ttgaaaacgc atctctaaag cacctaggag caatctgaag aaagctgagg ggaggcggca	1740
	gatgttctga tctactaggg aaaacgtgga cgttttctgt tgttactttg tgaactgtgt	1800
30	gcacttagtc attcttgagt aaatacttgg agcgaggaa cctctgagtgg tgtgggagg	1860
	cggtgagggg cagctgaaag tcggccaaag ctctcgaggg ggctgggtcta ggaacatga	1920
	ttggcagcta cgagagagct aggggctgga cgtcgaggag agggagaagg ctctcgggcg	1980
	gagagaggtc ctgcccagct gttggcgagg agtttctctgt ttcccccgca gcgctgagtt	2040
	gaagttgagt gagtactcg cgcgacgga gcgacgacac ccccgcgctg gcacccgctc	2100
35	gggacaggag ccggactcct gtgcagcttc cctcgccgc cgggggcctc ccccgccctc	2160
	gccggcctcc agggccctc ctggtggcg agcgggcgcc acatctggcc cgcacatctg	2220

cgctgccggc ccggcgcggg gtccggagag ggcgcgggcg ggaggcgag ccaggggtcc 2280  
 ggggaaggcg cgtccgctgc gctgggggct cggctctatga cgagcagcgg ggtctgccat 2340  
 gggtcggggg ctgctcaggg gcctgtggcc gctgcacatc gtcctgtgga cgcgtatcgc 2400  
 cagcacgata ccaccgcacg ttcagaagtc gggtagtggtg tccccagccc gggctcggcg 2460  
 5 gggcgccggg ggtcttcctg ggggtccccg ctctccgctg c 2501

<210> 51

<211> 2500

<212> DNA

10 <213> Homo Sapiens

<400> 51

ttcccatcaa gccctagggc tcctcgtggc tgcggggagt tgtagtctga acgtttctat 60  
 15 cttggcgaga agcgccctac ctccccctac cgagtcccgc ggtaattctt aaagcacctg 120  
 caccgcccc ccgcccctg cagagggcg agcaggtctt gcacctcttc tgcattctcat 180  
 tctccaggct tcagacctgt ctccctcatt caaaaaatat ttattatcga gctcttactt 240  
 gctaccacag actgatata gcactcagga atacaacaat gaataagata gtagaaaaat 300  
 tctatatcct cataaggctt acgtttccat gtactgaaag caatgaacaa ataaatctta 360  
 20 tcagagtgat aagggttggtg aaggagatta aataagatgg tgtgatataa agtatctggg 420  
 agaaaacggt aggggtgatg attacggaaa gccttcctaa aaaatgacat tttaactgat 480  
 gagaagaaa agatccagctg agagcaaacg caaaagcttt cttccttcca cccttcatat 540  
 ttgacacaat gcaggattcc tccaaaatga tttccaccaa ttctgcctc acagctctgg 600  
 cttgcagaat tttccacccc aaaatgttag tatctacggc accaggtcgg cgagaatcct 660  
 25 gactctgcac cctcctcccc aactccattt cctttgcttc ctccggcagg cggattactt 720  
 gcccttactt gtcattggcg ctgtccagct ttgtgccagg agcctcgag gggttgatgg 780  
 gattgggggt tttccctccc atgtgtctca gactggcgct aaaagttttg agcttctcaa 840  
 aagtctagag ccaccgtcca gggagcaggt agctgctggg ctccggggac actttgcgtt 900  
 cgggctggga gcgtgctttc cagcagcgtg acacgcttcc ctggattggg taagctcctg 960  
 30 actgaacttg atgagtctc tctgagtcac gggctctcgg ctccgtgtat tttcagctcg 1020  
 ggaaaatcgc tggggctggg ggtggggcag tggggactta gcgagtttg gggtagtggt 1080  
 gatggaagct tggctagagg gatcatcata ggagtgcag ttgtgggaga cctgggtgta 1140  
 gatgatgggg atgttaggac catccgaact caaagttgaa cgcctaggca gaggagtgga 1200  
 gctttgggga accttgagcc ggcctaaagc gtactctttt gcacatccac ccggtgctgg 1260  
 35 gcgtagggaa tccctgaaat aaaagatgca caaagcattg aggtctgaga cttttggatc 1320  
 tcgaaacatt gagaactcat agctgtatat tttagagccc atggcatcct agtgaaaact 1380

	ggggctccat tccgaaatga tcatttgggg gtgatccggg gagcccaagc tgctaaggtc	1440
	ccacaacttc cggacctttg tccttctctg agcgatcttt ccaggcagcc cccggctccg	1500
	ctagatggag aaaatccaat tgaaggctgt cagtcgtgga agtgagaagt gctaaaccag	1560
	gggtttgccc gccaggccga ggaggaccgt cgcaatctga gaggcccggc agccctgtta	1620
5	ttgtttggct ccacatttac atttctgcct cttgcagcag catttccggt ttctttttgc	1680
	cggagcagct cactattcac ccgatgagag gggaggagag agagagaaaa tgccttttag	1740
	gccggttcct cttacttggc agagggaggc tgctattctc cgctgcatt tctttttctg	1800
	gattacttag ttatggcctt tgcaaaggca ggggtatttg ttttgatgca aacctcaatc	1860
	cctccccttc tttgaatggt gtgccccacc ccccggtcgc cctgcaacct aggcggacgc	1920
10	taccatggcg tagacagga gggaaagaag tgtgcagaag gcaagcccg aggcaacttc	1980
	aagaatgagc atatctcatc ttcccgaga aaaaaaaaa agaattgtac gtctgagaat	2040
	gaaattttga aagagtgcaa tgatgggtcg tttgataatt tgtcgggaaa aacaatctac	2100
	ctgttatcta gctttgggct aggccattcc agttccagac gcaggctgaa cgtcgtgaag	2160
	cggaaggggc gggcccgag gcgtccgtgt ggtcctccgt gcagccctcg gcccgagccg	2220
15	gttcttcctg gtaggaggcg gaactcgaat tcatttctcc cgctgcccc tctcttagct	2280
	cgcggttggt tcattccgca gtttcttccc atgcacctgc cgcgtaccgg ccactttgtg	2340
	ccgtacttac gtcactttt tcctaaatcg aggtggcatt tacacacagc gccagtgcac	2400
	acagcaagtg cacaggaaga tgagttttgg cccctaaccg ctccgtgatg cctaccaagt	2460
	cacagaccct tttcatcgtc ccagaaacgt ttcacacgt	2500
20	<210> 52	
	<211> 286	
	<212> DNA	
	<213> Homo Sapiens	
25	<400> 52	
	tttgcaactag gctggaagtg gccgccagtc ccccggtgca ttccattctc tggaaaagtg	60
	gaatcagctg gcattgcccga gcgtgatttg tgaggctgag cccaacagt ccaaagaagc	120
30	aaatgggatg ccacctccgc ggggctcgct cctcgcgagg tgctcaccac gtatctgcca	180
	tgcaaaacga gggagcggtta ggaaggaatc cgtcttgtaa agccattggt cctgggtcatc	240
	agcctctacc caatgcttgc gtgatgctgc tgctgatcta tttggg	286
	<210> 53	
35	<211> 1400	
	<212> DNA	

<213> Homo Sapiens

<220>

<221> unsure

5 <222> (1371)

<223> unknown base

<400> 53

10   ttccagctgt caaaatctcc cttccatcta attaatcct catccaacta tgttccaaaa   60  
cgagaataga aaattagccc caataagccc aggcaactga aaagtaaag ctatgttgta   120  
ctttgatcca tgggcacaac tcataatctt ggaaaagtgg acagaaaaga caaaagagtg   180  
aactttaaaa ctogaattta ttttaccagt atctcctatg aagggctagt aacccaaaata   240  
atccacgcat cagggagaga aatgccttaa ggcatagctt ttggacattt agcgtccctg   300  
15   caaattcttg ccatcgccgc ttcctttgtc catcagaagg caggaaactt tatattggtg   360  
acccgtggag ctcacattaa ctatttacag ggtaactgct taggaccagt attatgagga   420  
gaattttacct tccccgcctc tctttccaag aaacaaggag ggggtgaagg tacggagaac   480  
agtatttctt ctgttgaaag caacttagct acaagataa attacagcta tgtacactga   540  
aggtagctat ttcattccac aaaataagag ttttttaaaa agctatgtat gtatgtgctg   600  
20   catatagagc agatatacag cctattaagc gtcgtcacta aaacataaaa catgtcagcc   660  
tttcttaacc ttactcgccc cagtctgtcc cgacgtgact tcctcgaccc tctaaagacg   720  
tacagaccag acacggcggc ggcggcggga gaggggattc cctgcgcccc cggacctcag   780  
ggccgctcag attcctggag aggaagccaa gtgtccttct gccctcccc ggatcccat   840  
ccaaggcgat cagtcagaa ctggctctcg gaagcgtcgc ggcaaagact gcgaagaaga   900  
25   aaagacatct ggcggaaacc tgtgcgcctg ggcgggtgga actcggggag gagagggagg   960  
gatcagacag gagagtggg actaccccct ctgctcccaa attggggcag cttcctgggt   1020  
ttccgatttt ctcatctccg tgggtaaaaa accctgcccc caccgggctt acgcaatttt   1080  
tttaagggga gaggagggaa aaatttgttg ggggtacgaa aaggcgga gaaacagtca   1140  
tttcgtcaca tgggcttggt tttcagtctt ataaaaagga aggttctctc ggtagcgcac   1200  
30   caattgtcat acgacttgca gtgagcgtca ggagcacgtc caggaactcc tcagcagcgc   1260  
ctccttcagc tccacagcca gacgccctca gacagcaaag cctacccccg cgcgcgcccc   1320  
tgcccgccgc tgcgatgctc gcccgcgccc tgctgctgtg cgcggctcctg ncgctcagcc   1380  
atacaggtga gtacctggcg   1400

35 <210> 54

<211> 2501

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;400&gt; 54

5

	gataatcttt tcatacaaga tgcattctgc ttttgtgggc ctcttgagc cctcaagccc	60
	ccatctgatt tgtacacaat gatccagtgg gccagaggag cccagagcca tgagcgcccc	120
	atccctccaa gaactatttc tgactgtcca gtatcatgga gcaagtggaa agaagaaaaa	180
	aaaaacccaa ttacttttcg aagagcaaga tgaatgctgt agaaggagaa ggaaggggag	240
10	ggagatggat ggggtgccgat tccagaatct tcagatctgc ttggatgaat cattacctat	300
	gatttgcggg acaagaatct gattttattc atcaaccagt agaaactttt ctttctgcct	360
	cccaacatct gaaatccaac aaacatgtgc cttaggaaca taccggctcat cttttagagg	420
	cattttatat acatattgag taactagaaa acactctttc cgtaatacac acacacacac	480
	acacacacac acaccatctt gtcatacaac actcccacgc aagaaaagcg aaactgctgt	540
15	ttgatgaatg taaacacttg gctgtttgca gcagtcggga gtcctgccag gtttaagtgc	600
	taagatggga ggtgaacccc aggggtttcc ccctgccgt gctgagatcc ttatttggtc	660
	aagcttctac ctatgccctg gcctcggagc gagcccgata gcgctggatc acagcagagg	720
	gagcgaggcg gctgacgtcc catccgaag agatgaatgg aattccagga agctagagtc	780
	atgctggctt gggacagtgg cttggagacc agacttcaat gacagaagca ctaggcagcg	840
20	gcactcatgg caatgtgtgc acccacagaa atgtaacca cacctcgggt tcaggagccg	900
	aaaaatgaaa agaacgttta gggaggaaaa agggaaatac aataataggc agagagtaat	960
	ttattactct atgggtctgc tctgtaaata gctgaagact ctggagccag atggttctgc	1020
	aaattctcca aacaggagtc acgttaagaa gcacgagtgg gcacaaaaac tgtttttcaa	1080
	gacacaattt caatttggt tgtggaaact ggatacgagt aagtttcctt aaaattcgag	1140
25	tagaaagcag ctgtcctccc cgggcccctt gatgagaata cgacacccgc cccaagcgg	1200
	ccggccgagg gagcgccg gcagcgggag aggcgtctct gtgggcccc tggcagccgc	1260
	ggcaggaaag ggcccgaagg cagcgaaggc gaacgcggcg caccaacctg ccggccccgc	1320
	cgacgccg cgacacctcc tccggggcgg gcgtggggcc agctcaggac aggcgctcgg	1380
	gggacgcgtg tctcaccacc acggggacgg tggaggagag tcagcgaggg cccgaggggc	1440
30	aggtacttta acgaatggt ctcttggtgt cccctgcgcc ccgtcggccc atttttcttt	1500
	ttacaaaacg ggcccagtct ctagtatcca cctctcgcca tcaaccaggc attccgggag	1560
	atcagctcgc ccgaaagccc ctgcccacc ccgcgggccc tcctaggtgg tctccccagc	1620
	cccgccctt ttccgggatg ttgctgatca ccccgagccc gcgtggcgca agagtacgag	1680
	cgccgagccc gtgcgcgcca aggtgcgtg ggcgggcacc gacttttctg agaagttcta	1740
35	gtgctcccaa gccccgacc ccgccccctt cactttctag ctggaaagt gcgcgccagg	1800
	cagcgggggg cgagagagg agcccagact ggccccacc tcccgttcc tgcccggccg	1860

	ccgcccattg gccggaggaa tccccaggaa tgcgagcgcc cctttaaaag cgcgcggtc	1920
	ctccgccttg ccagccgctg cgcccgagct ggcctgcgag ttcagggtc ctgtcgtct	1980
	ccaggagca cctctactcc ggacgcacag gcattccccg cgccctcca gccctcgccg	2040
	ccctcgccac cgctcccgcc cgcccgctc cggtagacac aggtaaagtcg ccccgggcg	2100
5	ccgccgagga ccaaagctgc cggggacatc cacctggagc gctgaggctt cagtccctct	2160
	ggtggacccc ggaacctaca ctctcccgcc tcgctaccc cagcccgctc ctctcagccg	2220
	ctggaggact cttcaggga aggtccaga gccatcctct ccagccttga ggttcacaaa	2280
	ccaactcatc aggacacccc aagatttctt tactctctga agtcctcctt aagcctttgt	2340
	atcagcactc caggaagag tctgtacttc cctgcctc cctgcaaccc caaactacag	2400
10	ttcttgatct tgctcacctt cgacttccca aaagcccca aattgttggt cttgcgcccc	2460
	ccacacttta aaaccagcat ctctttcctc cactctctc t	2501
	<210> 55	
	<211> 7258	
15	<212> DNA	
	<213> Homo Sapiens	
	<400> 55	
20	ttcaatagga agcaccaaca gtttatgcc taggactttg ttcccacaat cctgtaacat	60
	catatcacga cacctaacc aatccttatc aagccctgtc aaaaacggac tttaaaccaa	120
	gctgcaaat tttagtaatc tggccttgcc tttccccctc tgatagcacc atcaaacaaa	180
	cccccttact gccgaaagca ataagcccg ctttgttcca tccactgggt gtgttggtga	240
	tatctgggga ctgccactga acagacgcac agaggagcc cctacaggca ggggttttc	300
25	tgtctgtgct tcttgggaga gtatgtctcg tacatttgtc gcgtgatgaa gacttcacag	360
	ctccatccag cgaccagact cacagctcca tccagctgcg gcaagggggt ctgaggcagt	420
	cttaggcaag ttggggccca gcgggagaag ttgcagaaga actgattaga ggaccagga	480
	ggcttcagag ctgggctgag gtagagagtc tcctgtgcgc cttctctcct ctctgcaatt	540
	cggggactcc ttgactggg gcaggcccg gcagggtcat gggaggagc acggagaatt	600
30	tacaagctc tcgattcctc agtccagacg ctgttgggtc ccctccgctg gagatcgcg	660
	ttcccccaaa tctttgtgag cgttgcggaa gcacgcggg tccgggtcgc tgagcgctgc	720
	aagacagggg agggagccgg gcgggagagg gaggggcgg gccggggcg gccctgatat	780
	agagcaggcg ccgcggtcg cagcacagtc ggagaccga gcccgagcc cgggccagg	840
	tccactgtc ccgcagcgc cggctcgcgc cctcctgcg cagccaccg tgagtgcgc	900
35	ggtcctgaga tccccgggc ggatgcggc cgccccagc tcccgagcgt ctgcctgcc	960
	cgccctgggc tgccggggt ccctgggtc cccggcggt gcacggagtc aaggcggcc	1020

	gtccccggcg tcccccgcg gtgccgatcc aggctgccc gagtccggag cccatagagg	1080
	agagagacag ctggggagcc tggtcaccgc gggcatctcc cctgcgctgc agtcgcccgc	1140
	ctggcctgcc tccccgttcc tccgcctctt gccctgactt ctccctcctt tgcagagccg	1200
	ccgtctagcg ccccacctc gccacatga gagccctgct ggcgcgctg cttctctgcg	1260
5	tcctggtcgt gagcgactcc aaagtgagt cgctcttgct ttgactgatg ctgcccaagg	1320
	acctctgac agcaccagg gagaggagg gctgctcagg gagctgggg ctccggattc	1380
	catccacagc agggccagac tctccccagg aaatgggaca gggtaggcagc ggaggcttga	1440
	gaaccacggg ggttggcact ggctggcaag ggagggaag ggcaccggg actgcccag	1500
	cctgcgggca tctggtagat gaagcttaat ccatttctcc tggctggaaa ccatggtctt	1560
10	ccatttgaga actagatacg aacagggtga ggcgagagg agagggaaga gtgggttttg	1620
	ggattggggc cagtttacc tcaccctgga tccctggagc atgggacctt tgatgaagcc	1680
	tctcccgaa tctcttcag ggcagcaatg aacttcatca agttccatgt gagtatccac	1740
	ccctacaaca gttggctgca cagacaagtt gggaaggctt caggggacac tcccctcct	1800
	gccctctgct gcagcgtg cgacccctta ccacttcac tccccctgc ttaccacc	1860
15	tttgttctct ccagcgaact gtgactgtct aaatggagga acatgtgtgt ccaacaagta	1920
	cttctccaac attcactggt gcaactgccc aaagaaatc ggagggcagc actgtgaaat	1980
	aggtatggg atctccactg caactgggag agaaatttg ggacaggag ggatgggtg	2040
	gaggcaagag caggcaggag ttaggagctg gaggtagggt gggtagacatc ttcatcccta	2100
	tgtgacaagc ataaacacac acacacgctc acgaaacagt ggccacacaa atgtgaggtg	2160
20	gggttggaag gagaccctgt ccagtcttct ggagggtctg aaacgacatc tttaaaatgt	2220
	ccgttgccag ccgggcagtg tggtcacgc ttgtaatccc agcattttga gaggtcaagt	2280
	ttgagtggat catttaggtc aggagttcaa gaccagcctg gacaacatgg tgtaaccctg	2340
	cctctactaa aaatgcaaaa atcagcctg catgggtggtg gatgcctgta gtcccagcta	2400
	cttgggagc tgaggcagga gaattgcttg aacatgggag gccagatctc agtgagctga	2460
25	gatcacacca ctgcactcca actgggcgac agagcaagac tccatctcaa aaaaaaaaa	2520
	aaataaaagt tagttggaat gttcttctct ttctcatatt ctctcatcct cctgtccct	2580
	tgtagataag tcaaaaacct gctatgagg gaatggtcac ttttaccgag gaaaggccag	2640
	cactgacacc atgggcccgc cctgcctgcc ctggaactct gccactgtcc ttcagcaaac	2700
	gtaccatgcc cacagatctg atgctcttca gctgggctg gggaaacata attactgcag	2760
30	gtgaggtggg ggcaacaagg accaaaagcc ctccctacag cttcccagaa acctgttac	2820
	catcccttc tcccagagg ctggccatag cacaagagaa gtgcggcctc tggttgagtc	2880
	ttccctgagg ggaggaggca gggaaggccc tctgggttg aatgacatcc cctatcttc	2940
	tgtgtgtgc caggaacca gacaaccgga ggcgaccctg gtgctatgtg cagggtggcc	3000
	taaagccgct tgtccaagag tgcattgtgc atgactgcgc agatggtgag catcactgac	3060
35	ctgctgatga cagggtgggtg gaaggggaca aacttacatg tccccttatt ccatcacagg	3120
	aggactgagg aggtggggg tgcccagag ggatgcttc tcctacctgc ctccctaaga	3180

	catccctctg tttgtcctcc aggaaaaaag ccctcctctc ctccagaaga attaaaattt	3240
	cagtgtggcc aaaagactct gagggcccg ctttaagatta ttgggggaga attcaccacc	3300
	atcgagaacc agccctggtt tgcggccatc tacaggaggc accggggggg ctctgtcacc	3360
	tacgtgtgtg gaggcagcct catgagccct tgctgggtga tcagcgccac aactgcttc	3420
5	atgtacggcc ctgggtttct cctcttcgac tcttctgcc caccceaagc acatcccttt	3480
	ctccttccca gcaaagtgtt cgcctcatt tctccctcat ctgcccctgt ccatgcgccc	3540
	atggccttgg ggacaagtcg tgctttgagg cctctaggga gggaaggag aagtggcatg	3600
	atttcatggg actaagctgt ttgatgggta tcttcttcca cagtgattac ccaaagaagg	3660
	aggactacat cgtctacctg ggtcgtctca ggcttaactc caacacgcaa ggggagatga	3720
10	agtttgaggt ggaaaacctc atcctacaca aggactacag cgctgacacg cttgctcacc	3780
	acaacgacat tggtagggg gaacgcccgc gactactgtg gccataatgg cttggggaga	3840
	gtgggaccca gggagagact ggagctgagt tgaagctgcc ggtggggcag ggggtgggag	3900
	aggagacctg aagcctcgat atacatgaca aaggatggca gggaagagtt ccatgaagtc	3960
	tgaggggctt ggtgctctc tggagagacc ctgaatttcc ccaacaagta gccctcttgc	4020
15	gagtggaaac agccctgtgg gtatatggct tgggctggga aggcctgtt tatatgaatt	4080
	agaaaaagac acaccttctt ttgtgggatg cagcctctgt ctgtgctagg atatagaact	4140
	tggagaatgg agccttggga tggattccag cctaactacc tcagggggat cctctagagt	4200
	gcagctggga gtttttgag aaacgacctg tacagctgta tgcagtggct ctggccatcc	4260
	aagccttttt caacacctgg aacaaagccc ttggggcatg gggcagggga ggtttccagg	4320
20	tgataagcga ccagcagacc tccctggatg actgacctag ggataggcat agctacttcc	4380
	tcggcacttg gaggggacag atggggaccg cctaaccagt agtgatcttt ctctctgac	4440
	cctctgtcct cccccagcct tgctgaagat ccgttccaag gagggcaggt gtgcgcagcc	4500
	atcccgact atacagacca tctgcctgcc ctcatgtat aacgatcccc agtttggcac	4560
	aagctgtgag atcactggct ttggaaaaga gaattctagt aagtgacaat tgcgactgac	4620
25	ttagaaggte ctgaggagt ttttgacctg aaaatgagcc cagtgtgatc aagggaagac	4680
	tgcagagtta gaggtgggag cactgaggcg gtggcagatg ggtccaggga tggatgaaga	4740
	gtgtgtttta gggagcgatg ggctgcaaag gtaaatagat ggtaggggct atagggtggag	4800
	gtaaatggct cagatttgca tggagagaga ataatgggccc tctccctggg tgatgatact	4860
	ttatggtgtc ccctctctgg cgagacgtcc cacgtggagg cagataaatc ttgatgcaaa	4920
30	cgctccctg ttttctccac ctagccgact atctctatcc ggagcagctg aaaatgactg	4980
	ttgtgaagct gatttccac cgggagtgtc agcagcccca ctactacggc tctgaagtca	5040
	ccacaaaat gctgtgtgct gctgaccac agtggaagac agattcctgc cagggtgagt	5100
	ttccaagcat ctctctccac ctcttccata tctcccaga gctcctgggc ttgttccagc	5160
	cagcttaagg gtgtctctct ctagccaaag ccctaagtag ccagaatcag gagctcaggt	5220
35	ctttgagggt ttaaaccagt ccttatgtgt ttgccagaca ttacaaaaa aatcccagct	5280
	ctgcgctagt cacttcagac tgggggcacg agatcctaga aagaggaaac agtaaaagac	5340



aatgtaactc agtgccagg gtgtgtgtg aactataaat gatcaggtgt tcaggagagg 5400  
 gaggtgagtg ccaacctgag ggtcagggag gggaggcttt aaaggaaatg tgacttgata 5460  
 ggcatttgaa gaggcagagg gaagaaagga aggtgtttca gttgaaagat acaaaactga 5520  
 gaaggaggct ggcataattcc ggggtggggag gagaactagg gtctgggagt gtggatggaa 5580  
 5 tagtggcaga tgacagggct tttaaagcca agcaggggat tttccaactt cgatgtggta 5640  
 gaaatggggc tgcgtcaggc acagtggctc atgcctgtaa tcccagcatt gggctaggcc 5700  
 gtagtcgatg gatcattgag gccagagttg agaccggcct ggaccaacat ggtgaaacct 5760  
 tgtgtctact aaaaaatgca aaaaaaaaaa ttagccagggt gtggtggtgc ctgcctgtaa 5820  
 tcccagctaa tcaggaggct gagacatgga atcgcttgag cacaggaggc aagtttgacg 5880  
 10 tgagctgaga tcacgtcatt gcacgccagc ctgggcgaca gagcgagatt ctgtcctccc 5940  
 gccgaaaaaa gaaagaaaat gggaagtcgc taaggacttt gactgggaaa ctcttcctc 6000  
 tctctggtat ggttgggtga tgggatcaga aatccccctc tcacttctct agggctcatc 6060  
 ttttgtatct ttggcgtcac agggagactc agggggacct ctcgctgtgt ccctccaagg 6120  
 ccgcatgact ttgactggaa ttgtgagctg gggccgtgga tgtgccctga aggacaagcc 6180  
 15 aggcgtctac acgagagtct cacacttctt accctggatc cgcagtcaca ccaaggaaga 6240  
 gaatggcctg gccctctgag ggtccccagg gaggaacgg gcaccacccg ctttcttgct 6300  
 ggttgtcatt ttgtagtag agtcatctcc atcagctgta agaagagact gggaagatag 6360  
 gctctgcaca gatggatttg cctgtgccac ccaccagggt gaacgacaat agctttacct 6420  
 tcaggcatag gcctgggtgc tgggtgccca gaccctctg gccaggatgg aggggtggtc 6480  
 20 ctgactcaac atgttactga ccagcaactt gtctttttct ggactgaagc ctgcaggagt 6540  
 taaaaaggcg agggcatctc ctgtgcatgg gtgaaggag agccagctcc cccgacggcg 6600  
 ggcatttgat agggccatgg ttgagaaatg aataatttcc caattaggaa gtgtaacagc 6660  
 tgaggctctc tgaggagagct tagccaatgt gggagcagcg gtttggggag cagagacact 6720  
 aacgacttca gggcagggct ctgatattcc atgaatgtat caggaaatat atatgtgtgt 6780  
 25 gtatgtttgc acacttgtgt gtgggctgtg agtgaagtg tgagtaagag ctggtgtctg 6840  
 attgttaagt ctaaatatct ccttaaaactg tgtggactgt gatgccacac agagtgtct 6900  
 ttctggagag gttataggtc actcctgggg cctcttgggt cccccacgtg acagtgcctg 6960  
 ggaatgtact tattctgcag catgacctgt gaccagcact gtctcagttt cactttcaca 7020  
 tagatgtccc tttcttggcc agttatccct tccttttagc ctagtctatc caatcctcac 7080  
 30 tgggtggggg gaggaccact ccttacctg aatatttata tttactatt tttatttata 7140  
 tttttgtaat tttaaataaa agtgatcaat aaaatgtgat ttttctgatg acaaatctcc 7200  
 ctggtgcttg tatgggaagg agttggagta cataaaaagg agaaaataac aaagggtg 7258

&lt;210&gt; 56

35 &lt;211&gt; 852

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;400&gt; 56

5 cagctgcgct ggaggctgag gccgattgct tgagcccagg atttgaggc cagcatgcgc 60  
aacataatga gacccagtct ctaaatgcat gcctctctat atattaaaat tctgatgtga 120  
aaatatTTTA aaatttaata catttcaaT gtttttaatt gtataataaa caaaatgtaa 180  
ataataaaat aatttaatat taaattcaaa aatgaggtag aaacaaagca cagcgatata 240  
aataataaaT tttcctttac atttttgagg cggtcttttg agttttggat ttccttctta 300  
10 ggtcactgaa atgtgtcctc ttggagccagc ccgcaaatca cgcattttaga aaaacataac 360  
tatacactcc taaccctaag tattagaagt gaaagtaatg gaatctcgat gtaaacacaa 420  
tatcactttt ttgtagagct attttgagta taataaattt gaactgtgcc aatgctggga 480  
gaaaaaaattt aaaagaagaa cggagcgaac agtagcttcc tcgtccgctg actagaaaca 540  
gtaggacgac actctccga ctggaggaga gcgcttgccg tcgcactcag ttggcgcccg 600  
15 ccctcctgct ttttctctag ccgcccttcc ctctttcttt cgcgctctag ccacccggga 660  
aggcactgcg gtagctgggc tctgattggc tgctttgaaa gtctacgggc tacccgattg 720  
gtgaatccgg ggccctttag cgcggtgagt ttgaaactgc tcgcacttgg cttcaaagct 780  
ggctcttgga aattgagcgg agagcgacgc ggttggtgta gctcgctgcg gccgccgcg 840  
aataataagc cg 852

20

&lt;210&gt; 57

&lt;211&gt; 2501

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

25

• &lt;400&gt; 57

tcttgtcact ccatgcactg tgttccgtat gctaaatagt ttgagaaacc caaatgggcc 60  
atgttcgcct acatttcatt gtccgtgact tcctgtcctg tactagcaaa gcagtcccat 120  
10 tggcttttct tctcctcatt aacaataaag gtaacacttt tgatgttggt tcttcagaaa 180  
accttcattc atcaaaactg cctcaaagat catgtttggt tgattccaga acttcctgta 240  
attacctggt attgtaacac tcatcactgt attttactta cttgtgtaac taattttcca 300  
tattctgcac tagacaacaa agtcctttaa gtcaggtagt atatctatTT acatagcatt 360  
cacatctcct acaataaggg acattagcag ataaacaaca catattaaat gaataatgaa 420  
15 gtttctgaaa tactacagtt gaaaactata ggagctacat tatatagaat aaacatttac 480  
tttgcTatag aattcagtgt aaccagggca ttattttatc ctcaagtctt aggttggttg 540

	gagaaagata acaaaaagaa acatgattgt gcagaaacag acaaaccttt ttggaaagca	600
	tttgaanaatg gcattccccc tccacagtgt gttcacagtg tgggcaaatt cactgctctg	660
	tcgtactttc tgaaaatgaa gaactgttac accaagggtga attattttata aattatgtac	720
	ttgcccagaa gcgaacagac ttttactatc ataagaaccc ttccttggtg ctctttatct	780
5	acagaatcca agacctttca agaaaggctc tggattcttt tcttcaggac actaggacat	840
	aaagccacct ttttatgatt tgttgaaatt tctcactcca tcccttttgc tagtgatcat	900
	gggtcctcag aggtcagact tgggtgcctt ggataaagag catgaagcaa cagtggctga	960
	accagagttg gaaccagat gctctttcca ctaagcatac aactttccat tagataaacac	1020
	ctccctccca cccaaccaa gcagctccag tgcaccactt tctggagcat aaacatacct	1080
10	taactttaca acttgagtgg ccttgaatac tgttccatc tggaatgtgc tgttctcttt	1140
	catcttcctc tattgaagcc ctccatttcc tcaatgcctt gctccaactg cctttggaag	1200
	attctgctct tatgcctcca ctggaattaa tgtcttagta ccacttgtct attctgctat	1260
	atagtcagtc cttacattgc tttctcttcc tgatagacca aactctttaa ggacaagtac	1320
	ctagtcttat ctatttctag atccccaca ttactcagaa agttactcca taaatgtttg	1380
15	tggaactgat ttctatgtga agcacatgtg ccccttcact ctggttaacat gcattagaaa	1440
	actaaatctt ttgaaaagtt gtagtatgcc ccctaagagc agtaacagtt cctagaaact	1500
	ctctaaaatg cttagaaaaa gatttatctt aaattacctc cccaataaaa tgattggctg	1560
	gcttatcttc accatcatga tagcatctgt aattaactga aaaaaataa ttatgccatt	1620
	aaaagaaaat catccatgat ctgtgtctaa cacctgccac tctagtacta tatctgtcac	1680
20	atggtactat gataaagtta tctagaaata aaaaagcata caattgataa ttcaccaa	1740
	tgtggagctt cagtatttta aatgtatatt aaaattaaat tatttttaaag atcaaagaaa	1800
	actttcgtca tactccgtat ttgataagga acaaatagga agtgtgatga ctcaggtttg	1860
	ccctgagggg atggggccatc agttgcaaat cgtggaattt cctctgacat aatgaaaaga	1920
	tgagggtgca taagtctctc agtagggtga tgatataaaa agccaccgga gcactccata	1980
25	aggcacaac tttcagagac agcagagcac acaagcttct aggacaagag ccaggaagaa	2040
	accaccggaa ggaaccatct cactgtgtgt aaacatgact tccaagctgg ccgtggctct	2100
	cttggcagcc ttcctgattt ctgcagctct gtgtgaaggt aagcacatct ttctgaccta	2160
	cagcgttttc ctatgtctaa atgtgatcct tagatagcaa agctattctt gatgctttgg	2220
	taacaaacat cctttttatt cagaaacaga atataatctt agcagtcaat taatgttaaa	2280
30	ttgaagattt agaaaaaact atatataaca cttaggaaag tataaagttt gatcaatata	2340
	gatattctgc ttttataaatt tataccatgt agcatgcata tatttaacgt aaataagtaa	2400
	tttatagtat gtcctattga gaaccacggt tacctatatt atgtattaat attgagttga	2460
	gcaaggtaac tcagacaatt ccactccttg tagtatttca t	2501

35 &lt;210&gt; 58

&lt;211&gt; 2501

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;400&gt; 58

5

	attaattctg caaatTTTaa taaatgcttt attttaagct aaatgctgag atgaaaaaat	60
	gaaaccatat gagttagcaa agtagaaaat ataggcatat taatcagtaa atgcagaatg	120
	ataaatgctc catcaatatg cacttggttg agtgaggcca ccgaggaggg tgcaatcctc	180
	tcaacctggg aggagcaggt aggacttcag atgtcatcca actcaaagat atagtgaggg	240
10	acttgatcaa acatttgcca agaccactat gagttaaag aatagattag gcatttctcc	300
	aatgttgcaa gcttcgaatc atatccaaac tcagaacaac atagcttggg cataatgatc	360
	ccaaggatcc tattggccat tgtctttgag cctcaaagga acatattaaa actccataat	420
	acccttttga tctattctga agttaagtag tgaatttaca tgatgatgac acaaactctg	480
	taaaggacct ctgggttact tgtttataag ctagtatttc ctgaatcaat ttttctgatc	540
15	cctagatatt tggtaggtga agtcatacct atatatcccc acaccctaga acagcatctc	600
	caacttattt ttccctcctt gtcttttagt gggagccaca tcagtatcca agaggagatc	660
	cagaagcctc tccaaccagg tagggacagt tatagattcc agacctcagc tatggccttt	720
	gttacagagt acaaagtta tatagtacaa gtttattgta cacatcccat tgagtctctg	780
	agctttagaa ttttcttgta gaatttaaca gttttttcat gccgtattta catattattg	840
20	ctagtattta gaattttctt ctccaaatgt ataacgttta ttattgcatt ttttgtatcc	900
	actaagtgga aaatcatgca ttagatattg tagaagtaga tacaacaatg aacaagaact	960
	ggctctgacc atgagaggaa ctgatgatcc aatgggggag atagacctgc acgtgtttaa	1020
	taaaaggaag tggctattcc ggtttctttt tgatgggcaa gcattttgca aggccttggy	1080
	ctatgtgtgt gcaaggctaa gccagttagt taattgggat ttttttaaaa aggcacttca	1140
25	ctggggggaa aaggaacata gagttgggta ttgtccctt gcctataata aaaacctatt	1200
	atTTTtaatt ttttaactgg gtttgcggtt aaatctcaca gccaagaga tttgccactt	1260
	cagatggatt ccatacactt gcatttaagt atgcaaaaaa attccaatta tccagcaatt	1320
	taaccaaat attgtaact tttctaaaac aaaaaaaat tgtttccctt gttttggcag	1380
	caatttcagt tacagtcctt tactttctac tcaagaaaat agtttcaaaa agttgatgtt	1440
30	tgttgctaaa agaactattt ttatgaataa atataaaact aagaagttat ggtgtccctt	1500
	ttttaaaaaa tgactcatca aaagaataa ctttttcctt tctcttgtaa gagaaaaaaa	1560
	ttaatctctt ttagaattgc aaacatattt ccttgatgga gaaaatcaat tcacatggca	1620
	tagtcgttat ttatccagtt caaaaaccag agtagaattt actactctgt ctccattttt	1680
	tctctcccca ccccttaac ccacattgga ttcagaaagc ttcattctgc aatcagcatt	1740
35	gtcctttatc tttccagtaa agatagcctt ttggagtcga agatgaggaa aagcctgtat	1800
	tttatagtct tggaagtgtc ttcttttgcc aggacagaga gaggagcttc agcagtgaga	1860

	gcaactgaag gggtaatatg tggaacttgg ctgggtgtct gttaaacttt tttccctggc	1920
	tctgccctgg gtttcccctt gaagggattt ccctccgcct ctgcaacaag accctttata	1980
	aagcacagac tttctatttc actccgcggt atctgcatcg ggcctcactg gcttcaggag	2040
	ctgaataccc tcccaggcac acacaggtag gacacaaata agggtttttg aaccactatt	2100
5	ttctcatcac gacagcaact taaaatgcct gggaagatgg tcgtgatcct tggagcctca	2160
	aatatacttt ggataatgtt tgcagcttgt aagtattttc ccttcatctg tttcaaatgt	2220
	tagcattcaa ttttagccct ggttttggct tcagtcagtt ttgcgatagt agtgaagtaa	2280
	agacactagg attttaaaca gtaggaaaag ttaatttagt ctaactttta atatgcaatt	2340
	gagttttgct atataccatt gtactgtcat agttagagct gaaaattgat gtttttggtg	2400
10	tctttttttc caaaggcaat tgagtaattt ggattctgtc tctagtcggt ctgtctcttt	2460
	agtttcttat acttgacaat gaggtcaaac ttagcaaata a	2501
	<210> 59	
	<211> 2501	
15	<212> DNA	
	<213> Homo Sapiens	
	<400> 59	
20	ataaaaaaag acatgaaatg aatcggggaa aatatttgct acataactaa gaatgaaggc	60
	ccttaataaa atctgtaaaa ctatacacac ttttaggaat gaatcaacaa ataatttcta	120
	tgaattagaa aaaagtgaca atccaactaa aaaatgaata agggatataa gcaatgtgtt	180
	tcacagaaaa aataaaaaatt gacaatgaag ttatgaaaa atgttcagtc tccttagtaa	240
	ttgcacaaaa caaactaaaa caatgagaca ttacccttaa gattagtaaa tgtaaagaa	300
25	aaataataat tggtaggggt gtggggaagt gggcacttac acctatgttt ggaaatataa	360
	attggtgcaa ccttataggg agagcaatct cacaacattt tcaaagact tacatgcaca	420
	accctatggc agagaaaattt attcctcttc caggattttt ttccttcaa aaacagtgat	480
	gtgatgaaa aacacatgtt cactactgca cagggtataa cagctgaaaa ctggaaacga	540
	taatactcac attcccttca gtaggggaat ggttaaataa attttacaag ccatctggta	600
30	gataccaggc atgagctaaa agttagggtc cagttagaga tggaaagcac accagtaatt	660
	tgaaagggaa aatgtaatat gaagaattat taactagtaa aagaaggcta actgctaaag	720
	gtacaagagc actcaagctg tctgcagtc gaggccccc gctggtgagc aggaagctgc	780
	ccgctgggag gctgcaaag ttccctgaag gtgagcacca ctggttctac aagctgctgg	840
	cagtcattggc gtaagagca ggaagagaag caccagaacc cggaagagaa atccagtcct	900
35	ctgctaggcc ttgcaccgtc cctctggcgc cctctactga caaagccagt aaaattgtgc	960
	cgctagcaaa ggagatcttt ttatgggatg tagcttggtg tcaccaaaga gaacagagtg	1020

	gacttgagc tcagatgcaa cacaatgatt gatactggca cagtatactt accctgcttt	1080
	tgtaacaaaa atggtatatg tgatgtctct ctttgtctct ctgtatataa aacaatattt	1140
	gtttctactt attatgtatt tatgtcttta ctctgcatgc caggagctaa gtattttgca	1200
	tgtattaact cattttgttc tcataataac cttcacatgc aggaatcatt atagctactt	1260
5	tatgaatgag ccgaggaagg cactgagacg ttaagtaact tgcccaaggt cacgcagcta	1320
	gtaagtggca gagcaagaat tactatggct ttataagcct aggaaaaagt ctgaaagaat	1380
	caaaatgtta acagcgggga cctcaaggaa gcattgaaga ggccatggga gaagttttca	1440
	ctttgttaaa aaatcagtcc ttcaaataa taaatacagt gaggcttccc cagaagcaga	1500
	tgctactatg cttcctgtac agcctgtgga actgtgagcc agttaaacct cttttcttta	1560
10	taaattatcc agtcttaggt atttctttat aacagtgcta ggatgagctg atacagtttc	1620
	ctacactgta acctaaggca atgctttgca caaagggatg agccagattg cttagtaatt	1680
	aaaacgcaaa tacaaccac aagcatatcc attcatgaat tggggggctg ctttgtgtgc	1740
	atagataagg tatatttttt aaaaaatta tttttccaag aagaaaataa accagttaat	1800
	aaacgacaac tcacagtgcc aggaagtgag aaacaagtgt gtgataaacg gtggagaatg	1860
15	ggagcactct ccgcagtggg cgggaggaga cgaggagggc gttccctggg gagtggcagt	1920
	ggttgagca aaggtttgga ggaggtaagt catgtgctct gagtttttgg tttctgtttc	1980
	acctgtgtc tgagctggtc tgaaggctgg ttgttcagac tgagcttcct gcctgcctgt	2040
	accccgcaa cagcttcaga agaagggtgac tgggtgctgc ctgaggaata ccagtgggca	2100
	agagaattag catttctgga gcatctgctg tctgtgagat taagcactat gtatattgct	2160
20	ttattcactc cccacagcaa ccttaccaag cagttctttt ccacgtgaaa agatggaggc	2220
	tgggtggagc aaaaggaggt atttagagtc ctcagcaagt gagaggcaga gctgggattt	2280
	gaatccagat ctgcctgata ctgaagtcta ggctggttcc acctctccgg actgctttcc	2340
	agggagtaga agacagatat ttaccttag ctggctgctt ctagaagtct gaccctgctg	2400
	gctcaaacg actttagtcc cttgcccaga ggctgcgggc tgcgggtcaa gacatcagta	2460
25	gaaggagggc ccagccagag aggctgacat gggtctctac t	2501
	<210> 60	
	<211> 2501	
	<212> DNA	
30	<213> Homo Sapiens	
	<400> 60	
	cgggcaggaa taatcactgc ctcccatccc cttaaactg ccaagatgct ttatccctag	60
35	gatgaggtga cttactccag gtaactccta ttgcctaacc actgaccaat tactctgccc	120
	tttagtcttt atgtcattaa atctgcatta agaatttcat ggaataggcc cggcagtgtg	180

	gctcatgcct gtaatcccag caccttggga gaccgaggtg ggaggatcac ttgaggtcag	240
	cagttcgaga ccagcctgga caacatggcg aaaccccatc tctactaaaa acacaaaata	300
	actagccagg tgtggtggtg ggcacctgta atcccagcta tttgggaagc tgaggcagca	360
	ggagaatcgc ttgaactggg gaggcagagg ttgcagttag tcgagatcgt gccagtgcac	420
5	tccagcctgg gcgacagagc gagactctgt ctcaaaaaaa aaaaaaaaaa aaactcaggg	480
	aatggatagc agcattgatg aatattgcgt ctggagagat cagatcactt gtcacttggt	540
	tccaggcaca gggcttacca agaggcagat tccagattta aataattctg taacagcaaa	600
	gtccaagcta ttttactgct tttggagaaa agaccagac ccagagcttg aacctcactt	660
	tgcagcacc cagttctaata cttttaagtt tttttttttt tttttttttt tttctgctgg	720
10	gcacggtggt tcatgcctat aatcccagca ctttgggaag ccgaggggga aggatcgctt	780
	gaggccagga gttcgaaacc agtctgggca acatggcaaa accccatctc tacaataaat	840
	acaaaaatta ggccagagtg gtggcgcgca cctgtagttc cagctacgtg agaggcggag	900
	gtgggagaat cgcttgaacc cgggaggcag aggttgcaat gagctcagat cccgccactg	960
	cactccaggt tggcgacag agcgataccc tgtgtgaaac tttttttttt ttctccaacg	1020
15	ggctttccag agaagtgtgt gtatgtgcgt gtgtgtgcgc gagcgtgctt gcttgggctt	1080
	aaactttctg tcgggccaca ctttcccaag tctttgcaact ggctgtaggg tgggctttat	1140
	cctcgggacg tctcctctcc caagtccagc ctgcagctgg aagtcttcac tgatctccat	1200
	ctctcctccc tgatctcctg ctctcctccc tgcccgcctc aggactggga ggccgatctc	1260
	tctctctcgc cctcccctcc accagccttt tccagatgta tgtctgcaa agacccccca	1320
20	gtgcagagga tgatgaatga agatcctcga gccagcccgg tgggaaagt tctgcgcta	1380
	caaaagcgag ggaaagggaa gggaagtgg gggtagggga aaagttagag ctgagaggct	1440
	ggggcgcgac gactctggac accgggcggg gacccaagct ctctccgctc agccaataac	1500
	tgtgcctccc ttaggaaggc gtgaggaaat gctccaatca atccctgcac tctcccttg	1560
	gaatttgggc tgtatttttt tatctactgc aaaccccaca atccaccag gggtttcccc	1620
25	agtgtttgcc tccagcggtc ccggtgccca ttactagtg ctgctccctc tcttccgcaa	1680
	gactgcgctc cagtcccagc ctcttctctc gcgggtgcct cccaaaccgt tctatcatc	1740
	tcgggttcag ggaggcgaa tctgtcctgc tctccggttc ctttaagagg cgtcggtcc	1800
	acccctctca gactcgcggt ctgacgcgag atgacagcaa cgagttcggg atgtctatgc	1860
	aaataagcgc cctcttgttg gccaatggg agcggcctcg ccataaaagg aaacattgta	1920
30	ggcgggggag ctggggctca ccatataagg agcggcctcg ccataaaagg aaacattgta	1980
	tctctttata tggggggaag ggtcggggga tccctccgcc gccagcgcgt ggtcccggcc	2040
	ccctccaccc gccgtctcgg ccgcccagc cagccctgc cccccggggg acgtgacgg	2100
	ccgcccggcg cggccgcta gcagacggac agggggcgct gcgcgcggcc tggggcaacc	2160
	cgggccacag gggcagaaa gtgagggcc aggtcggccc gggcgtgcag gggccccggg	2220
35	ttcgcagcgg cggccgccc agcgatagcg gactagcag cagcgggagt gccgggttga	2280
	gccgggaagc cgatggcggc ggctgcggcg gctccgattc ctgctgact gccgctccgc	2340

cctcctgcat cgagcgccat gttaccgacc caagctgggg ccgcgggcggc tctgggccgg 2400  
ggctcggccc tggggggcag cctgaaccgg accccgacgg ggcgggcggg cggcgggcggc 2460  
gggacacgcg gggctaacgg gggccgggtc cccgggaatg g 2501

5 <210> 61  
<211> 2501  
<212> DNA  
<213> Homo Sapiens

10 <400> 61

ggaaccctct gatagagagg gctgactgta ttattgaaa aaaaaacaaa aaaaaacaag 60  
ggttgatttg gtggacccat gcagctcaaa cccttgttgt tcccagggtca actgtatatc 120  
cagagcttat aggaaaatac ctctcccagt aacctgtctc accatttctc tcttaagcta 180  
15 ttattatgat tagccacggt ttgctattta aatttaaatt taaataaaaa tgtggccttt 240  
cagttatgct agccacattt aaagtgtctc atagccatat gtggctaata gttactatct 300  
cggacagcac atatttagaa cattcccatc atttcagaaa ttttcattgg gaacactctg 360  
cggaaaaagg gggccatcat aatgtgagtc catcttcttg aaaaatcctg ggaaggggac 420  
aaaggaggtc tgtttgcat tgtgtaatgg taatttgga ttttaatttc aaaaatgttt 480  
20 acccaattcc tattcatcag ccagggtgtg tggctcttgc ctgtaatccc agcactctgg 540  
gaggccgagg tgggaggact gctgcagccc aggagtttga gaccagcctg ggtaataata 600  
gggagatcct gtttctacaa aacacaaaaa aaaaaacaac aactttgatg ttgtggagtc 660  
aggacagtcc tgggttaaaa cctttgctct ccttagctgt gtaaaccgtg ggtctcagct 720  
ttcttatctg ttaacggtag gtacttcttc ctagggtgt tttgaggatt aagtgaagt 780  
25 ccaagattgt gtctggcaca cagtagcttc tcagcaaag ttttcctcct atgtcagggg 840  
atggctcctt tatcccgttt tgggcccatt ggtggccctg aagggtgggt gctcaggtgt 900  
taagttctgt agatggcata tccttgggaa aagcaaggca attaaaaaca gtgagagggt 960  
gctctgggta agttttctcc tataactttc cccatgggtc aattgggtag aatctgccat 1020  
tttcctaata ctactgatg gtagtggcat tcggaagcac aatagctgaa gccggagctc 1080  
30 tgagtggaga gaaaggctct tttctcaggc ccaaaaagag gttacacacc catggctgtc 1140  
cagtttggtg gtgcaggccc tgaatcaga ccaaactgga tttaaatccc caaacctata 1200  
ctctaagcta tgtgaccttg ggctagatac ttcacctctc tggccttatg aagtaggaat 1260  
aataataata ccgtctaggt tgttaggagt attaaatgag gtaaagcact gaaaacgttt 1320  
agggactgtg ttaaatcatt aaataaataa aaacggggat gaccttatcg gcttgacaca 1380  
35 ggggattaaa tgagataata tatgaagaca agtacacggc aaatgcttaa ttaatgttgc 1440  
ttatttttat gtctgcaaac tgacttaaag gggaggcctt taagaaagac agtggggcaa 1500



tttgcgcgtt gatgcattgt aggagaaaat gtgcaggggg cccgttggga ccagagttca 1560  
accaggttaag cggcagaaaa ccacaaatac ctccaggcgt tcctggggca gcgccgcctc 1620  
cccaaaatca cgcaaaactt ggtttgctaa gaattgtcag ctcttctaaa ggaggcgctt 1680  
cacgcctctc agtctgtgaa atgggaccca ggaccaggt agaggtgcgt tctcggcctg 1740  
5 gggaccgagt attttgtgcg ctccggtaac gcaggaagac agcgccactg aactctaga 1800  
gaccagcggg caccgcctgg aggcgccttc accacttggc ggttccgggt ccgcgcccc 1860  
ccgcgccaca agactcacgc ccgaaccacg tgatcagggc cgtggctccg ccccgctccc 1920  
gcgccgcgcg ccgcttccgg taggggcgga aagcggaagt gtgggagggg ctgcggggcg 1980  
ggctcaggag gtccgcggga ggatggagca gtgagcgggt ctgggcgggt gctggcagcg 2040  
10 ccatggagac ggtacagctg aggaaccgcg cgcccggtg agggccact ggctaagagg 2100  
acgggcatgg ggtcagggga agaaaaggcg ggaactggtt gaggggatac acctgtgtgg 2160  
gagtcgccg agctaagcga ccagccgat gggcacctg ctgagtagg gggggacgt 2220  
ctggtgggtg agggccggc tgaggggagc atctgctaag gaggttagac ttgggaccg 2280  
ttagaggag cactcgtgt ggtgagactg tgctaggaa cgtgggaca agttagggag 2340  
15 agtacctgct gaggcgggc cactcgggg aacgctatcc aagcaggac tcacggagg 2400  
gggggcgaat gctgaagcag ggtgagaatc tgtgaggat ctctttaagg ggtggatcg 2460  
agaactggcc aagaggaagg ccgggtggac tttctaagg t 2501

20 <210> 62  
<211> 2501  
<212> DNA  
<213> Homo Sapiens

25 <400> 62  
gcatggtggc tcacgcctgt aatcccagca ttttgggagg ccaaggcagg cagatcacga 60  
ggtcaggaga tcgagaccat cctggcgaac acggtgaaac cccgtctcta ctaaaaatac 120  
aaaaaattag ccgggcatgg tggcgggcgc ctatagtccc agctactcgg gaggtgagg 180  
caggagaatg gcgtgagccc aggaggcaga gcttgcgggt agctgagatg atcgggccac 240  
30 tgtactccag cctgggcaac agagtgaggc tccgtctcaa aaaaaaaaaa aattactaca 300  
tgatactaag taatgcggaa ggtgactcaa agggggaaag gaacacagca gtgtaaagga 360  
aggaggttgt agatggatct agaatttccc cctcatttcc atcaggtgaa agcctgagaa 420  
aactgcaatc tttgtgcagg ctgggtttgc tttgtacaca ctggtcccct agtgttcac 480  
tccaataatg ctgacaactc tgaaaacat ctgtagacat tctgcaggct ccatctcagg 540  
35 aacaatggct attttttcg gtagttgaag caaaattaag tccaatgata agcaaatata 600  
accattatca aaatcttcca tttatgtttg ttaaagcaac ctaagtatga tctgagaagg 660

	actctgtatt ctatatttga gtccttgtgg atgaactgta acctagctta ataggcagac	720
	aagattgaaa acctaattta ggagtatgtg cctttaacaa tagctgagtc ttggccaatc	780
	ccagtggcca tacttcaacc attcatacac tgctgagtggt tcaaactgtg ttcaaagaag	840
	gcaaaagcca acctgtaacc aatccagttg tttctctgcc ttacctcaa tttctgtatg	900
5	tcacttccct ttttttgtct ataaatatgt totgaccatg aggcatccct ggagtctctg	960
	aatccgctgt gattctggaa gctgccccat tcgcaaatca ttcattactc aattaaactg	1020
	ctttaaattt aattctgctg aagttttctt ttaacagggt tagaaaaaat aatggcaaaa	1080
	atgaatgaaa atccaataac cctggaagca gaaaaggctg ggggctcaa taagtgtaaa	1140
	tagtcccac cctatatttt ctccatggca attacaatcc agcacattat atatatttt	1200
10	ttttgcttct cgcatttttg cttagggtaa agctttttaa aacaggcact gccaccagt	1260
	gttatcaaga aggtctggat gccgttttgt gggaacattt taaagaggaa tgtccaaaag	1320
	gaaaaggggg atgggttggg agaagggtat caggcgggta tctcaaaacc attcttaggg	1380
	ctatagggtt aatttatttg gttgtggacg tcagagccgt catggtaga aggaagcaaa	1440
	gccttttgta ataattaaag cttcagaag cagcgtgccc cattgccac tagtgcgccg	1500
15	tgaagtctgg tgttcaccta cagggtccct ctacgactg ccaggccctc ccgagtgtc	1560
	cagcacagta gcttgagct tgttggtttg gtgaccaaga tacactccag ggaatatgcc	1620
	atgcagtga gtctcttccc cggcactgca tagcaaaagg aaagggccgc tgggtgtctg	1680
	tgggtcctgg gcagtcacag aagccaccgc gctggcgggg aggaggggga ccgatgcggt	1740
	ccatgtcccg ggcagcccca ctttctctgc ctgcgaagg cccttgccg gcgggaggag	1800
20	agaggcgcgc cccaccggg ctctctaca cctgccgccg cctgggccga ttccgcgggc	1860
	ctgcgccggc gcttcagccg attcccgcgc agctccgggc tcatgggcgc ggtcagcagg	1920
	gcgggccagg gcggcggggc gcgacactgg gaggaagtgc gggccgcctg cccgggcgcg	1980
	ttaaggaagt tgcccaaat gaggaagagc cgcgggcccg gcggctgagg ccaccgcgc	2040
	ggcggctgga gagcgaggag gagcgggtg ccccgcgctg cgcccgccct cgcctcacct	2100
25	ggcgcaggta ggtgtggccg cgtcccctac ccggccggga ctttctggta aggagaggag	2160
	gttacgggga acgacgcgct gctttcatgc ctttcttgt tctaccttca tcggccgagg	2220
	taaaagtgt gaaaccatgt gaataaaata cagggtgggt ccgccagctt cgctcctgaa	2280
	cctaccgcg ctcgggatcc agaagctgcg ccgggagaga ggggctcagg cctgggcgga	2340
	ggggacggag gtcagaccgt gcggaaagt acccgggcac ccaggggcgc ccaggccccc	2400
30	agggagcgcg gaaagtgcg tcgcggcccg gccctcgga gacgcgggat tgggatcagg	2460
	cacagcgcga ggaagtogat cttggagcta gaacattttc c	2501

&lt;210&gt; 63

&lt;211&gt; 2501

35

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;400&gt; 63

	cccaaaagat acaaaggggt ataaggtgaa aaattattct aacctatccc tcagtgaacct	60
5	agttcccttc ctctgaggtg accaatttct tgtgtatctt tcctgagata atctatacat	120
	atagcaccat atacaagcaa atgaaatatg ttttatttat ttttttgaga ctgggtctca	180
	ctctatcacc caggctggag tgcagtgaca ccatcttggc tctccgcaac ctctgcctcc	240
	tgggtcagg tgatcctccc acctaacct ccagagtagc tgggactaca cgctcacacc	300
	accacaccca cctaattttt gttttttgt agagacgggg tttcaccatg ttgcccaggc	360
10	tgggtcctaaa ctctgagtt caagtgatct gccacctcg gcctccaaa gtgctgagat	420
	tacaggcgtg agcctccacg cccggcccca aaatctgttt taaaagcaga catttcttgg	480
	tgattotaat aaagggggtt ctcagacata tttggaaaaa tatatcccta cttttatgcc	540
	agacctgtg ctgggtcccc gggctgtgtg acctgacct gcacagtcct gcttagaatg	600
	cttaaagaga gttaataagg taccaccttc tatgccatag gcggggagca aaggggctcc	660
15	agtgggccct gcctaggagg cctgaagcta gagctgctga gggcagggt gtgctgcaaa	720
	gaaaatgtct gagagctgca ggcgtttcat cttctgtcat cagctgtggc acctggcaga	780
	cactggatag gctttagtag aaagacctgg taactcaagg agctgcttgg ccttctgccc	840
	cagtcccatc ccagaggcac tgtacatctc tggtttcttc agggggccct gtgtggaagt	900
	atcttttgtc ttcctggtgt cagggatatc atcacgtgcc tgttggttag gcgagcccg	960
20	cgcccagtct cctaggatgg ggagagtaat gttcccgagc agaacagggt ggggctttca	1020
	gactactccc tttcctttac agctggcttc attccatcga cctcatcaaa gccttcctgg	1080
	gagcaccta gagaagagtt acgtccaggc cgggccctgg ctgcctggtt cacggcgaa	1140
	tccccagcac cacgcctcgc acgtcgggt caaagcatgt ttagtgaagg agtaggtacc	1200
	tactgctaga tggagccatc tctctagact tggggtttcc ctataacgat ggctatgttt	1260
25	ggcatggaag cctcttttaga agtcaatagt aggaaataag ggctaacagc acctaattgt	1320
	ggagtaaggt tcaaattcta gctctgccac ttaaccgttc cgaacctgtt ccctactgc	1380
	agaggcgaaa aggctaacac tatttcacct cggagggtta ccgtggagaa tggaagctgg	1440
	acaagctgta tcagttcagt agtaaaacac acacacacaa gcgccccacc cccacccac	1500
	cccacccag gaatgaacac acacacccgc gcgcgcacat acacctcagg aatgaacaca	1560
30	cgcggtaca cacacacgca gccccccca ggagtgaaca cacacacaca cgccccgttc	1620
	tgttgttccc aggaacacac acagagacgc acacactcgc ccggttttgt tttttccagg	1680
	ctttttaact ggggtcttct actcggtta gggcacgct gcctgaaaga cttttctagg	1740
	ccagtcgggg tccggcacc agttgacgag acagcgcggc gctttcagag ctggggagag	1800
	gcgaaaactc ttccggcccc ccgatcccc gccagccgc ccccggcagc tccttgccgc	1860
35	ctccggcct gggcccgccc agccgttctc ggctgcccgt caggcgatct cggcgccag	1920
	cccagccgcg atgtgacgcc gcgcgccccg gggctcctcg gcctgcgcc ctctcctata	1980

	aagcagacgc cgcgccgcgc tgcgacgctg tagtggcttc gtcttcggtt tttctcttcc	2040
	ttcgctaacg cctccccgct ctgcgcagcc tcccgccggc cgtctcctta acaccgaaca	2100
	ccgtgagtag ccgcccactg aactggaaag ggctcgaggct accggattgc gtgccggctg	2160
	gcctcacgcg tgcggtttgg gcctgcccgc ggcgggcggt gactgggcct ggccttcttt	2220
5	cgggcccggg ggatcgcggt gtgcaccctg ttcttcggga gacactacca ggttccgttc	2280
	acctgccccg cccccgactc agcgaggcct cctctggcgg ggcgtcctca cggcgctcca	2340
	taagtgcgac gaaccccggg ctgggccttc tctgcaccgg ccgagcgtoa gccggcgcg	2400
	agctcggctg caaggcccag gctgcggccg ggggcctctc ttggtcttaa gcctgctgtc	2460
	ccggggacca gggcgggggg ggcggcgggg ttgtgaatgg g	2501
10	<210> 64	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
15	<400> 64	
	gatctgacag gttaaagggt tacacttatt ttctctgtaa gaagcgcat ctggtgaagat	60
	gatcaagaat ggtgcaaagc aggatgggga gtttaaaatt gtttccaaat gtgggaatgt	120
20	aaatgaatat aaacatgtaa gattttaata taccaaactg atcagattct gtgtaatttc	180
	caagtttctt ttttcttca aaactcctct gaaatctgac tgtccacaaa aacttacttt	240
	atagaatttt atgtgattta ttactcaga tattatactg acctcacatc cagtagtgaa	300
	aacagatttt attgtagaat ctggaaagat agagggccat ataggttgta ttttcagttt	360
	tgtttatact aacacgtgtt tacaaccag ttttaattac accctgtatt gtattattgt	420
25	tgatcatatc ctgtatgcat gtaagtataa tatgtgttgg caaaggaaaa ttttgagtaa	480
	gaagaagctc tctgatctat ttgattcaat atgtatttga gtgtctaaca gacactgttt	540
	tagacactgg tgatacaaca ctgaacggag caccaaatac tttacagcgt ctcctggagc	600
	tggtgtcaag acatactttc caagggaat atttcagaat aggtgataac tagtcaacga	660
	aggaaaagta ccttagtcat ctaggagagt tgtacttaga gtgaactgaa ataaactaag	720
30	ctcacgaaag acagagattt tttgtttggc tttgtctgt tgcattcact actgtatctc	780
	cagggcccaa aatagtgtc gcctcataat aagtattcag caaatatatg ttgttgattg	840
	gagtgtttgt tttgaatttc tgtaatacaa cacatacctt ggtaaaattat ctttacatct	900
	tgctagtgtg aaattttatc tcagttgctt tgtttttaat gttacottgc tttttgtttc	960
	tacttgtgcc atacatcagg atgctggaaa agcttattaa tattgacagt catatggtta	1020
35	tctgatattg aaaagaatag atttggaaag gaacctaaga ggcatccttt tgttcagctt	1080
	cctgcctagg aaaactaagt aagatgatta ggtatgtata ttttaattagt catttaaaaa	1140

	aaaaccagga caacataatt gagttccctc ttgagaaaat ggagaaaggt acttaaccct	1200
	agctataaag ggactaacct ggaatttta gaacttctgt gtgggaaagt ggaaaaaaa	1260
	aaaaagcaca actaagctgc tctttgttga tatcagaaat gggcctgtca ttcatttttg	1320
	cattgaagca tagcctccta tctcggggca ggactgggac atttttttcc tcccacaaga	1380
5	gctggacagt tattacaggt tcaaaaagcc ccgaccagtt tttcaagagt ttctcctcct	1440
	cttttcccc tgaaactcgt ggtgcttttg ctctgctttc aagatgcatt aagtctcctg	1500
	ctttgtgact gctttggagc cagcagatac tctgatatgt ataattcaa ttatgcaggt	1560
	ttcacgagta agtttaatct tattttttta gttagttaa aggcaagtga tatttagaaa	1620
	aatgttaact tgtagtatt tcaccctttt tactttaagc atttttattg cttctcggcc	1680
10	ttttggctaa gatcaagtgt gtactttaag cattttttta aataaaaata tccttttaat	1740
	ttaataagaa aacaagggtc tacatagaaa agccccttca tctaagacct gcacttttca	1800
	atttcttttg agatgtcttt gttgtaaaca gtattcatat gtcttttgaa agccagttaa	1860
	ctaaacagtt ttcttgagca tctttttagt tttactgaga agtattttta attgagcttt	1920
	tctgagctcg attgcttacg tctgacacag tctcaagttt ccactgaatg gtaacaaaga	1980
15	ctgtagaatg ttgttggtac tgcagtgaga ggcagtcttc cttagaccag gtaagagaga	2040
	tcagtttggt tctcactgct gggtagtggg ttacagctct tattttatat tctttaagca	2100
	gcagcaatat taaattgata aatagccagg agcacgctga tttcaagacg tccttgcttg	2160
	ttgcagacag aaaaactaca ggggttatgta tgggggttg ggtggggggg gaggggaaga	2220
	attagtttat tactcagtta cttatataaa ttaattaaaa tgtgaaaata attctggagc	2280
20	tcagttttct taattcagga actaaagcag cagttgagga aatcagtaat tttaaaggta	2340
	cttcatggtt attacttggt aaagcaattc aaaggatagt ttttactttc atttttttcc	2400
	ccagtagtta ataaaataag ctttgccctt aactaaacat tttttccact tacgaaaact	2460
	tttaaatgca caacagcaaa atatacttcc caaggatcct t	2501
25	<210> 65	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
30	<400> 65	
	cacaagtcaa gaccgctccc tgcttcttag cccgctgggg agccaggcca gcaggcccca	60
	cattcctgag gaagggacag ggttctggcc tggaggggtc agcagaagcc accccagggg	120
	agggcccgac aggaaggaag gtaggcctgc cggaggggca tacaggagct tcctctcccg	180
35	ccacagtgtc cagggccaac tgctccagcc ctgaggtggt gtcaacagga tgggacagcc	240
	caggcggaag gaaacctgtg gggagggaca ccccgcagac agaagcaggg acatgggggtg	300

	gggagaggca ggaagagctg ccgggctgct gagctggcgc ctctccagca gactcaggag	360
	gggcggtgac aggaggccat tccctcctca tccccgcagc cctgggcctc tctggtcctg	420
	gccaacagta ttactatcat tattattgct gttgttcgct agcctgggcc ttagatacat	480
	tagaaaaaaa ccatcggaag atacgcatag cattggcagt ttctaaaaga attaattccc	540
5	ttcctgtgtt cattctgtga ttactggat agaaatgcta tttgcattac cagcctttca	600
	ttcagttaca gagacgtgag tgctcgaagg agagacagtg atttttgcct taaattcagc	660
	ctgtccaaat cggataagat ctccgatttg ctttaagccc cgttatcact gccttcctct	720
	ccaacaacag ctgctgtgat cacgcacaaa cggccaaacg ggggcaaadc cgtgccaaag	780
	cagggccatg ggctttcctg atcagaaggc ctagccccag cccccaggcg cagcacacgg	840
10	gcggcttcct ttcagaaacc cagcctgcct cccaccagct ggagtgggtg ggtggggcgg	900
	tagtggtgcc agtttcaggg aacggccggc aaaccacct ccaggcgtgc tccagcggga	960
	gcctggagac ctaggagag ccctcccccac aagcggcttc caggcaggac gcttccagag	1020
	gtcttggtcc aggggtgggg gtgaggtggg gtctaccttt gaaacagcta caatttaaac	1080
	ttcagctaca ccgagctcaa actcgattcc gcagccgagt gtcggcgcca gagaaggata	1140
15	aaaactcggg tctacggctc cccaccacgc ccctggctcg gtcctctggg cttccaggag	1200
	tcctcacgcc atcctctggg ttgccaggga ggaaggatgg gcggggcggg caggcgtgc	1260
	gggcgctgca gatggggagg gcgagccgc ggcacggcgt gagcggggga gaggcgcgcg	1320
	agcaggtgtc ggtccgtga cagggtcccc catcccgcg cccagtgtc cccgaggctt	1380
	agtgaggcaa aaccagcaa atgcttcaga aatgcagctc agtcggtcac cgggttctgc	1440
20	ttcctcatca gacgcgaag aggatggcgc ttccaatgca aatctcttgg ctccggcccc	1500
	ttggctggca gccgcgcgt ccccccctg cctggcgtcc cgcccaactcc gtggcgggct	1560
	gagacgaggc ccggcgcgga ggggacgggg cggagcgggc atccctcccc acccccacg	1620
	tggggctggc cctccgcagt gcctgggcgc gctgcagtcg ccgcgcctcc ccggccgcgg	1680
	caccgcctct ctaggcaggg gcgggggacg aggggcaagg agtgggcgag ggggtggcga	1740
25	ggggcggggg gcgtcactca atcagtggtc ctctggagtt ccccggggca gggcagaggg	1800
	aacacgctgc cggggattgt gtacacgctc cactgacacc agcttcacgc tgccgggcag	1860
	tcgccgatca cgcgtggccc cgcgagccca ttggccggcg cctcacacac ctttgccgtt	1920
	gattggccgg cctcaggctc cgccccacc cccgcccgcg gcgcggggca ggctgagcgg	1980
	ctacctgaat ggggaggggg cagacggcgc tgagcgcggc ggcggcggga gcggcgtcga	2040
30	gtgtctccgt gcgccgtct gtggccaagc agccagcagc cttagcagcca gtcagcttgc	2100
	cgccggcggc caagcagcca accatgctca acttcggtgc ctctctccag cagactgcgg	2160
	taagtcatth ggggatgccc ctgtgcttcc tcgcctggtc ttgtctgggg ggccaaaggg	2220
	ggcggaacc ccgagccccg gacatcagcc atgcctgaga attggggctg cagcggagtc	2280
	gtggggaagg aaagggttc ctgcctgcag actatgggca ttagtgaggg cgtgtgtgtt	2340
35	ggggaggggg tcgaaccagg gggctgggat cttcagacag ggacaggggt cttgctctag	2400
	atgtactgag gggaagggac aactccgcat ggagaccga gagggctggt gaggaggagg	2460

atgacgagcg ggggaggagt ggggaggggg ccgttgccct g

2501

<210> 66

<211> 2501

5 <212> DNA

<213> Homo Sapiens

<400> 66

10	ggggctgtag aaatggcggc cccatctccc aacaacttgg gcattgtgaa tatcacctcc	60
	ttaaagggga tctcctttgg tcatcccgtc tagagcagcc accataactt ctgagcggtt	120
	attgctagct gatatatatc agaaaaatac aaattccaca aaagcaggga ctggtctgct	180
	tctctccctg cagggcccag gttctggcac atagtgtgtg cagaaagtgt gcagcctcag	240
	gtcctatcca agccccaggg gcacacact cgggacttgt tctgcatatt tttacttttg	300
15	cctcccactg gtactagtgc ttccgtggaa cagcctgagt cccttcagat acttaatgtt	360
	ttttctcaag tgctgccatg aagccagatc tccaccgtct tggggcattc ctttttaggg	420
	atgggaagta tatgtcgctc cttttatgtg atttacattc tatcttggat aatttggcca	480
	tcaccgtagt tcattcagat ctgtttggat cctgccatc tcagcttcag tccatttcac	540
	tcttttaaat ctgatcgaca gttacctcca acagcttcac cacaaatcac tcacaaaaat	600
20	ggccttaatc ctgaagttta tttacggaga gcacacttgc taggtgtgtg gcagatatac	660
	aggaagcaca agatgaggca gcagatctag aggcaaatga cttccttctc cctgcctagt	720
	ggtgactgcc agcatcacgc cctcccgga gagtgagaa acccctccac gcaagcactg	780
	gaaccttcac agtcaagagt ggcaacagct ccggttactg gacttgggcc tgttgaattc	840
	taatactctg tgactccaca tctgggctga atttttgctg agtatgatgg aatttacatg	900
25	cttcctccct agcccctact tgtctgtata gttggaatat ttggttgcct cctctggagg	960
	gatctagtag gtttagagtc tagacgctgg aactgtcaaa gttcagagga aagagctcca	1020
	gctgcaaagc aagagaaatg ggctggaatt ctagcttcac cccttaatga atgcttctga	1080
	tttttttttt tttttttttt ttgagacgta gtctcactct atcgcccagg ctggattgca	1140
	gtggccacga tctcagctca ctgcaacctc cgcctcccag actcaagcga ttctcgtgcc	1200
30	tgagcctcct gagtagctgg gattacaggc gtgcgctacc acgcccggct aatttttgta	1260
	tttttagtag agacagtttt tggccatggt ggtcaggctg gtcttgaact catgacctca	1320
	agtgatctac cttcctcggc ctccgaaagt gctgggatta cagggccgag ccaccgcgcc	1380
	cagccgcttc tgatcattaa aaaaaattt tttttttggc ggggggaacg aagtgtccct	1440
	ctgttgctca ggctggagtg cagtgcagtg atctcggtc actgcaatct ctgcctccca	1500
35	ggttcaagcg attttctgc ctcagcctcc tgagtagctg ggaatacggg tgccccccac	1560
	cacaccagc taatttttgc attttttagta gcgatggggt ttcgccatgt tggccaaggc	1620

5      tggtctcgaa cttctggcct caggtgatct gccttccttg gcctcccaa gtgctgggat      1680  
       tacaggcgtg agccaccgtg cctggccaaa aaatttatgt tttaaaaaga ctagtcaagt      1740  
       gcagtagtga gaagggggga aagagtagag caaggagtta tatctgttgc ttctgaccat      1800  
       tttgaacaag ttacctaatt ctctgaggac aagctcggag aatgggagag acagttatct      1860  
       atattgcagg ttgttgggag gaataagtga catcatgagt gtgtgccagg tgtctgatta      1920  
       cagaagggtg tcaattaatc tgcaatcatt aattaaccct tcagtcgctg gtattatttg      1980  
       ccatccatcc tccgagtgtt gccaaagtat ggggtgcgtt tgccagcgtc ctagcagtgg      2040  
       taaggcttct ggctgccagc ggcgaacctc tcccttcgag tatttctcct cttgctgaga      2100  
       tgaaatgcga ccgggtctct ttaagggcc a ggcgcggga tccaggcggc gcccaacggc      2160  
 10     tggactagca gtctccgcg ccgactcgca caagaaggaa ccccgggcct ctggatccgc      2220  
       tcgccggct atgtctgtgt ggccgtcgcg gggctgggcc gcccgggcgc tgcgtgctt      2280  
       tgggccggga agtcgcggga gcccggcctc aggcgccggg ccgaggaggg tgcagcgccg      2340  
       ggcctggcct cccggtaacg cgcgtcttgg tccgcctcc caggagcccc tatgcgccc a      2400  
       cctactcccg gccctcggc ttcgggaacc cggccagcc cgaagcgct cttccgaggc      2460  
 15     gcgggatttc ctccccggct gcggctggga cggggcggc c      2501

&lt;210&gt; 67

&lt;211&gt; 2501

&lt;212&gt; DNA

20    &lt;213&gt; Homo Sapiens

&lt;400&gt; 67

25     atggtctcga tttctgacc tcatgatccg ccacctcgg cctcccaaag tgctgggatt      60  
       acaggcgtga gccactgtgc ccggcctcta tcagcatttt ctttctttt cttttctttt      120  
       ttttttttt gagacagagt ttagctcttg ttgccaggc tgaagggcaa tgggtgtatc      180  
       tcggtcact gcaacttctg cctcccaagt tcaagcgatt ctctgcctc agcctcctga      240  
       atagctggga ttacaggtgc ccaccacat gccagctaa tttttgcatt tttagtagag      300  
       acagggtttc accatgttgg ccagtcgtgt cttgaactcc tgacctcagg tgatccgccc      360  
 30     gcctccacct cccaaagtgc tgggattaca ggtgtgaaag agaccattcc cgtctctttt      420  
       cagcattttc atactgaatg tccacagctg ccctgtgagg aggcctttta cccatatttt      480  
       ctgactcaga gagaagcagc cacatgtccc ttggccatgg cagttaagac caactccatg      540  
       gagctgggtg tcttagctca catctgtaat ccagcactt tggaaagcca aggcaggatg      600  
       attgcttgag gccagaagtt caagaccagc ctgggcaaca tagccagacc ccatctctac      660  
 35     aaaaatttaa aaattagcca caaaatttaa aaattaacaa caaaagggcc ggggtgcggtg      720  
       gctcacgcct gtaatcccag cgctttggga ggggtgatca cgaggtcagg agttcgagac      780



5 cagcctggcc aagatggtga aatcccatct ctactaaaaa tacaaaaatt agccgggcgt 840  
ggtggcgggc gcctgttgtc ccagctaccc aggaggctga ggaggagaa tcgcttgaat 900  
ccgggagtct gaggttgagc tgagccgaga tcgcagcatt gactccagc ctgggcgaca 960  
agagcgaaac tccatcttaa aaaaaaaaaa aaaaaaaagt ggaagatgag gaagttgatc 1020  
10 agacatcaag gatgagcgga tgacttaata ggcttctttg ctaagacttg gctgggcagg 1080  
tgaaagacaa agtcgaggag tggttatggt gtggcacaga agaagggca gaggacggc 1140  
tttgttacct cttcatgcct gagtttcttc ctctgtgaaa tggggataat aagagccgcc 1200  
atacaggaa ttgctgctag gatcaaatga gataatgtat gtgaaacgct ctggctgtag 1260  
gcttctcagc aaatgggcac gacttgcgga gtggggattt gaattcacgt ctggcgggat 1320  
10 gtccaagctg ctaccctgac cgctagggag cttcagagga cagggctgca ggtgatcagg 1380  
aagaggactg gggcagggtg gcgaggaatg cctccagga gtgaaggagg ggaattcta 1440  
gtcagcagga tggagtccgc caggtagaaa cgagggaag gagacaggac cggatggaac 1500  
ggggaagcca aagggcaggc cgtcggaggg ttgaatggtg gccggtgcag ctttgaacac 1560  
cgaggtagag acatgcagct gtgtcctagg gtcaggaccg tacacgcctg acccaattcc 1620  
15 acagcacgga ggggaactcc aggatccggc cgcgttgccc acacacttcg ctctccctcc 1680  
cgcctctcgc aagcccctcc ccgctctccg tccaccgagt gccagccaat agcagaagcg 1740  
acagcgatc tgggtgccga ctacgccaat cgcggctgag tgacgaatga gcccaggac 1800  
caatgagagt gccgccacca tggcaaaaaa aaaaaaatcc aatggtgacg agcagggaga 1860  
acagagcagc tgccaatggg cgtgtgcgtt tcaggcgcc aatgggagga ggcgtctcgg 1920  
20 cgggggacaa gcagtagcta cccgcgggag cggggagggg tccgggttcg agcttgtgtt 1980  
cccccggaag ggtgagtctg gacgcgggcg cggaaggagc gcggccggag gtcctcagga 2040  
agaagccgcg gggactggct gcgcttgaca ggctgcactt ggatgggagc acctggtgcc 2100  
tcgggactgc tccgatgcc ggtgggtgca catcccagtt cccgccgttg ccggccgggt 2160  
ttagaggttt tggggggagg acatgggggc gtgcagcctt cccagttgca aacttcactc 2220  
25 cgaccctgtc ttcaaagctg ggtctgggtc cagtggggac gagaaaggag gaaggaggaa 2280  
gtaggctccg cgaaagcccc atccccgga tctcatctat aacatgaata ggtattaatg 2340  
gcaaaggcta attaagcgct tactgtatac caggcacttt ctctgcctcc tcgcgttaaa 2400  
tcctcccagc agccttttga ggtagacact gttacatgcc cattttccag atgaggaaac 2460  
cagcaacatg ggtggaagtg acagcccctc cacttccata c 2501

30

&lt;210&gt; 68

&lt;211&gt; 2455

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

35

&lt;400&gt; 68

	ggagtgcaag aacacagaac taaaacagag cttgaaactt aaagaaagg agagacttgg	60
	gggaggagtg ggggtggagtg acgtgatgtg ctgctggaaa ccagcagttg gtggtttcct	120
	cttgtgcttc ctctctgtg ggttttctcc tgcttgtggg agggcctttt tctctcctcc	180
5	cgacagaaag gctatctttg gtgttcgttc ccttgaactg taacatcctg taagggtatg	240
	attccatgcc tctgtgtggg tgtgaattcc ctcatgtga ccctcaaaat ctgcacacag	300
	gaccccttcc cattgagggg aggggatcaa aacaactcta cttctcaggg tcctctcctg	360
	ttccaactgg tctgtgtcca agagaagcct taggtaaatg gggccagctt gaagatcaaa	420
	caggtttggc agcctctccc ggcctctctt ttctctccta cagctttata gctacagctg	480
10	ccttgatata aatattgact ttggctggct ggcatgacta cccacagggt atcgtgcctt	540
	aatttaccag gtgacaggca acgctgccct ctccctggaac catccagcag agccagggt	600
	gtaccccaa atcctgcaac agaggtttcc ctccatctca cctccctgtc cctgcatttc	660
	tcctatctca gtagctctc ttccctctc tgggttctc ttccactcc ctccccttcc	720
	tgggcttggg aaactagtcc ctaatctctt cacaccccag attggaagg gggctccctcc	780
15	ctgacactcc ccagagctgt caccaacctc ctccaagttt ctatagctcc attgtcaac	840
	agatttgcca ggggtaacca ttaaccacgc ccttaactct gttccccac ctttcttgc	900
	ggaggggatt ttccaattac tggttagcac agctaggtca tctaccccc accatcttcc	960
	ctaacttctt gggttgggg gctggggagg aatctcccca tctcagggtta ctaggaacaa	1020
	agctggggag gatggtgcat ttaaagggat tatatatata tatatatata ttttttttct	1080
20	ttctccctca taaccccacc cccgcaacac acacacacac acacacacac acacacacac	1140
	acacacacac agacgcacaa ataagcttta tggagcagtg acttcattat gttcacgcgt	1200
	ttgagtccaa ccctggccc aaaataggca ctaaatagtt gccgaatgca tgaatgatag	1260
	atacctctct gtcttcaggg gtgtgtagaa gtgcgaagg gtagggcat gtcccagtag	1320
	gggtgtgagt gttctgatca gaactacttc tctctgccag aatttgatgt aattcgaatg	1380
25	cttccacctc tgettgaagg gtttaaataa taaattaggc cctgtcgtgc cattatgggg	1440
	gtggtcatac cctgtaccca gaaacaggc acggtagggc tgagacagaa gtcctgcttg	1500
	tttccgctta tttatttgaa acaccgetca tttaggctctt actttgtttg ccaggcactg	1560
	ttctaagctc tgtataaata ttaactcaga gggtaacaaat attaaactaa gagttgttgc	1620
	aggaaaaaaa ataagcgctt ctggctcttt aagtttgcc tccccctcaa aacccccgca	1680
30	acggtcccaa accccttcca gggactggga ctacggacc tggccgacc ttctcgcggg	1740
	cttccactg cgccaatcaa atcccagaaa cagtgagtgc tagaggccc gctgctaagc	1800
	aacggcagag ggcgggaagt ttgaacgttc tggacccgcc ccgaaggcaa ataggccaat	1860
	cagcgtccag actcttcagc tacggcagtc cgcttctctt cctcgccctg tcggatctct	1920
	aggctggatc cgggcctctc caatcaacag cggctaggag ggcggggcgc gtgcgcgcgc	1980
35	acctcgctca cgcgccggcg cgctcctttt gcaggctcgt ggcggtcggg cagcggggcg	2040
	ttctcccacc tgtagcgact cagggtactg aaaaggcggg aaaacgctgc gatggcggca	2100

gctgggggag gaggaagata agcgcgtgag gctgggggtcc tggcgcgtgg ttggcagagg 2160  
 cagagacata agacgtgcac gactcgcccc acagggccct cagaccctt ccttccaaag 2220  
 ggtaacctcc gcgtgacagg aatgaggggtg gggcgcgtgg agtttccac aatctgtact 2280  
 ttagttaaatt acccgagaat tcacctctg tgtccacagc tctccacgcc cctcagccct 2340  
 5 gccccgcagc cctgtagcag aagtacttag tgctttgcat tctgcgcgcc accctacccc 2400  
 ggcctcctct gtgaatcgtt gcttccgaac cgcctcact ttttgcattc gcaga 2455

<210> 69

<211> 2625

10 <212> DNA

<213> Homo Sapiens

<400> 69

15 ttttaaacga gaagtgatgt ttccggagca ttaaaactga agtgatttca aaacctgtt 60  
 gcactcacac gaacaggtgt gcacttaatg gactaaacta gttcagctga catgtcttct 120  
 tcattaggaa cagtgtggag actgaaaaac taatttagcc tagagcagct atttaattgt 180  
 aaagtctcct ttctcaaata ttgatttact atgtgaggaa atatttactt tgtatagaag 240  
 tgtgtggaat tggacgaggg ggttgaccta cacatgtggt ttggtataca catatcctca 300  
 20 ttacagaggg tgtaatgaag atataggtgg ttcagcacca taggaaaggg aaaaaagaaa 360  
 aaaaaagac ggtagaggtg gcctcccaag catccactcc cactcctctt gttaatgatt 420  
 cacaatttgt tgttattgtt gtcatttact gttctccaca cctttccaca aggctgtgt 480  
 gctttgaaaa aatatgtctc tactccggat agaagtgggg cacacagggc caggcgcggt 540  
 ggctcacgcc tgtaatccca gcactttggg aggccgaggc aggcagatca caaggtcagg 600  
 25 agttcgagat cagcctggcc aatatggtga aaccccatct ctactaaaaa taaaaaatt 660  
 agcctggcgt ggtggcacgt gcctgtagtc ccagatactt gggaggctga ggcagaagaa 720  
 tcacttgaac ccgggaggca gaggttgtag tgagccgaga tggtagcact gcactccagc 780  
 ctggcgagga gtgcaatgag actccgtctc caaaaaaaaa aaaaaaaga aaaaaagaaa 840  
 agtaagtggg gcacacgatt caggcctaag ctaaccagac caacctcatt cctgatgggt 900  
 30 gttaatgttt cagatacggg cccgcagccc tacgtagaga agaggccaag gtagaaaaca 960  
 tgaatctgag gtaaaaagaa atgaggtact tgtttgcctc atcaagcctc tcaattaaac 1020  
 taaccttgaa gcctgtctta cctttggact tctagtgatg tcaccggta aagccattt 1080  
 gtttcaggac gtaagagttg ggttttctgt gacttgaac caaaaccatt ccaatttaca 1140  
 aatgagcaa ctttaaatatt acccatgaga aatacttcat tggatatgc tctttcctag 1200  
 35 cgtttttgaa aactaaacta ggtgggtgaa aagtatatct ttgcatgaaa ctttttcatt 1260  
 ccagaaaaca ttttgtcatc ttgataataa tggccaatgc tactatatcc aaatttttgt. 1320

	cttttttttt ttttgagaca gagtctcgct ctgccgctca ggtgtgatgg cgcgatctcg	1380
	gctcactgca acctctgcct ccctggttca agcgattctc ctgcctcagc ctccctgagt	1440
	agctgggatt acaggcatgc gccaccacac ctggctaatt tttgtatttt tactgtagac	1500
	ggggtttcac ctttttgcc aggctggtct cgaactcccg acttccagtg atcctcctgc	1560
5	ctacctcaaa aagcaacttg ataaatccac aggctcggtg ttttttaaaa attcttttaa	1620
	atacagtata cttttctctt tttttccaga attaacatg aatcgcacac acagccagag	1680
	gcttttaacc cgagaacgga caaaggggcc tgcttgtgca atacaattat ttttaatggt	1740
	taaacaaatt aatacataag accagcttta cctaataata taataacgaa ccaaagtta	1800
	caacagacaa gaaaagcacc agctgtcccc gccaccccg agcgatctcc aaggggacgc	1860
10	gggagagcgc cgcgggggac gcggaagtct gacgtcacag gaactggggg cggggcgggg	1920
	aggcccgac accctattgc gcatgtctcc gcctcccg cgcggcctg gcgcagtgcg	1980
	cacgcgcgcg ggtggggcg tttgactggc cgtagagtct gcgcagttgg tgaatggcgt	2040
	tggtggcggg aaagttagt ctctcctgcg ccgagccttc ggggcgatgt gtagtgcctt	2100
	ccatagggct gagtctggga ccgaggtgag agccgcccgg ttgggagtga gggagatggg	2160
15	aacaaggccg ccggtggcg aggggagccg agggaaccg ggggattggg aggcttggg	2220
	cggcgcggcc tggccgggct gggaccggcc tctcgcccta gacgcccg atgctggcac	2280
	cctctgccac ctctcacctg gggcccaggg gtccgcccct gggcagcctg gagtccctcg	2340
	aggtgggagg accgggcgga ggtggaggaa gtctttctt ggaagacttg ctgcctgccc	2400
	agatcgatat aacatacgag gtctctctc ccaagagtta tggctctaaaa acccctcaca	2460
20	aattaactac cgttggaat gtcaagctat gcaagaaaag ctagaaaagg ggaggggtcg	2520
	cccgttgag catttgagc tttctggaa cagtggtgt ttgcggaggt tgcctcacct	2580
	ccctgtagcc cacgtgtctc tgcttagggc agctggccct cgcca	2625
	<210> 70	
25	<211> 2540	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 70	
30		
	tagtcccagc tactcgggag gctgaggcag gagaattgct tgaaccagg aagcagaggt	60
	tgcaagtgagc tgagattatg ccactgcact ccagcctggg caacagaggg agactccatc	120
	tcaaaaaaaaa aaaaaatcat taaaatacag taattcaggt ttattaagtc attaccattg	180
	ggttacctca caaataaact aagtttagat gcgaactcaa agatactgag acactaatcc	240
35	atttcttaag ctgctaagtt agccttcttg aaacctcact tcgtagctct gcaaacaatg	300
	tacttttgac atcccaagct cacaggaata aaaaaccacc tgccagttgt ttccgttttc	360

	cacctatgtc taatttatgt acttatatatt ataagaaaca aatcactaag tcttatttca	420
	tccttagtta tgttggtgtt ctatcgataa cagcatgaag atttcgggga cctggacatt	480
	aaaataagtt tgagtactgg ctttacaatc tactaggtgt gatccgaggc aagtcagtct	540
	cttcatgttt cacttctttc acttgtaaac atctattcag aagttgctgt gaacttgata	600
5	tttccatgct tataaactga ttttttgaaa agagcctggt acataggacg tgataataaa	660
	tgaaagcatt tgctactttt ggaaaaacaa gcatgacaag atagtttata tactgttgat	720
	cttaagcaca gtatatgcat cttattttta gctagtctga cagtgaagata ataaaaagag	780
	ttatctttga cttgcactac gagtagaaga attcaacttc agtttctaga aagatgtata	840
	agaattaaga gtggcagtc tccatgtctc aactgccatc tcccaccag gtggtaaatt	900
10	cgtccagaga agaaaatgaa ttattgctat atgggattct gcagcaactt ctgtgaacat	960
	aggctcataa tttttcacca tggagactca agctttttgg agtcatagtt gtttttgggt	1020
	ctatttgcag gcatgcatcc tttgtccaga aatatacata acatttggca catggacctg	1080
	gaggtaaaag aggaggaagg cctgaggcta gacaccactc caataagtac attaagctcc	1140
	tagaagggca atccaccttt gcagagaact cttactattt aaaacctata gcttgtaaag	1200
15	cagcattttc aaagttaaga gaagaagggt gaagggtctt gagaggctac tgactaaaca	1260
	gatgaaaatg aaggtatgga gtttgggtgcc aaaagaaact ccccccaaaa atcaaacat	1320
	aacaccagag taaagcccct agggcgagat aaggagttgc aacaaaacaa gcggaaactc	1380
	gagaagcgct aatgcttcaa aggttcaatg accacacata atctacgtag ccaacgtgtt	1440
	aaaacacacc aacgcatttt tttttcctaa acaaagtagg aaagcggact ttgcatgagg	1500
20	ggcgggctgc cgaccagca gtcttctctg gacagtccgt cctgattctc tctggttggc	1560
	cgtggaggga ccacatggct ccaaggcctc tcagctccgg gccacacac cccgggctgc	1620
	cgcacaaact ccagccctag tctagatcca caacccttc tcgaagatca accgcgacct	1680
	gggagcccca cttcttacca tagcgaggcc ggcatgccc cagccacatc acccttccgg	1740
	ggctcaggcg gaagaggctg catgtcccgt ctgcccttct cgccctctcc agccgtccgg	1800
25	ttgggcttgt cacggcaccg cctaccaaga cgggcggtta agacactagg ataggctcct	1860
	ctccaccgga aaaggcggga tttagatcac gtcccgcagg ccggcggaag tagctgatac	1920
	tctcattggt tgcaaaacct tgatctgtga aagcgggctt tttggaagat accggaagta	1980
	gagtcacgga gaggtaggat ccggaagtgg ggctgcctct ttaaataaca aaaatctgag	2040
	gttctgttct ttttatcttt ttgctttctt tttaaaaaag ttccctgcta cttacccta	2100
30	gaactccaca atgcgagaat cccctcaat ttgtgagctc ccgcgacttc ctcttggtgg	2160
	cttttgggga tgctagggtt ctcggcatta tccatcagggt gcgacctgtt caccctctt	2220
	tcagtttctc cgtttgcac tgagggattc ttgggaatgc gaagcacttt tgaaatgctc	2280
	tgtgttggtt gtgggattgg gaggacggtt gaatccagag ggtagtggtg agtaggctgt	2340
	ttgagcattt cccagcact ggctgtctt ttcaatcccc agatattggt aaactgtggg	2400
35	ttccaaccag gcatcgaggc tgaaacgtac taggcaattt gaggtcagga aagaactttc	2460
	tgtggttaacc aatgggaagg aactgccgtt tgcggactgc agcgattgat taggtacttt	2520

aaagagatca actggcaaga

2540

&lt;210&gt; 71

&lt;211&gt; 2610

5 &lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;400&gt; 71

10	ctacaggctc gtgtcaccac actgggcaat acaaaaaata caaaaaaaaa attttgtatt	60
	ttttgtagag acgaggtctt gccatattgc ccaggctgga attcttacct ttgttactgt	120
	atttaacgta tctttttcct ccggccatct tcattggttt ctctctgatt tccacagttt	180
	gaatacactg catgtgtcag gcaggggctc atatttatca agttttgtgt gtgctctgag	240
	ctcaggtctt tcattatttt gggaaaatta ttgtaattt tctcttcaaa cattttttat	300
15	gatttgttct ttcttcttct tttgggagtc ctattacatg catatgatat catttgatat	360
	tttcccacag ttcttgatg ctttttttaa aaaaaaactt ttttcttct ttattttcca	420
	acgtgggtaa ttcctatttt tctcagctgt gttgatccta ctgctgcccc atcagaaaaa	480
	ttacctgtta tcagcgttct tcctttctta taatttgatg agtttcctcc tcatgcatat	540
	tgttcacctt tcgtacaaga gacctccaca tattaatcac agttaattta aatttcacgc	600
20	ctgtttcaat ttctcgatca cctctgagtc tagtcctggt aattgcttag tgttattttt	660
	tgtttttgaa acaggggtctt gctctgttgc ccaggctgga gtgcagcggc gcgatctcag	720
	gctgttcctt gagttcacac catccccctc aaccagcaga ttgcaaagtg tccgagtcgg	780
	gccgtgcagg agtctttgtg ggggtttcat ggactccgaa ttctcatttc tgctccatcc	840
	ccatctcatg aatccaaggc cccactctgt gcctcggtc ttogtttgtg gtgctgaacg	900
25	tcactctacgt catctacgcc atctacgtaa tcaacacaat aaagacgcct gccgggaacg	960
	cggcccttcg gctgaatccc ttcgggtggt ccaaggccac tgccagagga tgcggacggg	1020
	tctccagggc ctctacttac ccaggacttt gaggcacatt agcttcgcct aggcactcgc	1080
	ttttacgaat tcttatgttt ggttttgttt tgagacagag tctcgctctg ccgccaggc	1140
	tggttaaaag ataggtctct agccgggtgc ggtggctcac gcctgtaatc ccagcacttt	1200
30	gggaggccga ggcgggcgga tcacctgagg tccggagtgc gagactagcc tgggccaaca	1260
	tggcgaaacg ctgtctctac taaaaataac aaaaatcatc caggcgtggt ggcgcgcacc	1320
	tgcaatccca gctactcggg aggctgaggc aggagaatca cctgaaccca ggaggcagac	1380
	gttgacgtga gccgagatcg cgccactgca ctccagcctg ggcgacagag ggagactccg	1440
	tctcaaaaaa aggaaaaaaa aaaaaagaa aagaaacaaa agtgatgggg tctcgctctg	1500
35	ttgccagggc tagtctggaa ttcttgggct caagcgaccc tccagcctcg gcctccaaa	1560
	gcgctgggaa tacaggcgcg gctaccgcgc ggtctccggc tgccgaaaca ccgcctgcg	1620

	cgcggaaccgt tcggccgccg ggaggaacag cggctgcccg gagctcagag gcgcgcgcgg	1680
	ctttgcgctc cccgcggcgc tctgagcctg cctcggttg gttggccagg tggctctctc	1740
	aggaccaacc ccagtcattc ccggcaggaa ccacgcttga ggggcggcag tctgcccgcg	1800
	cgagacgccc ccgcggacta caccgcggcg gcaaagccaa acgcaaaaac tacctcaccg	1860
5	cgcgaggcg cctccccag gaccaacatg gccacgacgc aaggcctcga cctgaggggc	1920
	gtggcctggc cgcgcagc caacgggtgt gcgcgcctgg ccgcagccaa taggaaggca	1980
	gcgcgggctc gggcgaggg agccgcgcc ggggctgtag gcgccaaggc catgtccgac	2040
	tcgtgggtcc cgaactccgc ctcgggccag gaccagggg gccgcggag ggctggggc	2100
	gagctgctgg gtaggtggc gcgcaggcc gcgggagtgg gcggcgctcg gcccgggacg	2160
10	gtttcgccg ttccccgatc cttccccgcc agagcctccg ccggtcggat ccccgagcgc	2220
	cgccccggg gggctgtgcg ggggtggcgc ccggtgggg ccgcgcggt gcctcggacc	2280
	cggccctcc tcgcctggg cggacgcca ccagaccgc gcccgggg cgctccctc	2340
	tttccgaac gccgccccg ccggccgcc tgtcaggcg gcctggggtg cgggcctgg	2400
	ggctccctc agcgagagg ccgcccctcg ccagccgtcc ccgggctccc ctgcctcggg	2460
15	ccctcctgg ccgtcttccc cggcgccgc ggtggggccg tctccgttag tttcccgaga	2520
	cctgcgccct ggggaggagc cccggccct cttcgggagg gtgtcgtgg tgggtttctc	2580
	cgcgcgctcc acctgcgcgt cgggcccggg	2610
	<210> 72	
20	<211> 3076	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 72	
25		
	gctgggatta caggcataac atggccggc cctggccatg tttttaactg tgtttctcta	60
	atagctaata atgccagca tctttttatg tgtttcttag ccattagtag atcttttttg	120
	gtaaaatgtc tttttttttt tttttgtcc atcttaaaat tgtttttgt tttgttttga	180
	gacagggtct cactttgttg ccacgctgg agtgacgtg ctcaatcatg gctcactgca	240
30	gcttcgacat ccctgagctc aggtgatcct ccacctaag tttcccgagt agatgggact	300
	acagggtgtg gccacatgc ccagctaatt tttgtatttt tttgttagag gtggggtttt	360
	gctatgttgc ccaggcagg cttaacttc tagggctcaa atgatcctcc cacctcagcc	420
	tcccaaagtg ctgggataac aggcataaac caccacacc agctaagatt gtttttaaaa	480
	atctttttct tgagtttttg gagtttttat gtgttaggga taccagtccc ttatgaggta	540
35	tataattagc aagtagtttc tccactctg tgactgtgac ctttcttttt ttgaggcagg	600
	gtctcactct gttactcagg ctggagggca gtgggtgtgat catggctcac tgcaacctgg	660

	aactcctagg ctcaagggct cctccacct cagcctccca agtagctggg tctacaggtg	720
	tgttattgtg ccagggtaa tgttttaa tttttgtaga gataatgtct ctacaaaaga	780
	caccatcttt gttgcctagg ctggctctga actcctggct tcaggaatc ctccagcctc	840
	agcctcccaa agtgctggga ttacagcatg agccacatcc agcctatgat ttttcttctt	900
5	ttcttttctt ttcttttttt ttttttttga gatggagtct cgctgttgcg caggctggag	960
	tgcagtgggg cgatctcggc tctactgcagg ctctggcccg cggggttcac gcctttctcc	1020
	tgcctcagcc tcccgagtag ctgggactac aggcgcccgc cacatcgccc ggctaatttt	1080
	ttgtattttt agtagagacg gggtttcacc gtgttagcca tgatggtctc gatctcctga	1140
	cctcgtgac cgcccgctc ggtctcccaa agtgctggga tcgcaggcgt gagccacggc	1200
10	gcccggcccc agcgtatgac ttcttaata tgtctttgta gtacaagagt ttttaatttt	1260
	aataaagtta actttttttt aaattgtaca agcttttagt gctgtgtcta acaacttgtt	1320
	gccaaaccca aggtcataaa gctgttctct tacgttttct tttttttttt tttttgagac	1380
	ggagtctcac tctgtcacc aggctggagt gcaatggcac gatgtcggct cactgcaacc	1440
	tccgccacc gggttcaagc gattcttccg cctcagcctc cgggtagct gggattacag	1500
15	gcgacagaca ccacgcctg ctaatttttg tatttttgta gagaaggttt caccatgtta	1560
	gttaggtctg ttacgtttt ctttttagaag ttttatattt ttggtcttta tatttagttt	1620
	gtgatccatt gattgattt tatgtacgta tgtatggtcg cgttcttttc tttcctgtct	1680
	tttttttttt tttttttttg catatggata ttcaattctc ctagctccat ttaatttgaa	1740
	atgattgggc aggtactttt gagcagtga agtacagagc ggcactgcca gcagactaca	1800
20	cgcggtagaa agccgacctt ggtgagcgtg ttggtgctcg acagtgagca gagaaaggat	1860
	ggacgattac ggagcgccct cgtctccagt taccgcttcc tggaaacacc atccgccggg	1920
	gcggagctgt tccgccccgg tgcggtacta cgactccag catgcacctc gcagtcggcc	1980
	ctcgggtgaa gcggaaccc aggaggacct gggggtgtgg cagcgaggaa gggccgagcc	2040
	acggactgtg gggccgaaac tcgtcccgcc ccacctttc tcgaggtgtt ggcctccgcg	2100
25	agagccgagc gggccgcacc gccggccgtg cgactcccc agtcagacac gaccccggt	2160
	tctagcccg ctaagcctgt ttggggttgc tgactcgttt cctccccgag tttcccgcg	2220
	gaactaactc ttcaagagga ccaaccgcag ccagagcctt cgcagacccg gccaaccaga	2280
	ggcgaggttg agagcccgcc gggcccggg gagagagcgt cccatctgtc ctggaaagcc	2340
	tggcggggtg gattgggacc ccgagagaag caggggagct cggcggggtg cagaagtgcc	2400
30	caggccctc cccgctgggg ttgggagctt gggcaggcca gcttcaccct tcctaagtcc	2460
	gcttctggtc tccgggcccc gcctcggcca ccatgtccc ccagaccacc tctgtgggt	2520
	ccagctgcct ggacctgtg agggaaaaga atgaccggct cgttcgacag gccaaggtaa	2580
	cacggttgc ggcacctcg gtttcagcc tcaagatccc tgaaagcggg tttgcagtgg	2640
	atttacccca acagatgggg agggactgag cttgacaaa gagccagaaa tgactggaga	2700
35	atgcatccct tgccactgct gcaaggggag aaaaaaggat tgatcctcag tgacaacccc	2760
	tccctcatgt ggcaggtggc tcagaactcc ggtctgactc tgaggcgaca gcagttggct	2820



	caggatgcac tggaagggct cagagggctc ctccatagtc tgcaaggtag gcgggtcctc	2880
	cccaggatgg tcagttcccc tcttccatag ccagagaaac atccgctcct gcgtttttgg	2940
	gatcgatata attactcggg gcagggagtc ctgtttaagg cacagaggag actggagtgg	3000
	aatcatcttt gtacaggcaa atccctctct tcottacaca ctcacagagt ggcatttgaa	3060
5	aaatggtttc caagat	3076
	<210> 73	
	<211> 2567	
	<212> DNA	
10	<213> Homo Sapiens	
	<400> 73	
	cacaccatct cttgctccgt gagtatcttt gtctctctag ctctcttct tctctcagta	60
15	catgtcccctc cttgactccc gcctctctgc aagggtgatt tggtgcctc agttggcctc	120
	tccccctctg catctctggg tgggtgttc tctgccgtc tcccaccac acccaccctc	180
	ggtgctcccc tccccccag caggacagcg gctcaggttc acgcaccca cggcgggccc	240
	gctgggcgca cgcacgtcct tgcacacaag ccgcacgtag ctgtacttga gcacgtcgat	300
	gagcgtgtag agcgggggcg cactggccca gcggcagcgc gccagggtgca tggagctctt	360
20	gacgaagaag agcgcagcc gctgctggca ccacgcgtcg aagaagcggc tgaactcggc	420
	ccacgagaag aaggcccgct cccgcagctc ctgctctctc tgcccgcag ccgtgccggg	480
	tgggggctcc ggccgctcca tctgggggc ctgctggag gaggggagaa caggtggata	540
	tcagaccat tcccaccgg ggtatctcat ctactccatt cttggcctgc cccgtcgggt	600
	gctggtgcct ctatcgaggt gggtagcccg gggcggacg tgcctgtttt tctccaaata	660
25	tataaatatc aacctccatc ctatctttgg cctcctcca ccgccttatc cctggttcac	720
	ttggagcctg tcatcttgat tcctaattcc aactcgtctc ctccctccga gatgtgacct	780
	ttaggtacag ttggaatctc tctcccaaa atacgacct taagctcaga tgttccttaa	840
	ggacatctcc tcaaagtgt tctcaaattc cagctaaaac ctctcccct tccagctgtg	900
	tctctcacc aagagtaact tctaaactct gtattcatct ggaactctc cttccatgtg	960
30	ccaacagttg gctgtaacct ctccaagac gctccatctc cagatgtgct cccacatcca	1020
	ggccacggac ccctcaccg gtcacatgct tcatgcacct gtggctccgc actcccaga	1080
	tgtgcctctg gcgtgcagct gttgccctt ccccgatta tgaccctatg gctcgccaca	1140
	tgcagctgta gctggggctt ccctgagaca ctctcatctc cagatgtact cccacatgc	1200
	agttatccac gcttcgcta caggtgtgtg cccacttgt ggctagtctt cctcgaagt	1260
35	gtcaccagta ttcacctgtg gtccctcct cctcagatgc ggccccagt ccagctgtgg	1320
	gcccctctc ccagttacat ccaccatccc ccgcaatatg catcttcgtt ctagacatgg	1380

	ccccctgctcc tcggatgggc tccttcaccc cagatgctcc cccacgtcc agctgcgct	1440
	ctccccctga gcagcccat ccagccgct cccgacgtc ctactcccc cctccccgcc	1500
	cgctgcggca ccttcagcc cggccgtccc acctagctgt gcctctccc tccccagat	1560
	gtgcaccctt cccgccctc ccactcacc taccgcccc ggaggggct ccacctcca	1620
5	caatgccccg cggccaggcc tggccggcc cttgctccg ggatgccccg cgggtctcc	1680
	cgcctctctt cccgccgtgc ctgcggggg cgcttcacc gattcctcct ctttcctgc	1740
	cagtactcc tcagaccctc agccacacc gctcatccag ggcgaggaa agcggggca	1800
	ttttccagt gtgctctgc ggagggctg cccacttca ccccttttc cgcctctc	1860
	ccattcgga gactacgact ccagtgctc tcgcgcgac ggcggggtg cggacggtg	1920
10	ccaggtccc cccctaggct ctgccccgcc cccgccgca gacgtctgc cgcgaatgc	1980
	gtggcgcaa cttgggactg cagaggcgc cctggcgat ctgagtgtg tgccgggca	2040
	gcggcgcg ggaaccaacg aaggcaagt gggccgtcc caagcagat ggaggcggag	2100
	ggcgcggggt gcgcgaatg cttggggcct atgcttcgcc atgtcgggt gtctgcagag	2160
	gagtggcggt ggggacgtg aggtgccga gacgcggtg gagacggaag agcggggct	2220
15	gcgggccc gccagagtga gagagggtc tcccagagg aggggggcca ggtagagggt	2280
	agacgagaga cagagacagt tggacagtc ctctgagaag aggccttgag gtgcgagtc	2340
	acctggaagg gggagaggcc aaatggaact gaggggcggg gcggggggg ggaactgt	2400
	gtggcgggg ccagctgga atcggaagg ccccgaggg ggcggggcta tctggaggg	2460
	ggaggggctg aaggagcta agggcgggg ccggggaaaa gattgcgtgt gggcggggc	2520
20	acctggaagg gggagggtgc aagggtggg ctggctggga accggaa	2567
	<210> 74	
	<211> 2278	
	<212> DNA	
25	<213> Homo Sapiens	
	<400> 74	
	tcacagaagt caaagctcag gaaaagcccc tcgagggtt ttgtgcggca gaggtgggt	60
30	gtggggtggg attgtgcctg ccacagtga ggggccctgc agaccagat aaacctcaa	120
	gtggccagaa gcgggggatg gctctgctg gtgctgggg tgccatggg cgtgggagcc	180
	agcagtgtgc ccagctccct cagggccgt cccctaggcc cttccgtcca ctgggccaag	240
	caccgtccct gccctccct aggggcatg atctgactg agaggttgtg agagcttaca	300
	ggcgtgggc cgtcggggag gcctcagaag cgtaggacg ctgcgactg ccgggccgtg	360
35	ttcagccctg gtctggcctc ggcctctaga ggaggctgcc tgcgctccag caggcccaac	420
	ccagaacgtg ggcgagctcc cttcagcatc cctgggcgga aagagggatg ggggctctgc	480

	tgcagaggca gaatccgcgc cgtccctcc ttccttccc cgaccagcct gtgacaaccc	540
	cggccagggg cgggggcctc cgcacaagcc tggcgccac ttcttgata aggactcccc	600
	ggcccactcc ggaccagggc tggggcgcc tcccaggcgc tcaactccgt ggacccccac	660
	cggaaaacac gtctgcggcc cgtccctcc cccaaagcac gaccactccg cccgggcccc	720
5	tcgaggatcc actcaggttc acgacgggcc cgtcctctcg gtggtctgac caccggctgg	780
	tggagtgggc tctggggccg ccaggcgacc agggcgagg cgggggcgga cagctcattg	840
	ggaggggcgc cggggcacag tgcggggctc gcccacccc caggtgcccc ttccccgctc	900
	tcgctcgca ggcaccgat cggggccggg aatcggtccg gacctggcgg tggcgctgg	960
	gaagaggatc cacctccacg tggcccgccc cggccgggg gcgcagccag ttcccggcgc	1020
10	tcaactgccc cttctctccg gcttcctcc cttctgcgc aggcgcgct ccgccccggt	1080
	cctaggggtg cttccgtggt cggcggtgc tgggctccgc gccggggtcc gaggccacg	1140
	aagccccggc ccgagccgcc ggatgcccgc gcgcagcggg gcccagggtga gcgcgcgct	1200
	cggccgcccc gcggaacaga cgcgccacc cccaggcgca gcagcgagcg cggccgagg	1260
	agcgggagtg ccggggacgg gcgtagcgcc caccgcccc agggttcggg gcagagccag	1320
15	agcataggcc aagggccaaag ctcgggccga gacagtggt gcgcagcccc gggggctgaa	1380
	cccacggcgc gctggcagcg cgggcccagc tgcggagacg gtcacgtcag cgtccgttcc	1440
	aggccgactg gcagtctccg ttctacatta acgtcagcac tcccgttaaa aataatgat	1500
	ctctcccatg ccaggaggac ttagtgctg ctaagacca gccctccggg tgctgccagg	1560
	ccggcgctca cccgccacct tcattctccc ttctccttg cccaggaca gccaggatg	1620
20	tgtggttagg ttccccctac ccatggggag gccagagggt ggaggctggc ggctgctcg	1680
	gtctcagcag accctcctag tccctcagga gacctgcct ttgccccact tgctcgttat	1740
	ccagcctggg ccatgaagca gaggacagtt agggacctg agcacgcggt ggtcaccccg	1800
	gtgctcacc ctcctgtgt gtccgacctt ggccctgcta agatcctgtg ttttgaattc	1860
	tggcaagggt tggatgaaag ggcagggtc cagaaaccag ctcagacgtt tgcttgggac	1920
25	ctgcatgatg agtgggaatc ggagggcacc agccctgctg tcccaggctc agggcccat	1980
	ctgctcccca ggtcatgcag cctgggcccc catgcccgtc agctcgaca tatgtggggc	2040
	agagcagcca ccctgcccc agcagcagcc gtccatgctc agacgtgatc atttctgag	2100
	gcctcgagtg tgtcagggtg tttgtgcctc ataacaacc acaggatggt caccgccgct	2160
	ttgcagatga agaaaccaa gcagtggtc agatccagtc cttgcacttc ctgagcctga	2220
30	ccttaccaca cagctgtctc ctattcggat gcttatttat ttttttccc attacagt	2278

&lt;210&gt; 75

&lt;211&gt; 2401

&lt;212&gt; DNA

35 &lt;213&gt; Homo Sapiens

&lt;400&gt; 75

	tcattgcctgt aatcctaaca ctttgggaag ccaaggtggg aggactgctt gaggccagga	60
	gttcaatact agcctgggca acacagcaag atctcatctc taccaagaaa aacaaaggat	120
5	agaggagtca actgaaaaag atcccagtga ctaaagctcg aacaatttta gcaataaaat	180
	aaatacgcac gatataaata catggctgaa taaataaact ggggagaata gaaaaatc	240
	ctgtgcagaa gaattccaag taacttatat agatatttta cctttacctt caaggaagta	300
	gaacataact tttcattcct tcccaggatg ggctaggcat gatgacttcc ttccaaagag	360
	tacagaacgg aaacagggca gggggattaa cagtggagaa acctgaccaa cgctactgca	420
10	gctagggtgat caaggccaaa acatcgacag tgataaagca tgctgagagc acctttgatt	480
	tgatgtagtg aaaatcgtgc ttacctctg taatcttctt gccaaaaacc cataatccca	540
	gccccaatca tgagagaaac attaggcaaa tatcaattga gaaatattct acaaaatacc	600
	tgactgggtac tctgaaaac tgtcaaggct accaaaaaca ataaaagctc aagaaactgt	660
	cacagccag aggaacctaa gatgtgacta ctaaatggca ttagtagccc taaatgggat	720
15	cctggaacac aaaaagagta tcaggtaaaa actaagagaa tcagaataaa gaaaggactt	780
	ttgttaataa tagtgtatca atattggttc atcaattttg acaagtgtac cataactaata	840
	atgcaagggtg ttaataagaa acattcagca tgagattttt aggaattttc tatattatct	900
	tcacaatttc ctgttaattc aaatctctcc taatgacaag tttattttaa aagtaaaaca	960
	aaacttgaag gagggaggaa acaagaaggg aggaacatt ggagacagaa ccagcttggc	1020
20	aagttgacag ataaggtctg agaagtaggc aggggaaaga tcattcattt caggcaatat	1080
	ttttccattt tacctgtata agaaccatat gagccctatt tttctttctt tctttttct	1140
	ttctttcttt tctttttttt tttttttgt agagatgaag atttcactat gttgaacagg	1200
	ctggtctcaa actcctggcc tcaagcaatc ctcccacctc agcctccca agcatgagcc	1260
	accatggtgg gcctgtatga aggaactttt taaaaaatgc tacaagccgg gtgcagtggc	1320
25	tcattacctg taatcccagc attctgggag gccaaagtaa gaggatcact tgggcccaga	1380
	agttcaagac catcctgaac aacatagcaa gaccctgttc tctgcttaaa aaaaacaaaa	1440
	acaagctggg cgtggtggat cacgcctgta atcccagcac tttgggaggc tgaggtgggc	1500
	agatcatgag gtcaggagt cagagaccaga ctgaccaaca tgggtgaaacc ccattctctac	1560
	taaaaataca aaaattagct gggcacggtg gtgtgcgcct gtgatcccag ctactcagga	1620
30	ggctgaggca ggagaatcgc ttgaaccgg gagacggagg ttgcagtgag ctgagaaagc	1680
	agtgagctga gatagacca ctgtgctcta gcctgggaga cggagtgaga ctctgtttca	1740
	aaaaaatcag cctgcccagt cagagcgcct cagcgcggtg ctcgggacat cccgccctgc	1800
	ggccagcccc cgcgtgacgt caccgcattc cggctccgct cctcccgcg cggcgccgc	1860
	accgcagtga cagccagccg ggcccgggtgc cggagaggaa gtgcggtccg cgccaagccc	1920
35	gtccccgcg acgccggctc cccgcggctc ggggtgacag gtgcggtccg ccggacgcag	1980
	cgcggggag gcgcgggag agccgagcgc agcggaggct ccggcgagg cgcggggaaa	2040

	atggctgatg acttttgctt cttctcgtcg tcggagagcg gtgccccgga ggcggcggag	2100
	gaggaccccg cgcccgctt cctggcccag caggagagcg agattgcagg catagagaac	2160
	gacgagggct tcggggcacc tgccggcagc catgcggccc ccgcgcagcc gggccccacg	2220
	agtgggggtg agtcagcgcg gggcctggag aggggctcag ggcgcgcacc cgggggaccc	2280
5	cggccggggc ccaggggcac agggaagaga gcctgtctta ggccaccggg ggcaggagct	2340
	gggagacgtg gggaagaatc ttcttgaga tctccatgta ggacttccga gctggggatg	2400
	a	2401
	<210> 76	
10	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 76	
15	ccagcctggg ccgcagagt agaccctgtc tcaaaaaaag aacctactag tctacatacc	60
	acacttcttc atccccatct gagactatat atattttttc taacatgagg caatgccaaa	120
	aagaggggct ggtgagtga agtaagaaca gaaagacatg gaggcaagtc ttatagaata	180
	atagccaaca cttaaactta cacttaacag cgtgataggt attgttcaa acacattaaa	240
20	ttcattttaat ggtccttaca tgtctatgta ttggtgatt attatcctta ttattcacat	300
	tgctgagtgt attattctgt tctcatgatg ctgatagaga catacccag actggataac	360
	ttattaaaaa aaaaaaggtt taatggactc acagttccac gtggatggg agtcctcaca	420
	atcatggtag aaagcaaaa acacgtctta catggcagca gggaagagag agaaatgaga	480
	accaaacaaa aggggtttcc ccttataaaa ccatcagctc tcatgcgact tattcactac	540
25	catgagaaca gtatggggga aaccaccccc atgattcaat gatctaccag gtgcctccca	600
	caacctgtgg gaattatggg agctacaatt ccagatgaga tttgggtggg gacacagcca	660
	aaccacatca ctgaggaaac tgagttatag ggagattagt aacgccaac acagctggtg	720
	ggtggtggag ccaggcagtc tgactctagg gtctggactc tgaactgcat catgctgcca	780
	agaagttcct cattttttcc tctctctaag ttcccttat tcccctacag tcattccttc	840
30	aacagcattt ccttcacat cttttctact tctactatat aattaatttt ttcttcttg	900
	tcccaaattc caacgtgcaa atgcagcctt atatacccta attcatcttt accttagac	960
	tttcttccaa tgtttctact tcattccatt ttaaatttat ccatgagatg cctatttaca	1020
	agctgtaacc atcatgaagt gaatgaagaa taatacctac tactgtacaa tagaattcca	1080
	agagtataaa taggagttat ggctttctga cttgaaacta aatacttgat acttgatttt	1140
35	gctgtctgag atcaatctga aaagtaataa taactactaa catttggtga gcatcaattg	1200
	tgggccaagt gtcatttcaa tcaactctgta catattaact catttcatcc tacaacaacc	1260

	cggtaggca agttctgtta ttctgtttta cagttgagga aacagaggca tagagagctt	1320
	aagtagtttg cccagtagat agccagaaga ggagccagga tgggtctcgg gcagtttaac	1380
	agcacagctg aagtcttaac cactatgcc aacagctttt ggtcctacac atcccatggg	1440
	aagaggaaaa taaaaaggta tctatgtgta taccttttta tttctgatat aagaagcaga	1500
5	attcctttca catgacctat gtctatttaa tacgtcattt tgaaacttac caataaaatt	1560
	tcccaagcgc cagaaaactg ttagtggtt tttccatttc tctctatttt tttttgtgct	1620
	actaatattg cttctttccc tcagaaggct gccggaatag taaacattca ctgacatgtc	1680
	ataattactg gaaaatgggc actggaaaat cacattgtaa ttaattcaaa gcatgttttc	1740
	caaatgtact actttaaatt ggagcttata tcataatcca aggaaacctt tgtgtgtgta	1800
10	ctgttccac attgctcagc ctgggatatc caggagtaat tcaccttgcg cctgcctcca	1860
	gaccatcttc catggaaggg ggtgacctt tgacctcttg caaccactat ttctaagctg	1920
	ccaacattac tcttgcat tcaacattct aacttcatgg gaagggctgt ggtgagtttc	1980
	tggaatgtga ataggaagtt gtttttctaa acagcctgac actgagggga ggcagtgaga	2040
	ctgtaagcag tctgggttgg gcagaaggca gaaaccagc agagtcacag aggagatggt	2100
15	gagtttattt ttttctgcat gggaagtgtt tgaagtgagt tggagtggta tggagtaaag	2160
	tcaggcaggt aaaggttcag aaagtgagga acagcgatag ccatggagtt ttatgttgaa	2220
	ttgcctatta gattttgtga gtacttttaa acttgctgtc cactttgacc ctccaacac	2280
	ccttgtgagt tgaggttgc atttctattt taaaaataaa gccatcgtgg ttacagagg	2340
	ctgtgtttta tctaagcttc actgttaggc tacatgatgt tgggatctgg ggcctgtcct	2400
20	ctggctcgc agctgctgtt cctcctacta gaatttatag gggctctctg agaatagatc	2460
	atggtaaacc tgtcacccca tttccaaga ctgtacttct c	2501
	<210> 77	
	<211> 2501	
25	<212> DNA	
	<213> Homo Sapiens	
	<400> 77	
30	cctgggtcct ctcttcagc tcccaaaatg tactctattt ttatctgttt cacgaacgct	60
	ggtccagata gtcttccatc cccactgac tgtagaagt gactctcagc ttttgtccat	120
	ctcgaagttt ctgtgctcag tgtgcctctc agactaaagg ctctcttttg gaagccccga	180
	ctctcgcttc tcaggacaga gatccagggg ttgggggagg aaaaggttga ccagaagcca	240
	tagcggagca gggagagaga gtgtgaaaga cagaccgcg gccaggctcc cagttctcca	300
35	gctcgtagag ggccaagtg gccgtataa tctgaaagag cagatatcgt aatcccatag	360
	tacttctat tggctgcagg acacagttct gtcctgacac tgaaatttgg gtgtgtcagg	420

	gttctgggaa ttcacaacgc tcacaacttg tgaagcagct gtgggggtggg ggatggggag	480
	ggtttcagca gaggaagtga ggtcagtaaa taattgatgc ctgtctgagc ttttagccat	540
	tatctcccc agcctctatt cctgtcaaaa ggtggggcgg ggcaggagga ggggtccctg	600
	gctcatcttg tagaatcccc atattagagt aagacacctt agaggtctac tcctgcttct	660
5	aataccccag tctttccaag tgtctctgag gccaccccct cccagcctt ttcatttatt	720
	catttaatta acgaacgcct tcattgaggg cctcctctga gtcaggctca gccagccagc	780
	atctttgcta tgagctgaga taagcatcat ttccgtctat tctcacaacc accctatgag	840
	gctggcacgg ttactatgc ctatttagca gatgggggac tgaagcatgg agaggtgtca	900
	ctagcctacg gtaacacaac cagcctgcat tcctagtagg tagtttgact tcagagtctc	960
10	tgtggataac caggaggcta ggactaagac cagagtcctg cagggtactta gatgggttga	1020
	gcaaagcagg gcagtgaggt cagtgtctcc agcctgtgca ggagcatcag gaagagtctg	1080
	tgtccccctc ccctgccggg atgaagccat tetgcttccc tccccagctg ccttgtgtca	1140
	gcagagttcc agggaggctc cattccccac ctctatctaa agctccattt gctgggggtg	1200
	gggccctgcc tggaagggga aggtccaagg ctgtctccag cgtgtccctc catcctgact	1260
15	gtccctggcg gggcgggggg gtctttgtca cccagctgca caacggccag gaagggctca	1320
	aaccatctc agggctaacc caaggcgc ctctgggcct gtataccct gtgtgagtg	1380
	cggatcggga gaggtgctg aagacaggag gggacaaatg ggggacgaag gggcccagg	1440
	gaggggactg aaggatttg gccaaagtcg gagtcccga gggcgagtc aaaacgcac	1500
	tggattttgc tagcccaaaa ctctgccctc attgctgcaa gcctcctaga ccgaggacct	1560
20	ccgggctgag ggtggggtaa ggataggtag tgtccctccc cgtcccaccc ccgctgtcc	1620
	cttctctggg gggcccttcc cggcgccccg attccaggcg gccctccgc tgctgccagc	1680
	cgatccccct ctacccccac ccactactcc ggccgccaga cgttgccctac agtctcggt	1740
	ctgtctccca cggctgtggg tccggacccc acgggacccc tatgggaccc ccacaggacc	1800
	cccacggcct gagtccaagg cccgccccct cggggaggcg gatgtgggag gcccgccccg	1860
25	ggtgcgggcc agcgaccccg gagctgcggg cggctgggag gggaggccgc cctgaggggc	1920
	tgggagcggc gcgggggtgg gtcccggtcc tgcagccca gcgagggcg agcggcggcc	1980
	agtgcgag ctgggcaata aggaaacggt ttattaggag ggagtgggtg agctgggcca	2040
	ggcaggaaga cgctggaata agaaacattt ttgtccagc ccccatccca gtcccgggag	2100
	gctgcgcgc cagctgcgcc gagcgagccc ctcccgggt ccagcccggt ccggggccgc	2160
30	gcccggaccc cagcccgccg tccagcgtg gcggtgcaac tgcggccgc cgggtggagg	2220
	gaggtggccc cggtcgcgc aaggctagcg ccccgccacc cgcagagcg gccagaggt	2280
	gagtcagagt ccgcggacgg gaccgggtgg cgggcggcct gacccccgt tcagtgggcc	2340
	cttccttcgg gcggaccca gagtcaccgc agagtggctg cgggaggctc agtcccagct	2400
	cattagaaag gcaagctgct cctgggtgac cagcacagc tccatgacc ctacctgaga	2460
35	cttgaggggg aatggacgag actggactgg aaatcagaaa c	2501

&lt;210&gt; 78

&lt;211&gt; 2501

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

5

&lt;400&gt; 78

tggtcaat tttgtat ttt tagtagagac ggggtttctc catgttgagg ctagtctcga 60  
actctgacc tcaggtgac tgccgcctc agcctcccaa agtgctggga ttacaggcgt 120  
10 gagccaccac gcctggccgc taactacatg tgttctatga ggtgaggtcc ttccagacc 180  
ctggaatcag gggttgcaat taggggtccaa ataatgaggt tggactacag ataaccatc 240  
tcctttctta cctttgacta gatccaagga ctaaactcca agaaccgag catctgtccc 300  
caaaactgaa aggattggac tagtcacccc ttgtttccct acagccacat cccaggcacc 360  
tggcccttgc tttgtccaga aattcagcta taactccaca catctgatgg ccctttctgg 420  
15 caagcaggca ttccatcag gaccctcagc tgccagacac atttactgga ggtcacttat 480  
taaacctggg ctcaatttcc acacaggag gctactgaag catcacactg ggtctccag 540  
ccctttctca tagaggaaa atctctctgt cctgcagggt tggcagtcag cgccaagtaa 600  
agggaattta gctcttggcc caagatccct gcccaggaaa ggtacttgcg cctgctggaa 660  
actttgggct gaagtatact cctttccaaa aactcaggtc tgatatttac acaaagtctg 720  
20 aaattaatgc agagaaaact tccaagtgtc tggactggag cagaaggctg agaacaggaa 780  
ggggctggtc cctggtacta gttttggtt tttggtggtt ttttttttct ttgttttttc 840  
tcacagaaca gggcaaagct gagtgccct ggatgagtga agcaggagga ttaatcatgc 900  
ccagtgcctc tccactttaa actggttttc ctgggaattt gcaattgaga gtggggaggg 960  
gtaagaatcg tgggaaaagg ctgatgggtg tcagccaaat tcatccttca cgtgccacc 1020  
25 cttctacagg cacatgcttt ggggccatcc acggctgcag ccaccccatc cttaggaagc 1080  
accactggcc ttcctttccg gtacctggac tcagcatcac tcccagcctc ttggagatgc 1140  
agccttcatt cagcacacag ctacagctctg agttctgttt ttgtccctag atgtctctgy 1200  
ggtcacctac tactccctgc ttggtggccc aggccatcc ttctccactc ttgcacctct 1260  
tttagcagaa aaggagtgag aatggatatt tccatgggccc gtgtgtgcac tcccggctac 1320  
30 ccctgacagc tctactcaga gctaccctcc ctctggggc ttcttatgtg ttctaaggct 1380  
gaggcaggaa gactgtgaga tcaggtgaca ctcaacagtt atgatcggtc ttaagattaa 1440  
cagtcctggc cgggcgaggt ggctcacgcc tgtaatccca acactttggg aggccgaggc 1500  
aggcagacca cgagatcagg agatcaagac catcctggct aacacagtga aacccgtct 1560  
ctactaaaaa tacaaaaaat tagccaggcg tgggtggcggg cacctgtagt cccagctact 1620  
35 caggaggctg aggcaggaga atggcgtgaa cccaggaggc ggagcttgca gtaagccaag 1680  
attgcgccac tgcactcccg ggtgacagag cgagactccg tctcaaaaaa aaaaacaaca 1740



	acaacaacaa aaagattaac actccttcta cttccaaacc taatacaaag ggacattgcc	1800
	tagtgattaa gagaattcat tcattcaaca aatacttggt gagcacctac tatgtgccaa	1860
	gcactgttct aggcaccgga aatacagcag tgagaaaaac caaaaaaact ccctgccctc	1920
	atggggtgta tattcaagta gctgaaacag acagtgaaca aacaaaaaag gacaataatt	1980
5	tcaaataata atgatgctat cggccagggtg tgggtggctca tgcctataat ccagcattt	2040
	tgggaagcca agtcaagcgg attacctgag gtcaggagt caagaacagc ctggccagca	2100
	tggtgaaacc ccatctctac taaaaatata aaaattagcc agacatggtg gcacacacct	2160
	gtaatcccag ctacttgga ggctgacgca ggagaattgc ttgagcccgg gaggtggagg	2220
	ttgcagttag ccaagatctg acaggccttc agcaccactg cactctagac tggctgacag	2280
10	agcgagactc tgtcaaaaa aaaaaagcta taaatagact ttaacagggt aacatgatag	2340
	ggagggaggg ataggggagc aggggtggtca aggaaggagc atttaaacag gctagaatga	2400
	caatggccag cgaggaaaag atccagaagt gtgtgctgga agaagaaaga gcaagcacia	2460
	aacccttagg acaaaatcag ctctgtgtgt caaggcacag c	2501
15	<210> 79	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
20	<400> 79	
	tgtttctgac ccctggctgc agcctaattg gccgactgct ggacagcggc cctgagtcct	60
	gtttgaattg gtgtgcccc gacatcctct gacctcagct aatgatectg cctgccgagg	120
	gcagacaggt ctctgcaacc ctatgggtgg taggggtggt gatgagagga gaggtagtct	180
25	cacttgacac gattttggtg tatggttctg tcttttgac tctttcaaca gaggtctgtc	240
	cagtcctctc tgcaagtgtg gggagggggg ggtgcaggac tatgaggtaa ctgtgagaag	300
	aggggctcca gcagaaccag ggtccaatgg ccttgaagag atggctgggg acagctggac	360
	tcattacgtc tactcctaaa tggaggaaac gaccctcag ctacacagca cctgagccag	420
	aatgtcacca tgggtctgct ccacaggatg acagctacct ggtttgtgag ggcccctatt	480
30	ctaggagacg ctacttcatt ctgccctccc agagcagcaa gcaacaacc tatgccagga	540
	ggccaattgg caggtcaagt gccagctcca atcgattgat agtagctgcc tggctctgaa	600
	aggcagctgg gatcgattca ccatgctgcc agcacacaga tggaccagc ggtggtccca	660
	gcagtgagtt cttgccttgg gccatttcat tttctttgtc ctggccaagg aatgattgga	720
	tgaacacact ggactcccaa tatgggtgga taagacaaga gtgtctggtc acaccctcc	780
35	accactcata agcatggttg tgggcagttt ggttccccag gcggccttgg agaattgaat	840
	gagccgagga actggtcatc tccaggtgca tccagggcag gaaaggatga cagcatgcgt	900

gagccagggt cactggctaa gaagtcattt caggacctcc ccctagaaaa gccactggg 960  
cagcatccct gctgggtccc ccctacacca caagggtacg cagagctggc ggagggtcat 1020  
gggtccactc atgtcagggt ctcttaattt ggcaaggaaa tgtaacctac gtgaattctca 1080  
acaggcagtg aagcaccgtt tcttcctgac tccaggtagg gtgaagaaaa tgggacagta 1140  
5 gtacgggggtg cgggcataaa cgcacaactc tgcctcccca gacgcagagc tgtgggggtg 1200  
tgagaatgcc aggaggaggt aagaaagggc ggcccatgg ggggcctgca ggggtgggaca 1260  
agcccaagag gtctctacat ccaggcctgg tgggggaggt gagcccctgg tttaccgagg 1320  
gggtcccttc ctgccctcgg aaatactgca gctcctacct ccatcgtctc cccgctgcgg 1380  
ggaccagggt gcgtgaggat gagagagccc ccaggcccca gggtcagacg actgtgttca 1440  
10 agcaagttag aacctctctg aggtgtttt ccaactgtaa aatggggata gcagcagaac 1500  
tctctctcgc ggcttgcgtg aagaatacaa ttcgatgtcg acaggaggga gcggcgcgca 1560  
gcgcgcagcg agtagcaggc gctgaagaag gatacctgtg aactgggagt ggtggcgag 1620  
gctacgcggc cagagtccgg ggaagggggc ccggctctgc cagtccctgc tcggggctgg 1680  
atggtcgggg gatgttctcg taagtcgggt gggaggaggc ggtcccgct accctgccac 1740  
15 cgccgccgca gaggttcggg cagggtcggg gccgcggccc ctccgcgagg gggccggtca 1800  
tccgcgggga ctgacatccc ggaggcccaa tggcaagcgg tcatctccgc gcacccgcc 1860  
aatcggcgcc ggttgccgtg ccgcgcggg tctctcgacc aatgggaaaa tttgtgtca 1920  
gatggggcgg ggcggagatt cgcgtcggcg gcccggtccg ctttgcgac gggccgctg 1980  
agggcgggag ggctggcccg ggttctcggg ttgcgcgtg ggctggagg gagggggcg 2040  
20 ccccgccacc ggtccgagtt gcggccgctg ggactgcgac ccgcgcggcg ccgcaccgcg 2100  
ccgcgccctg ggaacgccgc tcccgcgcg ccaacggacc cggggaagcc cttctgggt 2160  
ccgaggccgc gctcgggggc cggccacgct gcgtccagg taagcctgag ccagtggcg 2220  
gggtgtggga cccggggctg gggcctcggg tcggagccgg gactgggggc ggggctgcag 2280  
atatgggacg cattccgggc agcgggtccg acagggtcct atccctggag tcgagatccg 2340  
25 ggcgagggtc tgggcccggc gtcggagcca atctccgcc caccgcgtc ttgtccgcgc 2400  
gctctgcggc gtccgagacc ccgggccggc gggggcggt ctctttgtgc gtggccttg 2460  
ggccctaccc taccgctccg ggcgtcttgc actgagcact c 2501

&lt;210&gt; 80

30 &lt;211&gt; 2501

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;400&gt; 80

35

acagatgacc gaggggtccc cagcccgga ggtggaatc cagcaggat ttccaaggcc 60

	tagtttgcag ggctccagga tcgttcctag atcctggtct tgcagccttg acaaggggaa	120
	ggagggaggc agcagaagga gggcagaaca atccatgccg ggctgtgatt tgccaagtga	180
	ccatctggga agaattggct ctcagaccag ggacaggag cagaggcaag cccgcatctg	240
	ccctggttgc agaaccggga ttcagactca gggccccgat ttctgcctgg atcgctccac	300
5	tgggcggagg agtgactgtg gacacatcca gggttctctc caagtcggct tcctcatctg	360
	ccaaatagag accgcagacc accagctccc aggcaggtgc tactcttccg gccctccca	420
	aggcaggagg gccaggcgta ctgcagacac aggtgtgctg ggggccagg tgggccagcc	480
	agcagcatcc tgcagggtaa tgggagcagg tgggcacccc gaggttgca gtaaacactg	540
	gctatctgcc ccaggctcc caggaggggt cttgggcctc acctctccg gccggaacag	600
10	gaaagcagct ccaggcagct gggtcacaa aaatctccgt tccctgaggt ctcagaggca	660
	gtggcccagg agcatctggt caccttcggg aaaaaccggc ttggcaaagg ctccccgag	720
	ggcacgcgtt tcccggacag tgaggcagga cctaaactct tccgttaaca ctacattttt	780
	cgcattttctg cagtgtttgc actctcaggc cccaccattt ccccgcatct cttagggaga	840
	agttctcgac gtcccacctc ccctggaagg gtgctgctcc cagagacctt caggccaatg	900
15	gccaatctc agtgccctca ggggagagg ggtgcagaa aaacagcctg ggtcacaaaa	960
	gaggtgcgag ggctgtgaga tcccggaggc accgacggga agcgagacgg agaacaggag	1020
	ggcaggacgg gctggagggt ggggatactg cagatggagg gagccacggg gggggagggc	1080
	gtggacctga ccgtcctggc acaaggcggg cgggtgcaga cctccaggcc ctccgggtta	1140
	aggtgccgcc cagagccctc aggcggggg cgcacggaaa ccacaggcag ggtgcgcgtg	1200
20	gagggacggg gaaagcgggg cgggttgggg aaggcgcccc gggaacctga acctcccacc	1260
	ccgctcaggt ctgcaccact ccttaagccc caccgcggc caggtaaggc gcagtcacc	1320
	cccattccca gtagattaac gcacaggtgg gggcgcgctc gggacatagc tgcgctaggg	1380
	gacagcgcg ccagcccagt cgcgggggag aggcagagg cggggcccag caggaaacca	1440
	gctttgttag cgatgctccc cgtgagccac gcgccacgcg tacgcgcttc ctcaatgggg	1500
25	ccgggcgttg agcgcgccc tgcgcgattg gccaaacggg tggccacga ttggtgaga	1560
	ccctggcccc cgcctcctcg gcccaggag ggtggggcgt ggggtgggc tgcgcggcgc	1620
	gtgctgcccc cggggatctt gcgcgcctcc cgaacagcgg tgttgctgcc agggccgcgc	1680
	cttccctccc acagcgcgcg ctgcgcgtgc gaaggtctgg cggctcttgg gactggcggg	1740
	gctgcgcgcg gggttagggt gggggtacgg gaaggctcaa cccaggacct gcgtaccttg	1800
30	ctttgggggc gactaagca cctgccggga gcagggggcg caccgggaac tcgcagattt	1860
	cgccagtttg gcgcactggg gatctgtgga ctgcgtccgg gggatgggct agggggacat	1920
	gcgcacgcct tgggccttac agaattgtgat cgcgcgaggg ggaggcgaa gcgtggcggg	1980
	agggcgagg gaaggaagga gggcgtgaga aaggcgacgg cggcgcgcg gaggaggggt	2040
	atctatacat ttaaaaacca gccgcctgc cgcgcctgc ggagacctgg gagagtccgg	2100
35	ccgcacgcgc gggacacgag cgtcccacgc tcctggcg gcacggcctg ccaccactag	2160
	gcctcctatc cccgggctcc agacgacctg ggacgcgtgc cctggggagt tgcctggcgg	2220

cgccgtgccca gaagccccct tggggcgcca cagttttccc cgtcgccctcc ggttcctctg 2280  
cctgcacctt cctgcggcgc gccgggacct ggagcgggcg ggtggatgca ggcgcgatgg 2340  
acggcggcac actgccagg tccgcgcccc ctgcgcccc cgtccctgtc ggctgcgctg 2400  
cccggcggag acccgcgctc ccggaactgt tgcgctgcag ccggcggcgg cgaccggcca 2460  
5 ccgcagagac cggaggcggc gcagcgccg tagcgcggcg c 2501

<210> 81

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 81

aatcctccaa attctaaaaa ca 22

<210> 82

20 <211> 20

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 82

aggaaaggga gtgagaaaat 20

30

<210> 83

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 83

5 ggataggagt tgggattaag at

22

<210> 84

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 84

aaatcttttt caacaccaa at

22

<210> 85

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 85

aaccctttct tcaaattaca aa

22

30

<210> 86

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 86

5      tgattggggtt ttagggaaat a

21

<210> 87

<211> 22

<212> DNA

10      <213> Artificial Sequence

<220>

<223> primer

15      <400> 87

ttgaaaataa gaaagggtga gg

22

<210> 88

20      <211> 19

<212> DNA

<213> Artificial Sequence

<220>

25      <223> primer

<400> 88

cttctacccc aaatcccta

19

30

<210> 89

<211> 18

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 89

5      tgtttgggat tgggtagg

18

<210> 90

<211> 23

<212> DNA

10      <213> Artificial Sequence

<220>

<223> primer

15      <400> 90

cataaccttt acctatctcc tca

23

<210> 91

20      <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25      <223> primer

<400> 91

tttttagattg aggttttagg gt

22

30

<210> 92

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 92

5 atccattcta cctccttttt ct

22

<210> 93

<211> 18

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 93

ggaggggaga gggttatg

18

<210> 94

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 94

tactatacac accccaaaac aa

22

30

<210> 95

<211> 19

<212> DNA

<213> Artificial Sequence

35

<220>



<223> primer

<400> 95

5 ttttgggaat gggttgtat

19

<210> 96

<211> 21

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 96

ctacccttaa cctccatcct a

21

<210> 97

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 97

ttgttgggag tttttaagtt tt

22

30

<210> 98

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 98

5      caaattctcc ttccaaataa at

22

<210> 99

<211> 22

<212> DNA

10     <213> Artificial Sequence

<220>

<223> primer

15     <400> 99

gtaatttgaa gaaagttgag gg

22

<210> 100

20     <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25     <223> primer

<400> 100

ccaacaacta aacaaaacct ct

22

30

<210> 101

<211> 20

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 101

5 ggagttgtat tgttgggaga

20

<210> 102

<211> 21

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 102

taaaacccca attttcacta a

21

<210> 103

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 103

tttgtattag gttggaagtg gt

22'

30

<210> 104

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 104

5      cccaaataaa tcaacaacaa ca

22

<210> 105

<211> 22

<212> DNA

10      <213> Artificial Sequence

<220>

<223> primer

15      <400> 105

gattttttgga gaggaagtta ag

22

<210> 106

20      <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25      <223> primer

<400> 106

aaaactaaaa accaaaccca ta

22

30

<210> 107

<211> 20

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 107

5 tggggtagt ttaggatagg 20

<210> 108

<211> 25

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 108

cttaaaaaca ctaaaacttc tcaaa 25

<210> 109

20 <211> 21

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 109

tttttgtatt ggggtaggtt t 21

30 <210> 110

<211> 24

<212> DNA

<213> Artificial Sequence

35 <220>

<223> primer

<400> 110

5      cccaactatc tctctcctct ataa      24

<210> 111

<211> 25

<212> DNA

10      <213> Artificial Sequence

<220>

<223> primer

15      <400> 111

attagaagtg aaagtaatgg aattt      25

<210> 112

20      <211> 19

<212> DNA

<213> Artificial Sequence

<220>

25      <223> primer

<400> 112

tcaatttcca aaaaccaac      19

30

<210> 113

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 113

5 gggatggggtt attagttgta aa 22

<210> 114

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 114

ccttcacaca aaactacaaa aa 22

<210> 115

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 115

taattgaagg ggttaatagt gg 22

30 <210> 116

<211> 22 ;

<212> DNA

<213> Artificial Sequence

35 <220>

<223> primer

<400> 116

5      aaaaccaaaa ccaaaactaa aa

22

<210> 117

<211> 22

<212> DNA

10      <213> Artificial Sequence

<220>

<223> primer

15      <400> 117

agtggtttg gagtttagat gt

22

<210> 118

20      <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25      <223> primer

<400> 118

aacaaaataa aaacttctcc ca

22

30

<210> 119

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>



<223> primer

<400> 119

5 taggggaaaa gttagagttg ag

22

<210> 120

<211> 18

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 120

cccattaacc cacaaaaa

18

<210> 121

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 121

at tttagttt gtgaaatggg at

22

30

<210> 122

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 122

5 tcttaaccaa taaccctca c

21

<210> 123

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 123

gtgggttttg ggtagttata ga

22

<210> 124

20 <211> 20

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 124

taacctcctc tccttaccaa

20

30

<210> 125

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 125

5 taggatgggg agagtaatgt tt

22

<210> 126

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 126

acaacttatc caacttccat tc

22

<210> 127

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 127

tcccacaaaa actaaacaat ta

22

30

<210> 128

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 128

5 aggtttttaga tgaaggggtt t

21

<210> 129

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 129

tttggagggt ttagtagaag tta

23

<210> 130

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 130

cccaataatc acaaaataaa ca

22

30

<210> 131

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 131

5      atacaacctc aaatcctatc ca

22

<210> 132

<211> 22

<212> DNA

10     <213> Artificial Sequence

<220>

<223> primer

15     <400> 132

agggagaagg aagttatttg tt

22

<210> 133

20     <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25     <223> primer

<400> 133

ggaagatgag gaagttgatt ag

22

30

<210> 134

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 134

5 cctacaaccc tatcctctaa aa

22

<210> 135

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 135

ttagtagggg tgtgagtgtt tt

22

<210> 136

20 <211> 23

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 136

caaacaaaac ttctatctca acc

23

30

<210> 137

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 137

5     ttataggggtt gagtttgga t

21

<210> 138

<211> 22

<212> DNA

10    <213> Artificial Sequence

<220>

<223> primer

15    <400> 138

taaacaaaca acaaattctt ca

22

<210> 139

20    <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25    <223> primer

<400> 139

tgaaaatgaa ggtatggagt tt

22

30

<210> 140

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 140

5      ttaaaacccat ataatccctc ca

22

<210> 141

<211> 22

<212> DNA

10      <213> Artificial Sequence

<220>

<223> primer

15      <400> 141

tatgttttggc tttgttttga ga

22

<210> 142

20      <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25      <223> primer

<400> 142

aaccccatca cttttatttc tt

22

30

<210> 143

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>



<223> primer

<400> 143

5 ggggtgtagaa gtgttttaggt tt

22

<210> 144

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 144

tttctcccct tacaacaata ac

22

<210> 145

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 145

tccccctcca actatatctc tc

22

30

<210> 146

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 146

5      tgagagtgtt ttagggaagt tt      22

<210> 147

<211> 22

<212> DNA

10      <213> Artificial Sequence

<220>

<223> primer

15      <400> 147

aaaaccaaaa cataaaccaa aa      22

<210> 148

20      <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25      <223> primer

<400> 148

gattaggagg gtttgttgag at      22

30      <210> 149

<211> 21

<212> DNA

<213> Artificial Sequence

35      <220>

<223> primer

<400> 149

5     aatggttgat gat ttttggtt t

21

<210> 150

<211> 22

<212> DNA

10    <213> Artificial Sequence

<220>

<223> primer

15    <400> 150

actctcttcc ctataccct aa

22

<210> 151

20    <211> 24

<212> DNA

<213> Artificial Sequence

<220>

25    <223> primer

<400> 151

tgtagtaga gtttagga gggt

24

30

<210> 152

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 152

5      acactaccta tccttaccac ac

22

<210> 153

<211> 22

<212> DNA

10      <213> Artificial Sequence

<220>

<223> primer

15      <400> 153

tttttgtttt tatggggtgt at

22

<210> 154

20      <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25      <223> primer

<400> 154

ttaaatatcc cttccttaac ca

22

30

<210> 155

<211> 23

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 155

5 agttagaaga ggagttagga tgg

23

<210> 156

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 156

taattttcca atacccattt tc

22

<210> 157

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 157

tgggtagtat tttgttggt tt

22

30

<210> 158

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 158

5 cctaaaaact ctctatcct ca

22

<210> 159

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 159

agtggtttag gattatttg tta

23

<210> 160

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 160

aactccctcc atctacaata tc

22

30

Figure 1




Figure 2






Figure 3




Figure 4

A			
	TP	FP	FN
11-a	9	8	0
11-b	9	7	0
12	7	9	0
13	7	6	1
14	9	11	1
15	7	5	1
21-a	8	4	2
21-b	8	4	0
22	8	9	2
23-a	7	5	0
23-b	7	10	1
24	10	17	0
25	8	0	0
31	9	3	0
32	4	7	4
33	6	9	2
34	8	3	0
35	7	4	2

	TP	FP	FN
Ø	7,67	6,72	0,89
STABW	1,37	3,86	1,13

C			
	TP	FP	FN
11-a	8	7	1
11-b	8	4	1
12	7	6	1
13	8	6	0
14	6	6	2
15	4	9	5
21-a	7	3	0
21-b	8	4	0
22	4	6	3
23-a	6	4	3
23-b	8	5	1
24	8	10	4
25	5	1	3
31	7	2	1
32	8	3	1
33	2	3	7
34	7	8	1
35	6	3	1

	TP	FP	FN
Ø	6,5	5	1,94
	1,76	2,45	1,89

# INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 03/08602

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12Q1/68

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, EMBASE, BIOSIS

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 01 62960 A (BERLIN KURT ;EPIGENOMICS AG (DE); OLEK ALEXANDER (DE)) 30 August 2001 (2001-08-30) page 10, line 9 - line 12; claims 1-26 page 13, line 10 - line 29	1-51
X	HERMAN J G ET AL: "METHYLATION-SPECIFIC PCR: A NOVEL PCR ASSAY FOR METHYLATION STATUS OF CPG ISLANDS" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, NATIONAL ACADEMY OF SCIENCE. WASHINGTON, US, vol. 93, 1 September 1996 (1996-09-01), pages 9821-9826, XP002910406 ISSN: 0027-8424 cited in the application page 9821 -page 9823	1-51

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*Z\* document member of the same patent family

Date of the actual completion of the international search

10 December 2003

Date of mailing of the international search report

02/01/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Favre, N

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/08602

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 786 146 A (HERMAN JAMES G ET AL) 28 July 1998 (1998-07-28) page 6, line 1 -page 7, line 6; claim 1 ---	1-51
X	WO 01 44504 A (FOX JAYNE CATHERINE ;HAQUE KEMAL (GB); LITTLE STEPHEN (GB); ASTRAZ) 21 June 2001 (2001-06-21) page 6, line 26 -page 8, line 7; figure 1 ---	1-51
X	WO 98 56952 A (UNIV SOUTHERN CALIFORNIA) 17 December 1998 (1998-12-17) page 9, line 20 -page 10, line 2; claims 9,10 ---	1-51
X	REIN ET AL: "Identifying 5-methylcytosine and related modifications in DNA genomes" NUCLEIC ACIDS RESEARCH, OXFORD UNIVERSITY PRESS, SURREY, GB, vol. 26, no. 10, 1998, pages 2255-2264, XP002143106 ISSN: 0305-1048 cited in the application abstract; figure 2 ---	1-51
X	WO 00 70090 A (UNIV SOUTHERN CALIFORNIA) 23 November 2000 (2000-11-23) page 13, line 29 -page 14, line 34; claim 1 ---	1-51
X	ZESCHNIGK M ET AL: "A SINGLE-TUBE PCR TEST FOR THE DIAGNOSIS OF ANGELMAN AND PRADER-WILLI SYNDROME BASED ON ALLELIC METHYLATION DIFFERENCES AT THE SNRPN LOCUS" EUROPEAN JOURNAL OF HUMAN GENETICS, KARGER, BASEL, CH, vol. 5, no. 2, 1997, pages 94-98, XP009011533 ISSN: 1018-4813 cited in the application abstract; figure 1 ---	1-51
A	GRIFFIN HG AND GRIFFIN AM (EDS.): "PCR TECHNOLOGY: Current Innovations" 1994 , CRC PRESS , BOCA RATON XP008025537 page 5 -page 11 ---	1-51
A	US 6 007 231 A (BISHOP ROBERT ET AL) 28 December 1999 (1999-12-28) the whole document ---	1-51
	-/--	

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/08602

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>SEIJEN A M ET AL: "Systematic design of mouse Vh gene family-specific oligonucleotides"</p> <p>JOURNAL OF IMMUNOLOGICAL METHODS, ELSEVIER SCIENCE PUBLISHERS B.V.,AMSTERDAM, NL, vol. 254, no. 1-2, 1 August 2001 (2001-08-01), pages 161-168, XP004245450</p> <p>ISSN: 0022-1759</p> <p>the whole document</p> <p style="text-align: center;">----</p>	1-51
A	<p>WO 00 49177 A (DU PONT ;ROUVIERE PIERRE (US)) 24 August 2000 (2000-08-24)</p> <p>the whole document</p> <p style="text-align: center;">----</p>	1-51
A	<p>SCHULER G D: "SEQUENCE MAPPING BY ELECTRONIC PCR"</p> <p>GENOME RESEARCH, COLD SPRING HARBOR LABORATORY PRESS, US, vol. 7, 1997, pages 541-550, XP000872176</p> <p>ISSN: 1088-9051</p> <p>cited in the application</p> <p>the whole document</p> <p style="text-align: center;">----</p>	1-51
A	<p>ENGELS W R: "Contributing software to the internet: the Amplify program"</p> <p>TRENDS BIOCHEM. SCI., vol. 18, 1993, pages 448-450, XP001161002</p> <p>the whole document</p> <p style="text-align: center;">----</p>	1-51
P,X	<p>US 2003/068625 A1 (BARRETT WADE A ET AL) 10 April 2003 (2003-04-10)</p> <p>claims 1-32; figures 1-4</p> <p style="text-align: center;">-----</p>	39-51

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/EP 03/08602

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:  
see FURTHER INFORMATION sheet PCT/ISA/210
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

**FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210**

Continuation of Box I.1

Insofar as they include the step of isolating a nucleic sample, i.e. a step which could be performed on the living human or animal body, claims 1-38 relate to a method of treatment and/or diagnostic performed on the living human or animal body, the search has been carried out and restricted on in vitro methods.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 03/08602

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0162960	A	30-08-2001	DE 10010282 A1	06-09-2001
			AU 4227701 A	03-09-2001
			CA 2401233 A1	30-08-2001
			WO 0162960 A2	30-08-2001
			EP 1257670 A2	20-11-2002
			JP 2003525041 T	26-08-2003
			US 2003157510 A1	21-08-2003
US 5786146	A	28-07-1998	CA 2257104 A1	11-12-1997
			EP 0954608 A1	10-11-1999
			IL 127342 A	25-07-2002
			JP 2000511776 T	12-09-2000
			WO 9746705 A1	11-12-1997
			US 6200756 B1	13-03-2001
			US 6265171 B1	24-07-2001
			US 6017704 A	25-01-2000
WO 0144504	A	21-06-2001	AU 2194801 A	25-06-2001
			WO 0144504 A2	21-06-2001
WO 9856952	A	17-12-1998	AU 7829398 A	30-12-1998
			US 6251594 B1	26-06-2001
			WO 9856952 A1	17-12-1998
			US 2002177154 A1	28-11-2002
			US 2003211473 A1	13-11-2003
WO 0070090	A	23-11-2000	US 6331393 B1	18-12-2001
			AU 4712200 A	05-12-2000
			CA 2372665 A1	23-11-2000
			EP 1185695 A1	13-03-2002
			JP 2002543852 T	24-12-2002
			WO 0070090 A1	23-11-2000
			US 2002086324 A1	04-07-2002
US 6007231	A	28-12-1999	AU 3632097 A	06-03-1998
			CA 2263731 A1	19-02-1998
			EP 0925372 A1	30-06-1999
			WO 9806872 A1	19-02-1998
WO 0049177	A	24-08-2000	CA 2359645 A1	24-08-2000
			EP 1153141 A2	14-11-2001
			WO 0049177 A2	24-08-2000
			US 2003113886 A1	19-06-2003
			US 6365376 B1	02-04-2002
			US 2002127666 A1	12-09-2002
US 2003068625	A1	10-04-2003	WO 03021259 A1	13-03-2003
			US 2003108919 A1	12-06-2003
			US 2003073093 A1	17-04-2003